## **NACOmatic**

Effective: 22-October-2009 Expires: 17-December-2009

# Your Ad Here ~60,000 Page views/month

## Contact:

Doug Ranz 248-318-0011 NACOmatic@hotmail.com

## Warranty

I make absolutely no warranty nor guarantee whatsoever about the accuracy, availability, applicability and/or correctness of any of the information in this document.

The official, original NACO documents are available for your downloading pleasure from: <a href="http://naco.faa.gov/index.asp?xml=naco/onlineproducts">http://naco.faa.gov/index.asp?xml=naco/onlineproducts</a>

## Copyright

This compilation is protected by US copyright laws and international copyright treaties.

## Limitations

The sale, hosting and/or distribution of this document in any and all forms, is prohibited.

## Release from Liability

All users of this compilation must agree to be legally bound hereby, that Douglas R. Ranz ("Released Party") SHALL NOT BE LIABLE FOR MY DEATH OR INJURY TO MY PERSON, OR FOR ANY LOSS FOR DAMAGE TO MY PROPERTY OR REPUTATION caused in any manner whatsoever, whether attributable to the negligence of the Released Party, or for any other reason, occurring during the time that I am operating an aircraft.

I do hereby waive any right of action against the Released Party from any and all causes or claims that I may have against them from the beginning of time. I further agree not to sue on any such cause or claim. This agreement shall not release liability for gross negligence or willful misconduct of the Released Party. I agree to indemnify and hold the Released Party harmless for any losses, judgments, damages or fees he may incur, including but not limited to attorneys fees, arising out any lawsuit related to the planning, flight and/or enforcement of or legal challenge to this agreement. It is my intention that this agreement be interpreted and enforced to the maximum extent allowed by Michigan law.

Kind	le-DX	Index;	by A	ptID		Use	"Menu",	then	"Goto	Page"
1DS	=>	51	SMS	=>	56					
33A	=>	45	SPA	=>	56					
35A	=>	57	SSC	=>	55					
38J	=>	42	UDG	=>	36					
51J	=>	44	UZA		53					
52J	=>	30	XNO		50					
58J	=>	57								
88J	=>	26								
99N	=>	28								
AIK	=>	26								
AND	=>	27								
ARW	=>	28								
BBP	=>	29								
BNL	=>	28								
CAE	=>	34								
CDN	=>	30								
CEU	=>	33								
CHS	=>	31								
CKI	=>	44								
CQW	=>	32								
CRE	=>	51								
CUB	=>	35								
DCM	=>	32								
DLC	=>	36								
DYB	=>	56								
EOE	=>	50								
FDW	=>	58								
FLO	=>	37								
GGE	=>	38								
GMU	=>	40								
GRD	=>	40								
GSP	=>	41								
GYH	=>	39								
HVS	=>	42								
HXD	=>	43								
HYW	=>	35								
JZI	=>	32								
LKR	=>	45								
LQK	=>	53								
LRO	=>	49								
LUX	=>	45								
MAO	=>	47								
MKS	=>	49								
MMT	=>	48								
MNI	=>	46								
MYR	=>	49								
NBC	=>	29								
OGB	=>	51								
PHH	=>	27								
PYG	=>	52								
RBW	=>	58								
MOTA	-/	J0								

#### GENERAL INFORMATION

This Airport/Facility Directory is a Civil Flight Information Publication published and distributed every eight weeks by the National Aeronautical Charting Office, FAA, Department of Transportation, Silver Spring, Maryland 20910. It is designed for use with Aeronautical Charts covering the conterminous United States, Puerto Rico and the Virgin Islands.

This directory contains all open to the public airports, seaplane bases and heliports, military facilities, and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally, this directory contains communications data, navigational facilities and certain special notices and procedures.

Military data contained within this publication is provided by the National Geospatial-Intelligence Agency and is intended to provide reference data for military and/or joint civil/military airports. Not all military data contained in this publication is applicable to civil users.

#### CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

CRITICAL information such as equipment malfunction, abnormal field conditions, hazards to flight, etc., should be reported as soon as possible to the nearest FAA facility, either in person or by reverse charge telephone call.

#### FOR AIRPORT SUPPLEMENT REVISIONS FORM VISIT WEB SITE: http://nfdc.faa.gov/portal/airportchanges.do

FAA, Aeronautical Information Services, ATO-R, Rm. 626

800 Independence Ave., SW

Washington, DC 20591

Telephone 1-866-295-8236 Fax 202-267-5322

Email 9-ATOR-HO-AIS-AIRPORTCHANGES@FAA.GOV

NOTICE: Changes must be received by the Aeronautical Information Services as soon as possible but not later than the "cut-off" dates listed below to assure publication on the desired effective date.

	Airport Information	Airspace Information*	
Effective Date	Cut-off date	Cut-off date	
22 Oct 09	9 Sep 09	20 Aug 09	
17 Dec 09	4 Nov 09	15 Oct 09	
11 Feb 10	30 Dec 09	10 Dec 09	
8 Apr 10	24 Feb 10	4 Feb 10	
3 Jun 10	21 Apr 10	1 Apr 10	
29 Jul 10	16 Jun 10	27 May 10	

<sup>\*</sup>Including changes to preferred routes and graphic depictions on charts.

#### FOR CHARTING ERRORS CONTACT:

ı

FAA, National Aeronautical Charting Office, ATO-W

SSMC-4 Sta. #2335

1305 East West Highway

Silver Spring, MD 20910-3281

Telephone 1–800–626–3677

Email 9-AMC-Aerochart@faa.gov

Frequently asked questions (FAQs) are answered on our web site at <a href="www.naco.faa.gov">www.naco.faa.gov</a>. See the FAQs prior to contact via toll free number.

#### FOR PROCUREMENT CONTACT:

FAA, National Aeronautical Charting Office

Distribution Division, ATO-W

10201 Good Luck Road

Glenn Dale, MD 20769-9700

Online at www.naco.faa.gov

Email 9-AMC-Chartsales@faa.gov

Telephone 1-800-638-8972

Fax 301-436-6829

or any authorized FAA Chart Agent

New or Changed Information—To alert users of new information or changes to information from the previous issue, a vertical line will be portrayed in the outside margin and extending the full length of the new and/or revised data. This will not apply to the front cover or the airport/facility directory listing.

This Airport/Facility Directory comprises part of the following sections of the United States Aeronautical Information Publication (AIP): GEN, ENR and AD.

## 1

## GENERAL INFORMATION TABLE OF CONTENTS

General Information	Inside Front Cover
Abbreviations	2
Directory Legend	4
Airport/Facility Directory	
Alabama	22
Florida	66
Georgia	145
Kentucky	204
North Carolina	232
South Carolina	290
Tennessee	323
Puerto Rico	365
Virgin Islands	370
City/Military Airport Cross Reference	372
Seaplane Landing Areas	373
Special Notices	374
Regulatory Notices	388
FAA and National Weather Service	
Telephone Numbers	389
Key to Aviation Weather Reports	390
Air Traffic Facilities Telephone Numbers	392
Air Route Traffic Control Centers	394
Flight Service Station Communication Frequencies	396
Flight Standards District Offices	400
Routes/Waypoints	
Low Altitude Preferred Routes	401
Low Altitude Directional Routes	408
High Altitude Preferred Routes	408
High Altitude Directional Routes	451
Q-Routes	458
RNAV Routing Pitch and Catch Points	461
VFR Waypoints	472
VOR Receiver Check	482
Parachute Jumping Areas	489
Aeronautical Chart Bulletins	493
Supplemental Communication Reference	504
Airport Diagrams	510
National Weather Service (NWS) Upper Air Observing Stations	648
Enroute Flight Advisory Service (FFAS)	Inside Back Cover

#### **ABBREVIATIONS**

The following abbreviations/acronyms are those commonly used within this Directory. Other abbreviations/acronyms may be found in the Legend and are not duplicated below. The abbreviations presented are intended to represent grammatical variations of the basic form. (Example-"req" may mean "request", "requesting", "requested", or "requests").

AAF	Army Air Field	byd	beyond
AB	Airbase	С	Commercial Circuit (Telephone)
abv	above	CGAF	Coast Guard Air Facility
ACC	Air Combat Command; Area Control	CGAS	Coast Guard Air Station
	Center	CIV	Civil
acft	aircraft	clsd	closed
ADCC	Air Defense Control Center	comd	command
AER	approach end rwy	CONUS	Continental United States
AFB	Air Force Base	CSTMS	Customs
AFHP	Air Force Heliport	ctc	contact
afld	airfield	ctl	control
AFOD	US Army Flight Operations Detachment	dalgt	daylight
AFRC	Armed Forces Reserve Center/Air Force	Dec	December
	Reserve Command	DIAP	DoD Instrument Approach Procedure
AFSS	Automated Flight Service Station	DoD	Department of Defense
AG	Agriculture	DSN	Defense Switching Network (Telephone)
A-GEAR	Arresting Gear	dsplcd	displaced
AGL	above ground level	durn	duration
AHP	Army heliport	eff	effective
ALS	Approach Light System	emerg	emergency
alt	altitude	EOR	End of Runway
AMC	Air Mobility Command	ETA	Estimated Time of Arrival
ANGS	Air National Guard Station	ETD	Estimated Time of Departure
apch	approach	exc	except
Apr	April	extd	extend
APU	Auxiliary Power Unit	FBO	fixed-base operator
ARB	Air Reserve Base	Feb	February
arpt	airport	fld	field
ARS	Air Reserve Station	FLIP	Flight Information Publication
AS	Air Station	flt	flight
ASDE-X	Airport Surface Detection Equipment—	flw	follow
	Model X	Fri	Friday
ASU	Aircraft Starting Unit	FSS	Flight Service Station
ATC	Air Traffic Control	GA	glide angle
Aug	August	GCA	Ground Controlled Approach
AUW	All Up Weight (gross weight)	GS	glide slope
avbl	available	haz	hazard
bcn	beacon	HQ	Headquarters
blo	below		

#### **CONTINUED ON NEXT PAGE**

personnel and equipment working

#### CONTINUED FROM PRECEDING PAGE

onr

PAFW

hr hour non precision instrument ΙΔΡ Instrument Approach Procedure NS ABTMT Noise Abatement ICAC International Civil Aviation Organization NSTD nonstandard IFR Instrument Flight Rules ntc notice ILS Instrument Landing System obsn observation IM Inner Marker Oct October IMG Immigration OI F Outlying Field operate, operator, operational

indet indefinite ons operations intensity OTS out of service ints

invof in the vicinity of ovrn overrun

Instrument Meteorological Conditions

incr

IMC

MACC

NAAS

increase

lan nat pattern Jet Aircraft Starting Unit IASI p-line power line

JOAP Joint Oil Analysis Program **PMSV** Pilot-to-Metro Service IOSAC Joint Operational Support Airlift Center PΩI Petrol, Oils and Lubricants IRB Joint Reserve Base PPR prior permission required Jul July PRM Precision Runway Monitoring

Jun June PTD Pilot to Dispatcher

Κt Knots RAMCC Regional Air Movement Control Center

LAA Local Airport Advisory rea request LAHSO Land and Hold Short Operations rgt tfc right traffic RON Remain Overnight lhs nounds ldg landing rar require lighted rstd lgtd restricted

RSRS løts lights reduced same runway separation

LMM Compass locator at Middle Marker ILS rw/v/ runway LOC Localizer Sat Saturday

LOM Compass locator at Outer Marker ILS SFLE Strategic Expeditionary Landing Field

SFA

tran

transient

limited Sen Itd September

Military Area Control Center Single Frequency Approach March efe Mar surface

SFRA MCAF Marine Corps Air Facility Special Flight Rules Area

SOAP MCALE Marine Corps Auxiliary Landing Field Spectrometric Oil Analysis Program

SOF Supervisor of Flying MCAS Marine Corps Air Station

Marine Corps Base SPR MCB Seaplane Base SP med medium sunrise SS METRO Pilot-to-Metro voice call sunset Mil military std standard

min minute Sur Sunday MLS Microwave Landing System SVC service MM Middle Marker of ILS tfc traffic Mon Monday thld threshold MP Maintenance Period Thu Thursday MSI mean sea level tkf take-off MSAW minimum safe altitude warning tmnrv temporary

Naval Auxiliary Air Station

NADC Naval Air Development Center Tue Tuesday NADER Naval Air Depot twr tower Naval Air Engineering Center NAEC twv taxiway NAFS Naval Air Engineering Station UC **Under Construction** NAF


Naval Air Facility USA United States Army Naval Air Logistics Control Office NALCO USAF United States Air Force USCG NALO Navy Air Logistics Office United States Coast Guard NALE Naval Auxiliary Landing Field USN United States Navy

NAS Naval Air Station Defense Switching Network (telephone,

NAWC Naval Air Warfare Center formerly AUTOVON) NAWS Naval Air Weapons Station VFR Visual Flight Rules VIP night Very Important Person ngt

NOLF Naval Outlying Field VMC Visual Meteorological Conditions

Nov November Wed Wednesday wx weather



**SEAPLANE REMARKS:** Birds roosting and feeding areas along river banks. Seaplanes operating adjacent to SW side of arpt not visible from twr and are required to ctc twr.

All bearings and radials are magnetic unless otherwise specified.
All mileages are nautical unless otherwise noted.
All times are Coordinated Universal Time (UTC) except as noted.
All elevations are in feet above/below Mean Sea Level (MSL) unless otherwise noted.
The horizontal reference datum of this publication is North American Datum of 1983 (NAD83), which for charting purposes is considered equivalent to World Geodetic System 1984 (WGS 84).

10 SKETC	H LEGEND
runways/landing areas	radio aids to navigation
Hard Surfaced	VORTAC
Metal Surface	VOR/DME NDB
Sod, Gravel, etc	TACAN NDB/DME
Light Plane,	MISCELLANEOUS AERONAUTICAL FEATURES
Closed	Airport Beacon
Helicopter Landings Area	Landing Tee ⊢
Displaced Threshold 0	Tetrahedron
Taxiway, Apron and Stopways	ADDDOACH HOHTING CVCTFAAC
MISCELLANEOUS BASE AND CULTURAL FEATURES	APPROACH LIGHTING SYSTEMS  A dot " • " portrayed with approach lighting letter identifier indicates sequenced flashing lights (F) installed with the approach lighting
Buildings	system e.g. (A) Negative symbology, e.g., (A)  V indicates Pilot Controlled Lighting (PCL).
Power Lines	Runway Centerline Lighting
Fence	A Approach Lighting System ALSF-2
Towers	Approach Lighting System ALSF-1
Tanks	SALS/SALSF
Oil Well	Medium Intensity Approach Lighting System (MALS and MALSF)/(SSALS
Smoke Stack	Medium Intensity Approach Lighting  System (MALSR) and RAII
0bstruction	System (MALSR) and RAIL
Controlling Obstruction	D Navy Parallel Row and Cross Bar
ପି ଉ,ସି ଉ, Trees	† Air Force Overrun
Populated Places	Standard Threshold Clearance provided Pulsating Visual Approach Slope Indicator (PVASI)
Cuts and Fills Cut	Visual Approach Slope Indicator with a threshold crossing height to accomodate long bodied or jumbo aircraft
Cliffs and Depressions	Tri-color Visual Approach Slope Indicator (TRCV)
Ditch	(APAP)
Hill	P Precision Approach Path Indicator (PAPI)

#### LEGEND

This directory is a listing of data on record with the FAA on all open to the public airports, military facilities and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally this listing contains data for associated terminal control facilities, air route traffic control centers, and radio aids to navigation within the conterminous United States, Puerto Rico and the Virgin Islands. Joint civil/military and civil airports are listed alphabetically by state, associated city and airport name and cross-referenced by airport name. Military facilities are listed alphabetically by state and official airport name and cross-referenced by associated city name. Navaids, flight service stations and remote communication outlets that are associated with an airport, but with a different name, are listed alphabetically under their own name, as well as under the airport with which they are associated.

The listing of an open to the public airport in this directory merely indicates the airport operator's willingness to accommodate transient aircraft, and does not represent that the facility conforms with any Federal or local standards, or that it has been approved for use on the part of the general public. Military and private use facilities published in this directory are open to civil pilots only in an emergency or with prior permission. See Special Notice Section, Civil Use of Military Fields.

The information on obstructions is taken from reports submitted to the FAA. Obstruction data has not been verified in all cases, Pilots are cautioned that objects not indicated in this tabulation (or on the airports sketches and/or charts) may exist which can create a hazard to flight operation. Detailed specifics concerning services and facilities tabulated within this directory are contained in the Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

The legend items that follow explain in detail the contents of this Directory and are keyed to the circled numbers on the sample on the preceding pages.

### 1 CITY/AIRPORT NAME

Civil and joint civil/military airports and facilities in this directory are listed alphabetically by state and associated city. Where the city name is different from the airport name the city name will appear on the line above the airport name. Airports with the same associated city name will be listed alphabetically by airport name and will be separated by a dashed rule line. A solid rule line will separate all others. FAA approved helipads and seaplane landing areas associated with a land airport will be separated by a dotted line. Military airports are listed alphabetically by state and official airport name.

## (2) ALTERNATE NAME

Alternate names, if any, will be shown in parentheses.

## (3) LOCATION IDENTIFIER

The location identifier is a three or four character FAA code followed by a four-character ICAO code assigned to airports. ICAO codes will only be published at joint civil/military, and military facilities. If two different military codes are assigned, both codes will be shown with the primary operating agency's code listed first. These identifiers are used by ATC in lieu of the airport name in flight plans, flight strips and other written records and computer operations. Zeros will appear with a slash to differentiate them from the letter "O".

### (4) OPERATING AGENCY

Α

Airports within this directory are classified into two categories, Military/Federal Government and Civil airports open to the general public, plus selected private use airports. The operating agency is shown for military, private use and joint civil/military airports. The operating agency is shown by an abbreviation as listed below. When an organization is a tenant, the abbreviation is enclosed in parenthesis. No classification indicates the airport is open to the general public with no military tenant.

MC

Marine Corps

AFRC Air Force Reserve Command N Navv US Air Force Naval Air Facility ΔF NAF ANG Air National Guard NAS Naval Air Station AR US Army Reserve NASA National Air and Space Administration Р ARNG US Army National Guard

ARNG US Army National Guard P US Civil Airport Wherein Permit Covers
CG US Coast Guard Use by Transient Military Aircraft
CIV/MIL Joint Use Civil/Military PVT Private Use Only (Closed to the Public)

DND Department of National Defense Canada

US Army

#### (5) AIRPORT LOCATION

Airport location is expressed as distance and direction from the center of the associated city in nautical miles and cardinal points, e.g., 4 NE.

#### (6) TIME CONVERSION

Hours of operation of all facilities are expressed in Coordinated Universal Time (UTC) and shown as "Z" time. The directory indicates the number of hours to be subtracted from UTC to obtain local standard time and local daylight saving time UTC-5(-4DT). The symbol ‡ indicates that during periods of Daylight Saving Time effective hours will be one hour earlier than shown. In those areas where daylight saving time is not observed the (-4DT) and ‡ will not be shown. Daylight saving time is in effect from 0200 local time the second Sunday in March to 0200 local time the first Sunday in November. Canada and all U.S. Conterminous States observe daylight saving time except Arizona and Puerto Rico, and the Virgin Islands. If the state observes daylight saving time and the operating times are other than daylight saving times, the operating hours will include the dates, times and no ‡ symbol will be shown, i.e., April 15-Aug 31 0630-1700Z, Sep 1-Apr 14 0600-1700Z.

## 7 GEOGRAPHIC POSITION OF AIRPORT—AIRPORT REFERENCE POINT (ARP)

Positions are shown as hemisphere, degrees, minutes and hundredths of a minute and represent the approximate geometric center of all usable runway surfaces.

## **8** CHARTS

Charts refer to the Sectional Chart and Low and High Altitude Enroute Chart and panel on which the airport or facility is located. Helicopter Chart locations will be indicated as COPTER.

## 9 INSTRUMENT APPROACH PROCEDURES, AIRPORT DIAGRAMS

IAP indicates an airport for which a prescribed (Public Use) FAA Instrument Approach Procedure has been published. DIAP indicates an airport for which a prescribed DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures. See the Special Notice Section of this directory, Civil Use of Military Fields and the Aeronautical Information Manual 5–4–5 Instrument Approach Procedure Charts for additional information. AD indicates an airport for which an airport diagram has been published. Airport diagrams are located in the back of each A/FD volume alphabetically by associated city and airport name.

## (10) AIRPORT SKETCH

The airport sketch, when provided, depicts the airport and related topographical information as seen from the air and should be used in conjunction with the text. It is intended as a guide for pilots in VFR conditions. Symbology that is not self-explanatory will be reflected in the sketch legend. The airport sketch will be oriented with True North at the top. Airport sketches will be added incrementally.

## (11) ELEVATION

The highest point of an airport's usable runways measured in feet from mean sea level. When elevation is sea level it will be indicated as "00". When elevation is below sea level a minus "-" sign will precede the figure.

## (12) ROTATING LIGHT BEACON

B indicates rotating beacon is available. Rotating beacons operate sunset to sunrise unless otherwise indicated in the AIRPORT REMARKS or MILITARY REMARKS segment of the airport entry.

S8: Minor powerplant repairs.

## (13) SERVICING—CIVIL

S1:	Minor airframe repairs.	S5:	Major airframe repairs.
S2:	Minor airframe and minor powerplant repairs.	S6:	Minor airframe and major powerplant repairs.
S3:	Major airframe and minor powerplant repairs.	S7:	Major powerplant repairs.

## S4: Major airframe and major powerplant repairs.

## (14) FUEL

CODE	FUEL	CODE	FUEL
80	Grade 80 gasoline (Red)	B+	Jet B, Wide-cut, turbine fuel with FS-II*, FP**
100	Grade 100 gasoline (Green)		minus 50° C.
100LL	100LL gasoline (low lead) (Blue)	J4 (JP4)	(JP-4 military specification) FP** minus
115	Grade 115 gasoline (115/145 military		58° C.
	specification) (Purple)	J5 (JP5)	(JP-5 military specification) Kerosene with
A	Jet A, Kerosene, without FS-II*, FP** minus		FS-11, FP** minus 46°C.
	40° C.	J8 (JP8)	(JP-8 military specification) Jet A-1, Kerosene
A+	Jet A, Kerosene, with FS-II*, FP** minus		with FS-II*, FP** minus 47°C.
	40°C.	J8+100	(JP-8 military specification) Jet A-1, Kerosene
A1	Jet A-1, Kerosene, without FS-II*, FP**		with FS-II*, FP** minus 47°C, with-fuel
	minus 47°C.		additive package that improves thermo
A1+	Jet A-1, Kerosene with FS-II*, FP** minus		stability characteristics of JP-8.
	47° C.	J	(Jet Fuel Type Unknown)
В	Jet B, Wide-cut, turbine fuel without FS-II*,	MOGAS	Automobile gasoline which is to be used
	FP** minus 50° C.		as aircraft fuel.

<sup>\*(</sup>Fuel System Icing Inhibitor)

NOTE: Certain automobile gasoline may be used in specific aircraft engines if a FAA supplemental type certificate has been obtained. Automobile gasoline, which is to be used in aircraft engines, will be identified as "MOGAS",

however, the grade/type and other octane rating will not be published.  $% \label{eq:control_problem} % % \label{eq:control_problem} % \label{eq:control_problem} % % \label{eq:control$ 

Data shown on fuel availability represents the most recent information the publisher has been able to acquire. Because of a variety of factors, the fuel listed may not always be obtainable by transient civil pilots. Confirmation of availability of fuel should be made directly with fuel suppliers at locations where refueling is planned.

## 15 OXYGEN—CIVIL

OX 1 High Pressure OX 3 High Pressure—Replacement Bottles
OX 2 Low Pressure OX 4 Low Pressure—Replacement Bottles

### (16) TRAFFIC PATTERN ALTITUDE

Traffic Pattern Altitude (TPA)—The first figure shown is TPA above mean sea level. The second figure in parentheses is TPA above airport elevation. Multiple TPA shall be shown as "TPA—See Remarks" and detailed information shall be shown in the Airport or Military Remarks Section. Traffic pattern data for USAF bases, USN facilities, and U.S. Army airports (including those on which ACC or U.S. Army is a tenant) that deviate from standard pattern altitudes shall be shown in Military Remarks.

<sup>\*\*(</sup>Freeze Point)

## 17

#### $^{7}$ airport of entry. Landing rights, and customs user fee airports

U.S. CUSTOMS USER FEE AIRPORT—Private Aircraft operators are frequently required to pay the costs associated with customs processing.

AOE—Airport of Entry. A customs Airport of Entry where permission from U.S. Customs is not required to land. However, at least one hour advance notice of arrival is required.

LRA—Landing Rights Airport. Application for permission to land must be submitted in advance to U.S. Customs. At least one hour advance notice of arrival is required.

NOTE: Advance notice of arrival at both an AOE and LRA airport may be included in the flight plan when filed in Canada or Mexico. Where Flight Notification Service (ADCUS) is available the airport remark will indicate this service. This notice will also be treated as an application for permission to land in the case of an LRA. Although advance notice of arrival may be relayed to Customs through Mexico, Canada, and U.S. Communications facilities by flight plan, the aircraft operator is solely responsible for ensuring that Customs receives the notification. (See Customs, Immigration and Naturalization, Public Health and Agriculture Department requirements in the International Flight Information Manual for further details.)

US Customs Air and Sea Ports, Inspectors and Agents

Northeast Sector (New England and Atlantic States—ME to MD)	407-975-1740
Southeast Sector (Atlantic States—DC, WV, VA to FL)	407-975-1780
Central Sector (Interior of the US, including Gulf states—MS, AL, LA)	407-975-1760
Southwest East Sector (OK and eastern TX)	407-975-1840
Southwest West Sector (Western TX, NM and AZ)	407-975-1820
Pacific Sector (WA, OR, CA, HI and AK)	407-975-1800

### (18) CERTIFICATED AIRPORT (14 CFR PART 139)

Airports serving Department of Transportation certified carriers and certified under 14 CFR part 139 are indicated by the Class and the ARFF Index; e.g. Class I, ARFF Index A, which relates to the availability of crash, fire, rescue equipment. Class I airports can have an ARFF Index A through E, depending on the aircraft length and scheduled departures. Class II, III, and IV will always carry an Index A.

## 14 CFR PART 139 CERTIFICATED AIRPORTS AIRPORT CLASSIFICATIONS

Type of Air Carrier Operation	Class I	Class II	Class III	Class IV
Scheduled Air Carrier Aircraft with 31 or more passenger seats	Х			
Unscheduled Air Carrier Aircraft with 31 or more passengers seats	Х	Х		Х
Scheduled Air Carrier Aircraft with 10 to 30 passenger seats	Х	Х	Х	

## 14 CFR-PART 139 CERTIFICATED AIRPORTS

#### INDICES AND AIRCRAFT RESCUE AND FIRE FIGHTING EQUIPMENT REQUIREMENTS

Airport Index	Required No. Vehicles	Aircraft Length	Scheduled Departures	Agent + Water for Foam
А	1	<90′	≥1	500#DC or HALON 1211 or 450#DC + 100 gal H <sub>2</sub> O
В	1 or 2	≥90′, <126′	≥5	Index A + 1500 gal H <sub>2</sub> O
		≥126′, <159′	<5	
С	2 or 3	≥126′, <159′	≥5	Index A + 3000 gal H <sub>2</sub> O
		≥159′, <200′	<5	
D	3	≥159′, <200′		Index A + 4000 gal H <sub>2</sub> O
		>200′	<5	
E	3	≥200′	≥5	Index A + 6000 gal H <sub>2</sub> O

<sup>&</sup>gt; Greater Than; < Less Than; ≥ Equal or Greater Than; ≤ Equal or Less Than; H<sub>2</sub>O-Water; DC-Dry Chemical.

NOTE: The listing of ARFF index does not necessarily assure coverage for non-air carrier operations or at other than prescribed times for air carrier. ARFF Index Ltd.—indicates ARFF coverage may or may not be available, for information contact airport manager prior to flight.

## 19 NOTAM SERVICE

All public use landing areas are provided NOTAM "D" (distant dissemination) and NOTAM "L" (local dissemination) service. Airport NOTAM file identifier is shown for individual airports, e.g. "NOTAM FILE IAD". See AIM, Basic Flight Information and

ATC Procedures for detailed description of NOTAM's. Current NOTAMs are available from Flight Service Stations at 1–800–WX–BRIEF. Real time Military NOTAMs are available using the DoD Internet NOTAM Distribution System (DINS) www.notams.jcs.mil.

## 20 FAA INSPECTION

All airports not inspected by FAA will be identified by the note: Not insp. This indicates that the airport information has been provided by the owner or operator of the field.

## **21** RUNWAY DATA

Runway information is shown on two lines. That information common to the entire runway is shown on the first line while information concerning the runway ends is shown on the second or following line. Runway direction, surface, length, width, weight bearing capacity, lighting, and slope, when available are shown for each runway. Multiple runways are shown with the longest runway first. Direction, length, width, and lighting are shown for sea-lanes. The full dimensions of helipads are shown, e.g., 50X150. Runway data that requires clarification will be placed in the remarks section.

#### RUNWAY DESIGNATION

Runways are normally numbered in relation to their magnetic orientation rounded off to the nearest 10 degrees. Parallel runways can be designated L (left)/R (right)/C (center). Runways may be designated as STOL, Ultralight, or assault strips. Assault strips are shown by magnetic bearing.

#### RUNWAY DIMENSIONS

Runway length and width are shown in feet. Length shown is runway end to end including displaced thresholds, but excluding those areas designed as overruns.

#### RUNWAY SURFACE AND LENGTH

Runway lengths prefixed by the letter "H" indicate that the runways are hard surfaced (concrete, asphalt, or part asphalt-concrete). If the runway length is not prefixed, the surface is sod, clay, etc. The runway surface composition is indicated in parentheses after runway length as follows:

(AFSC)—Aggregate friction seal coat	(GRVL)—Gravel, or cinders	(PSP)—Pierced steel plank
(ASPH)—Asphalt	(MATS)—Pierced steel planking,	(RFSC)—Rubberized friction seal coat
(CONC)—Concrete	landing mats, membranes	(TURF)—Turf
(DIRT)—Dirt	(PEM)—Part concrete, part asphalt	(TRTD)—Treated
(GRVD)—Grooved	(PFC)—Porous friction courses	(WC)—Wire combed

#### RUNWAY WEIGHT BEARING CAPACITY

Runway strength data shown in this publication is derived from available information and is a realistic estimate of capability at an average level of activity. It is not intended as a maximum allowable weight or as an operating limitation. Many airport pavements are capable of supporting limited operations with gross weights in excess of the published figures. Permissible operating weights, insofar as runway strengths are concerned, are a matter of agreement between the owner and user. When desiring to operate into any airport at weights in excess of those published in the publication, users should contact the airport management for permission. Runway strength figures are shown in thousand of pounds, with the last three figures being omitted. Add 000 to figure following S, D, 2S, 2T, AUW, SWL, etc., for gross weight capacity. A blank space following the letter designator is used to indicate the runway can sustain aircraft with this type landing gear, although definite runway weight bearing capacity figures are not available, e.g., S, D. Applicable codes for typical gear configurations with S=Single, D=Dual, T=Triple and Q=Quadruple:

CURRENT	NEW	NEW DESCRIPTION
S	S	Single wheel type landing gear (DC3), (C47), (F15), etc.
D	D	Dual wheel type landing gear (BE1900), (B737), (A319), etc.
T	D	Dual wheel type landing gear (P3, C9).
ST	2S	Two single wheels in tandem type landing gear (C130).
TRT	2T	Two triple wheels in tandem type landing gear (C17), etc.
DT	2D	Two dual wheels in tandem type landing gear (B707), etc.
TT	2D	Two dual wheels in tandem type landing gear (B757,
		KC135).
SBTT	2D/D1	Two dual wheels in tandem/dual wheel body gear type
		landing gear (KC10).
None	2D/2D1	Two dual wheels in tandem/two dual wheels in tandem body
		gear type landing gear (A340–600).
DDT	2D/2D2	Two dual wheels in tandem/two dual wheels in double
		tandem body gear type landing gear (B747, E4).
TTT	3D	Three dual wheels in tandem type landing gear (B777), etc.
TT	D2	Dual wheel gear two struts per side main gear type landing
		gear (B52).
TDT	C5	Complex dual wheel and quadruple wheel combination
		landing gear (C5).

AUW—All up weight. Maximum weight bearing capacity for any aircraft irrespective of landing gear configuration.

SWL—Single Wheel Loading. (This includes information submitted in terms of Equivalent Single Wheel Loading (ESWL) and Single Isolated Wheel Loading).

PSI—Pounds per square inch. PSI is the actual figure expressing maximum pounds per square inch runway will support, e.g., (SWL 000/PSI 535).

Omission of weight bearing capacity indicates information unknown.

The ACN/PCN System is the ICAO standard method of reporting pavement strength for pavements with bearing strengths greater than 12,500 pounds. The Pavement Classification Number (PCN) is established by an engineering assessment of the runway. The PCN is for use in conjunction with an Aircraft Classification Number (ACN). Consult the Aircraft Flight Manual, Flight Information Handbook, or other appropriate source for ACN tables or charts. Currently, ACN data may not be available or all aircraft. If an ACN table or chart is available, the ACN can be calculated by taking into account the aircraft weight, the pavement type, and the subgrade category. For runways that have been evaluated under the ACN/PCN system, the PCN will be shown as a five-part code (e.g. PCN 80 R/B/W/T). Details of the coded format are as follows:

- (1) The PCN NUMBER—The reported PCN indicates that an aircraft with an ACN equal or less than the reported PCN can operate on the pavement subject to any limitation on the tire pressure.
- (2) The type of pavement:
  - R Rigid
  - F Flexible
- (3) The pavement subgrade category:
  - A High
  - B Medium
  - C Low
  - D Ultra-low

- $\begin{tabular}{ll} (4) The maximum tire pressure authorized for the pavement: \\ \end{tabular}$ 
  - W High, no limit
  - X Medium, limited to 217 psi
  - Y Low, limited to 145 psi
- Z Very low, limited to 73 psi(5) Pavement evaluation method:
  - T Technical evaluation
  - U By experience of aircraft using the pavement

NOTE: Prior permission from the airport controlling authority is required when the ACN of the aircraft exceeds the published PCN or aircraft tire pressure exceeds the published limits.

#### RUNWAY LIGHTING

Lights are in operation sunset to sunrise. Lighting available by prior arrangement only or operating part of the night and/or pilot controlled lighting with specific operating hours are indicated under airport or military remarks. At USN/USMC facilities lights are available only during airport hours of operation. Since obstructions are usually lighted, obstruction lighting is not included in this code. Unlighted obstructions on or surrounding an airport will be noted in airport or military remarks. Runway lights nonstandard (NSTD) are systems for which the light fixtures are not FAA approved L-800 series: color, intensity, or spacing does not meet FAA standards. Nonstandard runway lights, VASI, or any other system not listed below will be shown in airport remarks or military service. Temporary, emergency or limited runway edge lighting such as flares, smudge pots, lanterns or portable runway lights will also be shown in airport remarks or military service. Types of lighting are shown with the runway or runway end they serve.

NSTD—Light system fails to meet FAA standards.

LIRL-Low Intensity Runway Lights.

MIRL—Medium Intensity Runway Lights.

HIRL—High Intensity Runway Lights.

RAIL—Runway Alignment Indicator Lights.

REIL—Runway End Identifier Lights.

CL—Centerline Lights.

TDZL—Touchdown Zone Lights.

ODALS-Omni Directional Approach Lighting System.

AF OVRN-Air Force Overrun 1000' Standard

Approach Lighting System.

LDIN-Lead-In Lighting System.

MALS-Medium Intensity Approach Lighting System.

MALSF—Medium Intensity Approach Lighting System with Sequenced Flashing Lights.

MALSR—Medium Intensity Approach Lighting System with Runway Alignment Indicator Lights.

SALS—Short Approach Lighting System.

SALSF—Short Approach Lighting System with Sequenced Flashing Lights.

SSALS—Simplified Short Approach Lighting System.

SSALF—Simplified Short Approach Lighting System with Sequenced Flashing Lights.

SSALR—Simplified Short Approach Lighting System with Runway Alignment Indicator Lights.

ALSAF—High Intensity Approach Lighting System with Sequenced Flashing Lights.

ALSF1—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category I, Configuration.

ALSF2—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category II, Configuration.

SF-Sequenced Flashing Lights.

OLS-Optical Landing System.

WAVE-OFF.

NOTE: Civil ALSF2 may be operated as SSALR during favorable weather conditions. When runway edge lights are positioned more than 10 feet from the edge of the usable runway surface a remark will be added in the "Remarks" portion of the airport entry. This is applicable to Air Force, Air National Guard and Air Force Reserve Bases, and those joint civil/military airfields on which they are tenants.

#### VISUAL GLIDESLOPE INDICATORS

APAP—A sys	stem of panels, which may or may not be lighted, used fo	or alignme	ent of approach path.
PNIL	APAP on left side of runway	PNIR	APAP on right side of runway
PAPI—Precis	sion Approach Path Indicator		
P2L	2-identical light units placed on left side of	P4L	4-identical light units placed on left side of
	runway		runway
P2R	2-identical light units placed on right side of	P4R	4-identical light units placed on right side of
	runway		runway
PVASI—Puls	sating/steady burning visual approach slope indicator, no	ormally a	single light unit projecting two colors.
PSIL	PVASI on left side of runway	PSIR	PVASI on right side of runway
SAVASI-Sii	mplified Abbreviated Visual Approach Slope Indicator		
S2L	2-box SAVASI on left side of runway	S2R	2-box SAVASI on right side of runway

TRCV—Tri-color visual approach slope indicator, normally a single light unit projecting three colors.

TRIL	TRCV on left side of runway	TRIR	TRCV on right side of runway
VASI—Visua	l Approach Slope Indicator		
V2L	2-box VASI on left side of runway	V6L	6-box VASI on left side of runway
V2R	2-box VASI on right side of runway	V6R	6-box VASI on right side of runway
V4L	4-box VASI on left side of runway	V12	12-box VASI on both sides of runway
V4R	4-box VASI on right side of runway	V16	16-box VASI on both sides of runway

NOTE: Approach slope angle and threshold crossing height will be shown when available; i.e., -GA 3.5° TCH 37'.

#### PILOT CONTROL OF AIRPORT LIGHTING

Key Mike	Function
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-Off)
3 times within 5 seconds	Lowest intensity available
	(Lower REIL or REIL-Off)

Available systems will be indicated in the airport or military remarks, e.g., ACTIVATE HIRL Rwy 07–25, MALSR Rwy 07, and VASI Rwy 07—122.8.

Where the airport is not served by an instrument approach procedure and/or has an independent type system of different specification installed by the airport sponsor, descriptions of the type lights, method of control, and operating frequency will be explained in clear text. See AIM, "Basic Flight Information and ATC Procedures," for detailed description of pilot control of airport lighting.

When available, runway slope data will only be provided for those airports with an approved FAA instrument approach procedure. Runway slope will be shown only when it is 0.3 percent or greater. On runways less than 8000 feet, the direction of the slope up will be indicated, e.g., 0.3% up NW. On runways 8000 feet or greater, the slope will be shown (up or down) on the runway end line, e.g., RWY 13: 0.3% up, RWY 21: Pole. Rgt ffc. 0.4% down.

#### RUNWAY END DATA

Information pertaining to the runway approach end such as approach lights, touchdown zone lights, runway end identification lights, visual glideslope indicators, displaced thresholds, controlling obstruction, and right hand traffic pattern, will be shown on the specific runway end. "Rgt tfc"—Right traffic indicates right turns should be made on landing and takeoff for specified runway end.

#### LAND AND HOLD SHORT OPERATIONS (LAHSO)

LAHSO is an acronym for "Land and Hold Short Operations." These operations include landing and holding short of an intersection runway, an intersecting taxiway, or other predetermined points on the runway other than a runway or taxiway. Measured distance represents the available landing distance on the landing runway, in feet.

Specific questions regarding these distances should be referred to the air traffic manager of the facility concerned. The Aeronautical Information Manual contains specific details on hold–short operations and markings.

#### RUNWAY DECLARED DISTANCE INFORMATION

TORA—Take-off Run Available. The length of runway declared available and suitable for the ground run of an aeroplane take-off.

TODA—Take-off Distance Available. The length of the take-off run available plus the length of the clearway, if provided.

ASDA—Accelerate-Stop Distance Available. The length of the take-off run available plus the length of the stopway, if provided. LDA—Landing Distance Available. The length of runway which is declared available and suitable for the ground run of an aeroplane landing.

## 22 ARRESTING GEAR/SYSTEMS

Arresting gear is shown as it is located on the runway. The a–gear distance from the end of the appropriate runway (or into the overrun) is indicated in parentheses. A–Gear which has a bi–direction capability and can be utilized for emergency approach end engagement is indicated by a (B). The direction of engaging device is indicated by an arrow. Up to 15 minutes advance notice may be required for rigging A–Gear for approach and engagement. Airport listing may show availability of other than US Systems. This information is provided for emergency requirements only. Refer to current aircraft operating manuals for specific engagement weight and speed criteria based on aircraft structural restrictions and arresting system limitations.

Following is a list of current systems referenced in this publication identified by both Air Force and Navy terminology:

BI-DIRECTIONAL CABLE (B)

12

<u>TYPE</u> <u>DESCRIPTION</u>

BAK-9 Rotary friction brake.

BAK-12A Standard BAK-12 with 950 foot run out, 1-inch cable and 40,000 pound weight setting. Rotary

friction brake.

BAK-12B Extended BAK-12 with 1200 foot run, 1¼ inch Cable and 50,000 pounds weight setting. Rotary

friction brake.

E28 Rotary Hydraulic (Water Brake).
M21 Rotary Hydraulic (Water Brake) Mobile.

The following device is used in conjunction with some aircraft arresting systems:

BAK-14 A device that raises a hook cable out of a slot in the runway surface and is remotely positioned

for engagement by the tower on request. (In addition to personnel reaction time, the system

requires up to five seconds to fully raise the cable.)

H A device that raises a hook cable out of a slot in the runway surface and is remotely positioned

for engagement by the tower on request. (In addition to personnel reaction time, the system

requires up to one and one-half seconds to fully raise the cable.)

UNI-DIRECTIONAL CABLE

TYPE DESCRIPTION

MB60 Textile brake—an emergency one-time use, modular braking system employing the tearing of

specially woven textile straps to absorb the kinetic energy.

E5/E5-1/E5-3 Chain Type. At USN/USMC stations E-5 A-GEAR systems are rated, e.g., E-5 RATING-13R-1100

HW (DRY), 31L/R-1200 STD (WET). This rating is a function of the A-GEAR chain weight and length and is used to determine the maximum aircraft engaging speed. A dry rating applies to a stabilized surface (dry or wet) while a wet rating takes into account the amount (if any) of wet overrun that is not capable of withstanding the aircraft weight. These ratings are published under

Military Service.

FOREIGN CABLE

TYPE DESCRIPTION US EQUIVALENT

44B–3H Rotary Hydraulic) (Water Brake)

CHAG Chain E-5

UNI-DIRECTIONAL BARRIER

TYPE DESCRIPTION

MA-1A Web barrier between stanchions attached to a chain energy absorber.

BAK-15 Web barrier between stanchions attached to an energy absorber (water squeezer, rotary friction,

chain). Designed for wing engagement.

NOTE: Landing short of the runway threshold on a runway with a BAK–15 in the underrun is a significant hazard. The barrier in the down position still protrudes several inches above the underrun. Aircraft contact with the barrier short of the runway threshold can cause damage to the barrier and substantial damage to the aircraft.

OTHER

TYPE DESCRIPTION

EMAS Engineered Material Arresting System, located beyond the departure end of the runway, consisting of

high energy absorbing materials which will crush under the weight of an aircraft.

## 23 MILITARY SERVICE

Specific military services available at the airport are listed under this general heading. Remarks applicable to any military service are shown in the individual service listing.

## 24 JET AIRCRAFT STARTING UNITS (JASU)

The numeral preceding the type of unit indicates the number of units available. The absence of the numeral indicates ten or more units available. If the number of units is unknown, the number one will be shown. Absence of JASU designation indicates non-availability.

The following is a list of current JASU systems referenced in this publication:

USAF JASU (For variations in technical data, refer to T.O. 35–1–7.)

**ELECTRICAL STARTING UNITS:** 

A/M32A-86 AC: 115/200v, 3 phase, 90 kva, 0.8 pf, 4 wire

DC: 28v, 1500 amp, 72 kw (with TR pack)

MC-1A AC: 115/208v, 400 cycle, 3 phase, 37.5 kva, 0.8 pf, 108 amp, 4 wire

DC: 28v, 500 amp, 14 kw

MD-3 AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire

DC: 28v, 1500 amp, 45 kw, split bus

MD-3A AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire

DC: 28v, 1500 amp, 45 kw, split bus

MD-3M AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire

DC: 28v, 500 amp, 15 kw

AC: 120/208y, 400 cycle, 3 phase, 62.5 kya, 0.8 pf, 175 amp, "WYE" neutral ground, 4 wire, 120y, MD-4 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 303 amp, "DELTA" 3 wire, 120v, 400 cycle, 1 phase, 62.5

kva. 0.8 pf. 520 amp. 2 wire

AIR STARTING UNITS

ΔM32-95 150 + -5 lb/min (2055 + -68 cfm) at 51 + -2 psiaAM32A-95 150 +/- 5 lb/min @ 49 +/- 2 psia (35 +/- 2 psig)

LASS 150 +/- 5 lb/min @ 49 +/- 2 psia

MA-1A 82 lb/min (1123 cfm) at 130° air inlet temp, 45 psia (min) air outlet press

MC-1 15 cfm, 3500 psia MC-1A 15 cfm, 3500 psia MC-2A 15 cfm, 200 psia

MC-11 8,000 cu in cap, 4000 psig, 15 cfm

COMBINED AIR AND ELECTRICAL STARTING UNITS:

AGPU AC: 115/200v, 400 cycle, 3 phase, 30 kw gen

DC: 28v, 700 amp

AIR: 60 lb/min @ 40 psig @ sea level

AM32A-60\* AIR: 120 + - 4 lb/min (1644 + - 55 cfm) at 49 + - 2 psia

AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire, 120v, 1 phase, 25 kva

DC: 28v, 500 amp, 15 kw

AIR: 150 + -5 lb/min (2055 + -68) cfm at 51 + -9 psia ΔM324-604 AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire

DC: 28v. 200 amp. 5.6 kw

AM32A-60B\* AIR: 130 lb/min, 50 psia

AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire

DC: 28v, 200 amp, 5.6 kw

\*NOTE: During combined air and electrical loads, the pneumatic circuitry takes preference and will limit the amount of electrical power available.

USN IASU

FLECTRICAL STARTING UNITS:

NC-8A/A1 DC: 500 amp constant, 750 amp intermittent, 28v;

AC: 60 kva @ .8 pf, 115/200v, 3 phase, 400 Hz. NC-10A/A1/B/C DC: 750 amp constant, 1000 amp intermittent, 28v:

AC: 90 kva, 115/200v, 3 phase, 400 Hz.

AIR STARTING UNITS:

GTC-85/GTE-85 120 lbs/min @ 45 psi. MSU-200NAV/A/U47A-5 204 lbs/min @ 56 psia.

WELLS AIR START 180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. Simultaneous multiple start capability.

SYSTEM

COMBINED AIR AND ELECTRICAL STARTING UNITS:

NCPP-105/RCPT 180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. 700 amp, 28v DC. 120/208v, 400 Hz AC,

30 kva.

JASU (ARMY)

28v, 7.5 kw, 280 amp. 59R2-1R

ELECTRICAL STARTING UNITS (DND):

CF12 AC 115/200v, 140 kva, 400 Hz, 3 phase CF13 AC 115/200v, 60 kva, 400 Hz, 3 phase

CE14 AC/DC 115/200v, 140 kva, 400 Hz, 3 phase, 28vDC, 1500 amp CF15 DC 22-35v, 500 amp continuous 1100 amp intermittent CF16 DC 22-35v, 500 amp continuous 1100 amp intermittent soft start

AIR STARTING UNITS (DND):

ASA 45.5 psig, 116.4 lb/min COMBINED AIR AND ELECTRICAL STARTING UNITS (DND)

AC 120/208v, 60 kva, 400 Hz, 3 phase DC 28v, 75 amp CEA1

AIR 112.5 lb/min, 47 psig

ELECTRICAL STARTING UNITS (OTHER)

C-26 28v 45kw 115-200v 15kw 380-800 Hz 1 phase 2 wire

C-26-B, C-26-C 28v 45kw: Split Bus: 115-200v 15kw 380-800 Hz 1 phase 2 wire

DC 28v/10kw

AIR STARTING UNITS (OTHER):

40 psi/2 lb/sec (LPAS Mk12, Mk12L, Mk12A, Mk1, Mk2B) Α4

MA-1 150 Air HP, 115 lb/min 50 psia MA-2 250 Air HP, 150 lb/min 75 psia

CARTRIDGE:

MXU-4A USAF



Fuel available through US Military Base supply, DESC Into-Plane Contracts and/or reciprocal agreement is listed first and is followed by (Mil). At commercial airports where Into-Plane contracts are in place, the name of the refueling agent is shown. Military fuel should be used first if it is available. When military fuel cannot be obtained but Into-Plane contract fuel is available, Government aircraft must refuel with the contract fuel and applicable refueling agent to avoid any breach in contract terms and conditions. Fuel not available through the above is shown preceded by NC (no contract). When fuel is obtained from NC sources, local purchase procedures must be followed. The US Military Aircraft Identaplates DD Form 1896 (Jet Fuel), DD Form 1897 (Avgas) and AF Form 1245 (Avgas) are used at military installations only. The US Government Aviation Into-Plane Reimbursement (AIR) Card (currently issued by AVCARD) is the instrument to be used to obtain fuel under a DESC Into-Plane Contract and for NC purchases if the refueling agent at the commercial airport accepts the AVCARD. A current list of contract fuel locations is available online at <a href="https://www.desc.dla.mil/Static/ProductsAndServices.asp">www.desc.dla.mil/Static/ProductsAndServices.asp</a>; click on the Commercial Airports button.

See legend item 14 for fuel code and description.

## 26 SUPPORTING FLUIDS AND SYSTEMS—MILITARY

ADI

Anti-Detonation Injection Fluid—Reciprocating Engine Aircraft.

W Water Thrust Augmentation—Jet Aircraft.

WAI Water-Alcohol Injection Type, Thrust Augmentation—Jet Aircraft.

SP Single Point Refueling.

PRESAIR Air Compressors rated 3,000 PSI or more.

De-Ice Anti-icing/De-icing/Defrosting Fluid (MIL-A-8243).

OXYGEN:

LPOX Low pressure oxygen servicing.
HPOX High pressure oxygen servicing.
LHOX Low and high pressure oxygen servicing.

LOX Liquid oxygen servicing.

OXRB Oxygen replacement bottles. (Maintained primarily at Naval stations for use in acft where oxygen can be

replenished only by replacement of cylinders.)

OX Indicates oxygen servicing when type of servicing is unknown.

NOTE: Combinations of above items is used to indicate complete oxygen servicing available;

LHOXRB Low and high pressure oxygen servicing and replacement bottles;

LPOXRB Low pressure oxygen replacement bottles only, etc.

NOTE: Aircraft will be serviced with oxygen procured under military specifications only. Aircraft will not be serviced with medical oxygen.

#### NITROGEN:

LPNIT — Low pressure nitrogen servicing.

HPNIT — High pressure nitrogen servicing.

LHNIT — Low and high pressure nitrogen servicing.

GRADE TYPE

## **27** OIL—MILITARY

US AVIATION OILS (MIL SPECS):

CODE	GRADE, TIPE
0-113	1065, Reciprocating Engine Oil (MIL-L-6082)
0-117	1100, Reciprocating Engine Oil (MIL-L-6082)
0-117+	1100, 0-117 plus cyclohexanone (MIL-L-6082)
0-123	1065, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type III)
0-128	1100, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type II)
0-132	1005, Jet Engine Oil (MIL-L-6081)
0-133	1010, Jet Engine Oil (MIL–L–6081)
0-147	None, MIL-L-6085A Lubricating Oil, Instrument, Synthetic
0-148	None, MIL-L-7808 (Synthetic Base) Turbine Engine Oil
0-149	None, Aircraft Turbine Engine Synthetic, 7.5c St
0-155	None, MIL-L-6086C, Aircraft, Medium Grade
0-156	None, MIL-L-23699 (Synthetic Base), Turboprop and Turboshaft Engine

0–156 None, MIL–L–23699 (Synthetic Base), Turboprop and Turboshaft Engines

JOAP/SOAP Joint Oil Analysis Program. JOAP support is furnished during normal duty hours, other times on request.

(JOAP and SOAP programs provide essentially the same service, JOAP is now the standard joint service

supported program.)

## 28 TRANSIENT ALERT (TRAN ALERT)—MILITARY

Tran Alert service is considered to include all services required for normal aircraft turn-around, e.g., servicing (fuel, oil, oxygen, etc.), debriefing to determine requirements for maintenance, minor maintenance, inspection and parking assistance of transient aircraft. Drag chute repack, specialized maintenance, or extensive repairs will be provided within the capabilities and priorities of the base. Delays can be anticipated after normal duty hours/holidays/weekends regardless of the hours of transient maintenance operation. Pilots should not expect aircraft to be serviced for TURN-AROUNDS during time periods when servicing or maintenance manpower is not available. In the case of airports not operated exclusively by US military, the servicing indicated by the remarks will not always be available for US military

aircraft. When transient alert services are not shown, facilities are unknown. NO PRIORITY BASIS—means that transient alert services will be provided only after all the requirements for mission/tactical assigned aircraft have been accomplished.

## **29** AIRPORT REMARKS

The Attendance Schedule is the months, days and hours the airport is actually attended. Airport attendance does not mean watchman duties or telephone accessibility, but rather an attendant or operator on duty to provide at least minimum services (e.g., repairs, fuel, transportation).

Airport Remarks have been grouped in order of applicability. Airport remarks are limited to those items of information that are determined essential for operational use, i.e., conditions of a permanent or indefinite nature and conditions that will remain in effect for more than 30 days concerning aeronautical facilities, services, maintenance available, procedures or hazards, knowledge of which is essential for safe and efficient operation of aircraft. Information concerning permanent closing of a runway or taxiway will not be shown. A note "See Special Notices" shall be applied within this remarks section when a special notice applicable to the entry is contained in the Special Notices section of this publication.

Parachute Jumping indicates parachute jumping areas associated with the airport. See Parachute Jumping Area section of this publication for additional Information.

Landing Fee indicates landing charges for private or non-revenue producing aircraft. In addition, fees may be charged for planes that remain over a couple of hours and buy no services, or at major airline terminals for all aircraft.

Note: Unless otherwise stated, remarks including runway ends refer to the runway's approach end.

## **30** MILITARY REMARKS

Military Remarks published at a joint Civil/Military facility are remarks that are applicable to the Military. At Military Facilities all remarks will be published under the heading Military Remarks. Remarks contained in this section may not be applicable to civil users. The first group of remarks is applicable to the primary operator of the airport. Remarks applicable to a tenant on the airport are shown preceded by the tenant organization, i.e., (A) (AF) (N) (ANG), etc. Military airports operate 24 hours unless otherwise specified. Airport operating hours are listed first (airport operating hours will only be listed if they are different than the airport attended hours or if the attended hours are unavailable) followed by pertinent remarks in order of applicability. Remarks will include information on restrictions, hazards, traffic pattern, noise abatement, customs/agriculture/immigration, and miscellaneous information applicable to the Military.

#### Type of restrictions:

CLOSED: When designated closed, the airport is restricted from use by all aircraft unless stated otherwise. Any closure applying to specific type of aircraft or operation will be so stated. USN/USMC/USAF airports are considered closed during non-operating hours. Closed airports may be utilized during an emergency provided there is a safe landing area.

OFFICIAL BUSINESS ONLY: The airfield is closed to all transient military aircraft for obtaining routine services such as fueling, passenger drop off or pickup, practice approaches, parking, etc. The airfield may be used by aircraws and aircraft if official government business (including civilian) must be conducted on or near the airfield and prior permission is received from the airfield manager.

AF OFFICIAL BUSINESS ONLY OR NAVY OFFICIAL BUSINESS ONLY: Indicates that the restriction applies only to service indicated.

PRIOR PERMISSION REQUIRED (PPR): Airport is closed to transient aircraft unless approval for operation is obtained from the appropriate commander through Chief, Airfield Management or Airfield Operations Officer. Official Business or PPR does not preclude the use of US Military airports as an alternate for IFR flights. If a non-US military airport is used as a weather alternate and requires a PPR, the PPR must be requested and confirmed before the flight departs. The purpose of PPR is to control volume and flow of traffic rather than to prohibit it. Prior permission is required for all aircraft requiring transient alert service outside the published transient alert duty hours. All aircraft carrying hazardous materials must obtain prior permission as outlined in AFJI 11–204, AR 95–27, OPNAVINST 3710.7.

Note: OFFICIAL BUSINESS ONLY AND PPR restrictions are not applicable to Special Air Mission (SAM) or Special Air Resource (SPAR) aircraft providing person or persons on aboard are designated Code 6 or higher as explained in AFJMAN 11–213, AR 95–11, OPNAVINST 3722–8J. Official Business Only or PPR do not preclude the use of the airport as an alternate for IFR flights.

## **31) WEATHER DATA SOURCES**

Weather data sources will be listed alphabetically followed by their assigned frequencies and/or telephone number and hours of operation.

ASOS—Automated Surface Observing System. Reports the same as an AWOS-3 plus precipitation identification and intensity, and freezing rain occurrence (future enhancement).

AWOS-Automated Weather Observing System

AWOS-A—reports altimeter setting (all other information is advisory only).

AWOS-1—reports altimeter setting, wind data and usually temperature, dewpoint and density altitude.

AWOS-2-reports the same as AWOS-1 plus visibility.

AWOS-3—reports the same as AWOS-1 plus visibility and cloud/ceiling data.

See AIM, Basic Flight Information and ATC Procedures for detailed description of AWOS.

HIWAS—See RADIO AIDS TO NAVIGATION

LAWRS—Limited Aviation Weather Reporting Station where observers report cloud height, weather, obstructions to vision, temperature and dewpoint (in most cases), surface wind, altimeter and pertinent remarks.

LLWAS—indicates a Low Level Wind Shear Alert System consisting of a center field and several field perimeter anemometers. SAWRS—identifies airports that have a Supplemental Aviation Weather Reporting Station available to pilots for current weather information.

SWSL—Supplemental Weather Service Location providing current local weather information via radio and telephone.

TDWR—indicates airports that have Terminal Doppler Weather Radar.

WSP—indicates airports that have Weather System Processor.

When the automated weather source is broadcast over an associated airport NAVAID frequency (see NAVAID line), it shall be indicated by a bold ASOS, AWOS, or HIWAS followed by the frequency, identifier and phone number, if available.



Airport terminal control facilities and radio communications associated with the airport shall be shown. When the call sign is not the same as the airport name the call sign will be shown. Frequencies shall normally be shown in descending order with the primary frequency listed first. Frequencies will be listed, together with sectorization indicated by outbound radials, and hours of operation. Communications will be listed in sequence as follows:

Single Frequency Approach (SFA), Common Traffic Advisory Frequency (CTAF), Automatic Terminal Information Service (ATIS) and Aeronautical Advisory Stations (UNICOM) or (AUNICOM) along with their frequency is shown, where available, on the line following the heading "COMMUNICATIONS." When the CTAF and UNICOM frequencies are the same, the frequency will be shown as CTAF/UNICOM 122.8.

The FSS telephone nationwide is toll free 1–800–WX–BRIEF (1–800–992–7433). When the FSS is located on the field it will be indicated as "on arpt". Frequencies available at the FSS will follow in descending order. Remote Communications Outlet (RCO) providing service to the airport followed by the frequency and FSS RADIO name will be shown when available.

FSS's provide information on airport conditions, radio aids and other facilities, and process flight plans. Airport Advisory Service (AAS) is provided on the CTAF by FSS's for select non-tower airports or airports where the tower is not in operation.

(See AIM, Para 4-1-9 Traffic Advisory Practices at Airports Without Operating Control Towers or AC 90-42C.)

Aviation weather briefing service is provided by FSS specialists. Flight and weather briefing services are also available by calling the telephone numbers listed.

Remote Communications Outlet (RCO)—An unmanned air/ground communications facility that is remotely controlled and provides UHF or VHF communications capability to extend the service range of an FSS.

Civil Communications Frequencies-Civil communications frequencies used in the FSS air/ground system are operated on 122.0, 122.2, 123.6; emergency 121.5; plus receive-only on 122.1.

- a. 122.0 is assigned as the Enroute Flight Advisory Service frequency at selected FSS RADIO outlets.
- b. 122.2 is assigned as a common enroute frequency.
- c. 123.6 is assigned as the airport advisory frequency at select non-tower locations. At airports with a tower, FSS may provide airport advisories on the tower frequency when tower is closed.
- d. 122.1 is the primary receive-only frequency at VOR's.
- e. Some FSS's are assigned 50 kHz frequencies in the 122–126 MHz band (eg. 122.45). Pilots using the FSS A/G system should refer to this directory or appropriate charts to determine frequencies available at the FSS or remoted facility through which they wish to communicate.

Emergency frequency 121.5 and 243.0 are available at all Flight Service Stations, most Towers, Approach Control and RADAR facilities.

Frequencies published followed by the letter "T" or "R", indicate that the facility will only transmit or receive respectively on that frequency. All radio aids to navigation (NAVAID) frequencies are transmit only.

#### TERMINAL SERVICES

SFA—Single Frequency Approach.

CTAF—A program designed to get all vehicles and aircraft at airports without an operating control tower on a common frequency.

ATIS—A continuous broadcast of recorded non-control information in selected terminal areas.

D-ATIS—Digital ATIS provides ATIS information in text form outside the standard reception range of conventional ATIS via landline & data link communications and voice message within range of existing transmitters.

AUNICOM—Automated UNICOM is a computerized, command response system that provides automated weather, radio check capability and airport advisory information selected from an automated menu by microphone clicks.

UNICOM—A non-government air/ground radio communications facility which may provide airport information.

PTD—Pilot to Dispatcher.

APP CON—Approach Control. The symbol (R) indicates radar approach control.

TOWER—Control tower.

GCA—Ground Control Approach System.

GND CON-Ground Control.

GCO—Ground Communication Outlet—An unstaffed, remotely controlled, ground/ground communications facility. Pilots at uncontrolled airports may contact ATC and FSS via VHF to a telephone connection to obtain an instrument clearance or close a VFR or IFR flight plan. They may also get an updated weather briefing prior to takeoff. Pilots will use four "key clicks" on the

VHF radio to contact the appropriate ATC facility or six "key clicks" to contact the FSS. The GCO system is intended to be used only on the ground.

DEP CON—Departure Control. The symbol (R) indicates radar departure control.

CLNC DEL-Clearance Delivery.

PRE TAXI CLNC-Pre taxi clearance.

VFR ADVSY SVC—VFR Advisory Service. Service provided by Non-Radar Approach Control.

Advisory Service for VFR aircraft (upon a workload basis) ctc APP CON.

COMD POST—Command Post followed by the operator call sign in parenthesis.

PMSV—Pilot-to-Metro Service call sign, frequency and hours of operation, when full service is other than continuous.

PMSV installations at which weather observation service is available shall be indicated, following the frequency and/or

hours of operation as "Wx obsn svc 1900–0000Z‡" or "other times" may be used when no specific time is given. PMSV facilities manned by forecasters are considered "Full Service". PMSV facilities manned by weather observers are listed as "Limited Service".

OPS—Operations followed by the operator call sign in parenthesis.

CON

RANGE

FLT FLW-Flight Following

MEDIVAC

NOTE: Communication frequencies followed by the letter "X" indicate frequency available on request.

## 33 AIRSPACE

 $Information\ concerning\ Class\ B,\ C,\ and\ part-time\ D\ and\ E\ surface\ area\ airspace\ shall\ be\ published\ with\ effective\ times.$ 

Class D and E surface area airspace that is continuous as established by Rulemaking Docket will not be shown.

CLASS B—Radar Sequencing and Separation Service for all aircraft in CLASS B airspace.

CLASS C—Separation between IFR and VFR aircraft and sequencing of VFR arrivals to the primary airport.

TRSA—Radar Sequencing and Separation Service for participating VFR Aircraft within a Terminal Radar Service Area.

Class C, D, and E airspace described in this publication is that airspace usually consisting of a 5 NM radius core surface area that begins at the surface and extends upward to an altitude above the airport elevation (charted in MSL for Class C and Class D). Class E surface airspace normally extends from the surface up to but not including the overlying controlled airspace.

When part-time Class C or Class D airspace defaults to Class E, the core surface area becomes Class E. This will be formatted as:

AIRSPACE: CLASS C svc "times" ctc APP CON other times CLASS E:

0

AIRSPACE: CLASS D svc "times" other times CLASS E.

When a part-time Class C, Class D or Class E surface area defaults to Class G, the core surface area becomes Class G up to, but not including, the overlying controlled airspace. Normally, the overlying controlled airspace is Class E airspace beginning at either 700' or 1200' AGL. This will be formatted as:

AIRSPACE: CLASS C svc "times" ctc APP CON other times CLASS G, with CLASS E 700' (or 1200') AGL & abv:

0

AIRSPACE: CLASS D svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv:

AI

AIRSPACE: CLASS E svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv.

NOTE: AIRSPACE SVC "TIMES" INCLUDE ALL ASSOCIATED ARRIVAL EXTENSIONS. Surface area arrival extensions for instrument approach procedures become part of the primary core surface area. These extensions may be either Class D or Class E airspace and are effective concurrent with the times of the primary core surface area. For example, when a part-time Class C, Class D or Class E surface area defaults to Class G, the associated arrival extensions will default to Class G at the same time. When a part-time Class C or Class D surface area defaults to Class E, the arrival extensions will remain in effect as Class E airspace.

NOTE: CLASS E AIRSPACE EXTENDING UPWARD FROM 700 FEET OR MORE ABOVE THE SURFACE, DESIGNATED IN CONJUNCTION WITH AN AIRPORT WITH AN APPROVED INSTRUMENT PROCEDURE.


Class E 700′ AGL (shown as magenta vignette on sectional charts) and 1200′ AGL (blue vignette) areas are designated when necessary to provide controlled airspace for transitioning to/from the terminal and enroute environments. Unless otherwise specified, these 700′/1200′ AGL Class E airspace areas remain in effect continuously, regardless of airport operating hours or surface area status. These transition areas should not be confused with surface areas or arrival extensions.

(See Chapter 3, AIRSPACE, in the Aeronautical Information Manual for further details)



The Airport/Facility Directory lists, by facility name, all Radio Aids to Navigation that appear on National Aeronautical Charting Office Visual or IFR Aeronautical Charts and those upon which the FAA has approved an Instrument Approach Procedure, with exception of selected TACANs. Military TACAN information will be published for Military facilities contained in this publication. All VOR, VORTAC, TACAN, ILS and MLS equipment in the National Airspace System has an automatic monitoring and shutdown feature in the event of malfunction. Unmonitored, as used in this publication, for any navigational aid, means that monitoring personnel cannot observe the malfunction or shutdown signal. The NAVAID NOTAM file identifier will be shown as "NOTAM FILE IAD" and will be listed on the Radio Aids to Navigation line. When two or more NAVAIDS are listed and the NOTAM file identifier is different from that shown on the Radio Aids to Navigation line, it will be shown with the NAVAID listing. NOTAM file identifiers for ILSs and its components (e.g., NDB (LOM) are the same as the associated airports and are not repeated. Automated Surface Observing System (ASOS), Automated Weather Observing System (AWOS), and Hazardous Inflight Weather Advisory Service (HIWAS) will be shown when this service is broadcast over selected NAVAIDs.

NAVAID information is tabulated as indicated in the following sample:



Restriction within the normal altitude/range of the navigational aid (See primary alphabetical listing for restrictions on VORTAC and VOR/DME).

Note: Those DME channel numbers with a (Y) suffix require TACAN to be placed in the "Y" mode to receive distance information

HIWAS—Hazardous Inflight Weather Advisory Service is a continuous broadcast of inflight weather advisories including summarized SIGMETs, convective SIGMETs, AIRMETs and urgent PIREPs. HIWAS is presently broadcast over selected VOR's and will be implemented throughout the conterminous U.S.

ASR/PAR—Indicates that Surveillance (ASR) or Precision (PAR) radar instrument approach minimums are published in the U.S. Terminal Procedures. Only part-time hours of operation will be shown.

#### RADIO CLASS DESIGNATIONS

VOR/DME/TACAN Standard Service Volume (SSV) Classifications

SSV Class	Altitudes	Distance
		(NM)
(T) Terminal	1000' to 12,000'	25
(L) Low Altitude	1000' to 18,000'	40
(H) High Altitude	1000' to 14,500'	40
	14,500' to 18,000'	100
	18,000' to 45,000'	130
	45.000' to 60.000'	100

NOTE: Additionally, (H) facilities provide (L) and (T) service volume and (L) facilities provide (T) service. Altitudes are with respect to the station's site elevation. Coverage is not available in a cone of airspace directly above the facility.

#### CONTINUED ON NEXT PAGE

#### CONTINUED FROM PRECEDING PAGE

The term VOR is, operationally, a general term covering the VHF omnidirectional bearing type of facility without regard to the fact that the power, the frequency protected service volume, the equipment configuration, and operational requirements may vary between facilities at different locations.

*	
AB	Automatic Weather Broadcast.
DF	Direction Finding Service.
DME	UHF standard (TACAN compatible) distance measuring equipment.
DME(Y)	UHF standard (TACAN compatible) distance measuring equipment that require TACAN to be placed in the "Y" mode to receive DME.
GS	Glide slope.
Н	Non-directional radio beacon (homing), power 50 watts to less than 2,000 watts (50 NM at all altitudes).
HH	Non-directional radio beacon (homing), power 2,000 watts or more (75 NM at all altitudes).
H-SAB	Non-directional radio beacons providing automatic transcribed weather service.
ILS	Instrument Landing System (voice, where available, on localizer channel).
IM	Inner marker.
ISMLS	Interim Standard Microwave Landing System.
LDA	Localizer Directional Aid.
LMM	Compass locator station when installed at middle marker site (15 NM at all altitudes).
LOM	Compass locator station when installed at outer marker site (15 NM at all altitudes).
MH	Non-directional radio beacon (homing) power less than 50 watts (25 NM at all altitudes).
MLS	Microwave Landing System.
MM	Middle marker.
OM	Outer marker.
S	Simultaneous range homing signal and/or voice.
SABH	Non-directional radio beacon not authorized for IFR or ATC. Provides automatic weather broadcasts.
SDF	Simplified Direction Facility.
TACAN	UHF navigational facility-omnidirectional course and distance information.
VOR	VHF navigational facility-omnidirectional course only.
VOR/DME	Collocated VOR navigational facility and UHF standard distance measuring equipment.
VORTAC	Collocated VOR and TACAN navigational facilities.
W	Without voice on radio facility frequency.
Z	VHF station location marker at a LF radio facility.

#### ILS FACILITY PEFORMANCE CLASSIFICATION CODES

Codes define the ability of an ILS to support autoland operations. The two portions of the code represent Official Category and farthest point along a Category I, II, or III approach that the Localizer meets Category III structure tolerances.

Official Category: I, II, or III; the lowest minima on published or unpublished procedures supported by the ILS.

Farthest point of satisfactory Category III Localizer performance for Category I, II, or III approaches: A-4 NM prior to runway threshold, B-3500 ft prior to runway threshold, C-glide angle dependent but generally 750–1000 ft prior to threshold, T-runway threshold, D-3000 ft after runway threshold, and E-2000 ft prior to stop end of runway.

ILS information is tabulated as indicated in the following sample:



#### FREQUENCY PAIRING PLAN AND MLS CHANNELING

	I REGULATI I ARRING I LAN AND MES GIARMELING								
MLS	VHF	TACAN	MLS	VHF	TACAN	MLS	VHF	TACAN	
CHANNEL	FREQUENCY	CHANNEL	CHANNEL	FREQUENCY	CHANNEL	CHANNEL	FREQUENCY	CHANNEL	
500	108.10	18X	568	109.45	31Y	636	114.15	88Y	
502	108.30	20X	570	109.55	32Y	638	114.25	89Y	
504	108.50	22X	572	109.65	33Y	640	114.35	90Y	
506	108.70	24X	574	109.75	34Y	642	114.45	91Y	
508	108.90	26X	576	109.85	35Y	644	114.55	92Y	
510	109.10	28X	578	109.95	36Y	646	114.65	93Y	
512	109.30	30X	580	110.05	37Y	648	114.75	94Y	
514	109.50	32X	582	110.15	38Y	650	114.85	95Y	
516	109.70	34X	584	110.25	39Y	652	114.95	96Y	
518	109.90	36X	586	110.35	40Y	654	115.05	97Y	
520	110.10	38X	588	110.45	41Y	656	115.15	98Y	
522	110.30	40X	590	110.55	42Y	658	115.25	99Y	
524	110.50	42X	592	110.65	43Y	660	115.35	100Y	
526	110.70	44X	594	110.75	44Y	662	115.45	101Y	
528	110.90	46X	596	110.85	45Y	664	115.55	102Y	
530	111.10	48X	598	110.95	46Y	666	115.65	103Y	
532	111.30	50X	600	111.05	47Y	668	115.75	104Y	
534	111.50	52X	602	111.15	48Y	670	115.85	105Y	
536	111.70	54X	604	111.25	49Y	672	115.95	106Y	
538	111.90	56X	606	111.35	50Y	674	116.05	107Y	
540	108.05	17Y	608	111.45	51Y	676	116.15	108Y	
542	108.15	18Y	610	111.55	52Y	678	116.25	109Y	
544	108.25	19Y	612	111.65	53Y	680	116.35	110Y	
546	108.35	20Y	614	111.75	54Y	682	116.45	111Y	
548	108.45	21Y	616	111.85	55Y	684	116.55	112Y	
550	108.55	22Y	618	111.95	56Y	686	116.65	113Y	
552	108.65	23Y	620	113.35	80Y	688	116.75	114Y	
554	108.75	24Y	622	113.45	81Y	690	116.85	115Y	
556	108.85	25Y	624	113.55	82Y	692	116.95	116Y	
558	108.95	26Y	626	113.65	83Y	694	117.05	117Y	
560	109.05	27Y	628	113.75	84Y	696	117.15	118Y	
562	109.15	28Y	630	113.85	85Y	698	117.25	119Y	
564	109.25	29Y	632	113.95	86Y				
566	109.35	30Y	634	114.05	87Y				

#### FREQUENCY PAIRING PLAN AND MLS CHANNELING

The following is a list of paired VOR/ILS VHF frequencies with TACAN channels and MLS channels.

TACAN Channel	VHF Frequency	MLS Channel	TACAN Channel	VHF Frequency	MLS Channel	TACAN Channel	VHF Frequency	MLS Channel
2X	134.5	-	19Y	108.25	544	25X	108.80	-
2Y	134.55	-	20X	108.30	502	25Y	108.85	556
11X	135.4	-	20Y	108.35	546	26X	108.90	508
11Y	135.45	-	21X	108.40	-	26Y	108.95	558
12X	135.5	-	21Y	108.45	548	27X	109.00	-
12Y	135.55	-	22X	108.50	504	27Y	109.05	560
17X	108.00	-	22Y	108.55	550	28X	109.10	510
17Y	108.05	540	23X	108.60	-	28Y	109.15	562
18X	108.10	500	23Y	108.65	552	29X	109.20	-
18Y	108.15	542	24X	108.70	506	29Y	109.25	564
19X	108.20	-	24Y	108.75	554	30X	109.30	512

30Y	TACAN Channel	VHF Frequency	MLS Channel	TACAN Channel	VHF Frequency	MLS Channel	TACAN Channel	VHF Frequency	MLS Channel
31X						-			
32X 109.50 514 64Y 133.75 - 97X 115.00 - 654 33X 109.60 - 66Y 133.80 - 98X 115.10 - 654 33X 109.60 - 66Y 133.95 - 98X 115.10 - 656 33X 109.60 - 66Y 133.95 - 98X 115.10 - 656 34X 109.70 516 66Y 133.95 - 99X 115.20 - 658 34X 109.75 574 67X 134.00 - 99Y 115.25 658 35X 109.80 - 67Y 134.05 - 100X 115.30 - 658 35X 109.80 - 67Y 134.05 - 100X 115.30 - 660 36X 109.90 518 68Y 134.10 - 100Y 115.26 660 36X 109.90 518 68Y 134.10 - 100Y 115.30 - 662 37X 110.00 - 69Y 134.25 - 100X 115.50 - 662 37X 110.00 - 69Y 134.25 - 100X 115.50 - 663 38X 109.80 - 70Y 112.35 - 100X 115.50 - 664 38X 110.10 520 70Y 112.35 - 100X 115.50 - 664 38X 110.10 520 70Y 112.35 - 100X 115.50 - 664 38X 110.10 520 70Y 112.35 - 100X 115.50 - 664 39X 110.25 584 72X 112.50 - 100X 115.70 668 40X 110.30 522 72Y 112.55 - 100X 115.70 668 40X 110.30 522 72Y 112.55 - 100X 115.80 666 40X 110.30 522 72Y 112.55 - 100X 115.80 666 40X 110.30 522 72Y 112.55 - 100X 115.80 670 41X 110.45 588 74X 112.60 - 109X 115.85 670 41X 110.65 590 75X 112.80 - 109X 115.85 670 41X 110.65 590 75X 112.80 - 109X 115.80 670 41X 110.50 524 74Y 112.75 - 100X 115.95 672 42Y 110.55 590 75X 112.80 - 100X 115.95 672 42Y 110.55 590 75X 112.80 - 100X 115.95 672 44Y 110.50 524 77X 112.95 - 100X 115.95 672 44Y 110.50 524 76X 112.80 - 100Y 116.05 674 44X 110.70 526 76X 112.80 - 100Y 116.55 684 46X 110.90 528 78X 113.90 - 110Y 116.05 674 44X 110.70 526 76Y 112.95 - 100X 116.05 674 44X 110.70 536 80Y 113.35 620 113X 116.00 - 100Y 116.55 684 46X 110.90 528 78X 113.10 - 110Y 116.55 684 46X 110.90 528 78X 113.10 - 110Y 116.55 684 47X 111.00 - 586 76Y 112.95 - 100Y 116.55 684 48X 111.00 - 588 78X 113.10 - 110Y 116.55 684 48X 111.00 - 588 78X 113.10 - 110Y 116.55 684 48X 111.00 - 588 78X 113.30 - 110Y 116.55 684 48X 111.00 - 588 78X 113.50 - 110X 116.50 - 58X 116.10 - 58X 117.7						-			-
32Y	31Y	109.45	568	64X	133.70	-	96Y	114.95	652
33X 109.60 - 66Y 133.85 - 98X 115.10 - 33Y 109.65 572 66X 133.90 - 98Y 115.15 656  34X 109.70 516 66Y 133.95 - 99X 115.20 - 34Y 109.75 574 67X 134.00 - 99Y 115.25 658  35X 109.80 - 67Y 134.05 - 100X 115.30 - 35Y 109.85 576 68X 134.10 - 100Y 115.35 660  36X 109.90 518 68Y 134.15 - 101X 115.40 - 36Y 109.95 578 68X 134.20 - 101Y 115.45 662  37X 110.00 - 69Y 134.25 - 102X 115.50 - 37Y 110.05 580 70X 112.30 - 102X 115.50 - 37Y 110.05 580 70X 112.30 - 102X 115.50 - 37Y 110.05 580 70X 112.30 - 102X 115.50 - 38Y 10.15 582 71X 112.40 - 103X 115.60 - 38Y 10.15 582 71X 112.40 - 103X 115.60 - 38Y 110.15 582 71X 112.40 - 103X 115.60 - 39Y 110.25 584 72X 112.50 - 104X 115.70 668  40X 110.30 522 72Y 112.55 - 104X 115.70 668  40X 110.30 522 72Y 112.55 - 104X 115.80 670 110.35 588 73X 112.60 - 105X 115.80 670 110.41 110.45 588 74X 112.75 - 106X 115.80 670 110.41 110.45 588 74X 112.75 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 674 110.55 590 75Y 112.85 - 106X 115.55 678 110.65 592 76X 112.80 - 106Y 116.55 678 110.65 598 78Y 113.15 - 110Y 116.65 68 110Y 116.55 684 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 689 110.75 689 11	32X	109.50	514	64Y	133.75	-	97X	115.00	-
38X 109.65 572 66K 133.90 - 98Y 115.5 656 34X 109.70 516 66Y 133.95 - 99X 115.20 - 34Y 109.75 574 67X 134.00 - 99Y 115.25 658 35X 109.80 - 67Y 134.05 - 100X 115.30 - 35Y 109.85 576 68K 134.10 - 100Y 115.35 660 36X 109.90 518 68X 134.10 - 100Y 115.35 660 36X 109.90 518 68X 134.20 - 101Y 115.45 662 37X 110.00 - 69Y 134.25 - 102X 115.50 - 37Y 110.05 580 70X 112.30 - 102Y 115.55 664 38K 110.10 520 70Y 112.35 - 103X 115.60 - 38K 110.10 520 70Y 112.35 - 103X 115.65 664 38K 110.10 520 70Y 112.35 - 103X 115.65 664 39X 110.20 71Y 112.45 - 104X 115.70 668 40X 110.30 522 72Y 112.55 - 106X 115.80 - 40X 110.30 522 72Y 112.55 - 106X 115.80 - 41X 110.40 - 73Y 112.60 - 106Y 115.75 668 41X 110.40 - 73Y 112.65 - 106X 115.90 - 41X 110.45 588 74X 112.70 - 106Y 115.75 672 42X 110.50 524 74Y 112.75 - 107X 116.00 - 42X 110.50 592 76X 112.80 - 107Y 116.05 674 43X 110.60 - 75Y 112.85 - 106X 115.90 - 44X 110.70 526 76Y 112.95 - 106X 116.30 - 674 44X 110.70 526 76Y 112.95 - 106X 116.30 - 674 44X 110.70 526 76Y 112.95 - 106X 116.30 - 674 44X 110.70 526 76Y 112.95 - 106X 116.30 - 674 44X 110.70 526 76Y 112.95 - 106X 116.00 - 674 44X 110.70 526 76Y 112.95 - 106X 116.30 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 678 44X 110.80 - 77Y 113.05 - 110X 116.00 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 678 45Y 110.85 596 78X 113.10 - 110Y 116.55 680 46X 110.90 528 78Y 113.15 - 111X 116.40 - 682 47Y 111.05 500 80Y 113.95 622 114X 116.70 - 688 50X 111.30 532 88Y 113.50 - 114Y 116.75 688 50X 111.30 532 88Y 113.50 - 114Y 116.75 688 50X 111.30 532 88Y 113.55 622 114X 116.70 - 694 53X 111.60 - 88Y 113.85 632 119X 117.10 - 565 50Y 111.55 618 88X 113.80 - 117Y 117.05 698 50X 111.30 532 88Y 114.55 642 119X 117.75 698 50X 111.50 534 84Y 113.75 622 114X 117.70 - 1695 50X 111.95 618 88X 113.80 - 117Y 117.05 698 50X 111.85 616 88X 113.80 - 117Y 117.05 698 50X 111.95 618	32Y	109.55	570	65X	133.80	-	97Y	115.05	654
34X         109.70         516         66Y         133.95         -         99X         115.20         -           38X         109.80         -         67Y         134.00         -         99Y         115.25         658           38X         109.85         576         68X         134.10         -         100X         115.30         -           36X         109.95         578         68X         134.15         -         101X         115.40         -           37Y         110.00         -         69Y         134.25         -         102Y         115.55         664           38X         110.10         520         70Y         112.35         -         102Y         115.55         664           38Y         110.15         582         71X         112.40         -         103Y         115.65         666           39X         110.20         -         71Y         112.45         -         104Y         115.75         688           40X         110.30         522         72Y         112.55         -         104Y         115.75         688           40X         110.35         586         73X         112.65	33X	109.60	-	65Y	133.85	-	98X	115.10	-
38X 109.80 - 67Y 134.05 - 100X 115.25 658 38X 109.85 - 66Y 134.05 - 100X 115.35 668 38X 109.85 576 68X 134.10 - 100Y 115.35 668 38X 109.95 578 69X 134.20 - 101Y 115.45 662 37X 110.00 - 69Y 134.25 - 102X 115.55 664 38X 110.00 - 590 70X 112.30 - 102Y 115.55 664 38X 110.10 520 70Y 112.35 - 103X 115.65 664 38X 110.10 520 70Y 112.35 - 103X 115.65 664 38X 110.10 520 70Y 112.35 - 103X 115.65 664 38X 110.10 580 70X 112.40 - 103Y 115.65 666 39X 110.25 584 71X 112.45 - 104X 115.75 668 40X 110.35 586 73X 112.60 - 104Y 115.75 668 40X 110.35 586 73X 112.60 - 105Y 115.85 670 41X 110.40 - 73Y 112.55 - 105X 115.80 - 104X 115.70 688 41Y 110.45 588 74X 112.70 - 106Y 115.95 672 42X 110.55 590 75X 112.80 - 107Y 116.00 - 42Y 110.55 590 75X 112.80 - 107Y 116.00 674 43X 110.60 - 75Y 112.85 - 106X 115.90 - 104X 115.76 676 44X 110.70 526 76Y 112.95 - 106X 115.90 - 104X 110.55 676 44X 110.70 526 76Y 112.95 - 106X 115.90 - 104X 115.70 674 44X 110.75 594 77X 113.00 - 106Y 115.95 672 44X 110.55 590 75X 112.80 - 107Y 116.00 - 43Y 110.65 592 76X 112.90 - 108Y 116.15 676 44X 110.75 594 77X 113.00 - 109Y 116.20 - 44X 110.75 594 77X 113.00 - 109Y 116.20 - 44X 110.75 594 77X 113.00 - 109Y 116.25 678 48X 110.80 - 77Y 113.25 - 110X 116.30 - 45Y 110.85 596 78X 113.10 - 110Y 116.55 680 46X 110.90 528 78Y 113.15 - 111X 116.40 - 47Y 110.05 598 79X 113.20 - 111Y 116.45 682 47X 111.00 - 79Y 113.25 - 112X 116.50 - 44X 110.70 526 600 80X 113.30 - 112Y 116.55 684 48X 111.10 530 80Y 113.35 620 113X 116.60 - 15Y 115 116.50 -	33Y	109.65	572	66X	133.90	-	98Y	115.15	656
SSK	34X	109.70	516	66Y	133.95	-	99X	115.20	-
38Y         109.85         576         68X         134.10         -         100Y         115.35         660           36Y         109.95         578         69X         134.20         -         101Y         115.45         662           37X         110.00         69Y         134.25         -         101Y         115.55         664           38X         110.10         520         70Y         112.35         -         102Y         115.55         664           38X         110.15         582         71X         112.40         -         103Y         115.60         -           39X         110.25         584         72X         112.50         -         104X         115.70         -           40X         110.35         586         73X         112.60         -         105Y         115.80         -           40X         110.35         586         73X         112.60         -         105Y         115.80         -           41X         110.40         -         73Y         112.65         -         106X         115.90         -           41X         110.45         588         74X         112.70         -	34Y	109.75	574	67X	134.00	-	99Y	115.25	658
36X         109.90         518         68Y         134.20         -         101X         115.40         -           36Y         109.95         578         69X         134.20         -         101Y         115.50         -           37Y         110.05         580         70X         112.30         -         102X         115.55         664           38X         110.15         582         71X         112.40         -         103X         115.65         666           39X         110.20         -         71Y         112.45         -         104Y         115.75         668           39X         110.25         584         72X         112.50         -         104Y         115.75         668           40X         110.30         522         72Y         112.55         -         105X         115.80         -           40Y         110.35         586         73X         112.65         -         106X         115.85         67           41X         110.40         -         73Y         112.65         -         106X         115.85         67           42X         110.50         524         74Y         112.	35X	109.80	-	67Y	134.05	-	100X	115.30	-
38Y         109.95         578         69X         134.25         -         102X         115.50         -           37Y         110.05         580         70X         112.30         -         102X         115.55         664           38X         110.10         520         70Y         112.35         -         103X         115.60         -           38Y         110.15         582         71X         112.40         -         103Y         115.65         666           39X         110.25         584         72X         112.50         -         104X         115.76         -           40X         110.30         522         72Y         112.55         -         106X         115.80         -           40Y         110.35         586         73X         112.60         -         105Y         115.85         670           41X         110.40         -         73Y         112.65         -         106X         115.95         672           42Y         110.55         588         74X         112.70         -         106Y         115.95         672           42Y         110.55         590         75X         11	35Y	109.85	576	68X	134.10	-	100Y	115.35	660
37X         110.00         -         69Y         134.25         -         102Y         115.55         664           38X         110.10         520         70Y         112.35         -         103X         115.60         -           38Y         110.15         582         71X         112.40         -         103Y         115.60         -           39X         110.25         584         72X         112.50         -         104X         115.70         -           39Y         110.25         584         72X         112.50         -         104Y         115.75         668           40X         110.30         522         72Y         112.55         -         105X         115.80         -           40Y         110.35         586         73X         112.60         -         105Y         115.85         670           41X         110.40         -         73Y         112.65         -         106X         115.90         -           42X         110.50         524         74X         112.75         -         107X         116.00         -           43X         110.60         -         75Y         112.85 <td>36X</td> <td>109.90</td> <td>518</td> <td>68Y</td> <td>134.15</td> <td>-</td> <td>101X</td> <td>115.40</td> <td>-</td>	36X	109.90	518	68Y	134.15	-	101X	115.40	-
37Y         110.05         580         70X         112.35         -         103X         115.60         -           38Y         110.15         582         71X         112.40         -         103X         115.65         666           39X         110.20         -         71Y         112.45         -         104X         115.75         668           39X         110.25         584         72X         112.50         -         104X         115.75         668           40X         110.35         586         73X         112.60         -         105Y         115.86         -           40Y         110.35         586         73X         112.60         -         105Y         115.86         -           41Y         110.40         -         73Y         112.65         -         106Y         115.95         672           42X         110.55         580         75X         112.75         -         107X         116.00         -           42Y         110.55         590         75X         112.80         -         107Y         116.05         674           43X         110.65         592         76X         112.		109.95	578		134.20	-		115.45	662
38X         110.10         520         70Y         112.35         -         103X         115.65         666           39X         110.25         582         71X         112.40         -         103Y         115.65         666           39X         110.25         584         72X         112.50         -         104X         115.70         -           39Y         110.35         586         73X         112.60         -         105X         115.80         -           40Y         110.35         586         73X         112.60         -         105Y         115.86         670           41X         110.40         -         73Y         112.65         -         106X         115.90         -           42X         110.50         524         74X         112.75         -         107X         116.00         -           42X         110.55         590         75X         112.80         -         107Y         116.00         -           43X         110.65         592         76X         112.95         -         108X         116.10         -           43X         110.65         592         76X         112.95						-			
38Y         110.15         582         71X         112.40         .         103Y         115.65         666           39Y         110.20         -         71Y         112.45         -         104X         115.75         668           40X         110.30         522         72Y         112.55         -         105X         115.80         -           41X         110.40         -         73Y         112.65         -         106X         115.80         -           41X         110.40         -         73Y         112.65         -         106X         115.90         -           41X         110.40         -         73Y         112.65         -         106X         115.90         -           41X         110.60         -         75X         112.80         -         107X         116.00         -           42X         110.55         590         75X         112.85         -         108X         116.10         -           43X         110.60         -         75Y         112.85         -         108X         116.10         -           44X         110.75         594         77X         113.00						-			664
39X         110.20         .         71Y         112.45         .         104X         115.75         668           40X         110.30         522         72Y         112.55         .         105X         115.80         .           40Y         110.35         586         73X         112.60         .         105Y         115.85         .           41X         110.40         .         73Y         112.65         .         106Y         115.90         .           41Y         110.45         588         74X         112.75         .         107X         116.00         .           42X         110.55         590         75X         112.80         .         107Y         116.00         .           43X         110.60         .         75Y         112.85         .         108X         116.10         .           43X         110.60         .         75Y         112.85         .         108X         116.10         .           43X         110.60         .         77Y         113.00         .         109Y         116.25         678           44X         110.70         528         78Y         113.00						-			
39Y			582			-			666
40X         110.30         522         72Y         112.55         .         105X         115.80         .           40Y         110.35         586         73X         112.60         .         105Y         115.85         670           41X         110.40         .         73Y         112.65         .         106Y         115.90         .           41Y         110.50         588         74X         112.75         .         106Y         116.90         .           42Y         110.55         590         75X         112.85         .         107Y         116.00         .           43X         110.60         .         75Y         112.85         .         108X         116.10         .           43X         110.65         592         76X         112.90         .         108Y         116.20         .           44X         110.70         526         76Y         112.95         .         109X         116.25         676           44X         110.75         594         77X         113.00         .         1109X         116.20         .           45Y         110.85         596         78X         113.10 <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>-</td>			-			-			-
40V         110.35         586         73X         112.65         -         106X         115.90         -           41X         110.40         -         73Y         112.65         -         106X         115.90         -           41Y         110.45         588         74X         112.70         -         106Y         115.95         672           42X         110.50         524         74Y         112.75         -         107X         116.00         -           43X         110.60         -         75Y         112.85         -         108X         116.10         -           43Y         110.65         592         76X         112.95         -         109X         116.15         676           44X         110.70         526         76Y         112.95         -         109X         116.15         676           44X         110.75         594         77X         113.00         -         109Y         116.25         678           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           47X         110.95         598         79X         113.						-			
41X         110.40         -         73Y         112.65         -         106X         115.90         -           41Y         110.45         588         74X         112.70         -         106Y         115.95         672           42X         110.55         590         75X         112.80         -         107Y         116.05         -           43X         110.65         592         76X         112.90         -         108Y         116.15         676           44X         110.70         526         76Y         112.95         -         109X         116.15         676           44X         110.70         526         76Y         112.95         -         109X         116.25         678           44X         110.75         594         77X         113.00         -         100X         116.30         -           45Y         110.80         -         77Y         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         111X         116.40         -           47Y         111.05         60         80X         113.20<						-			
41Y         110.45         588         74X         112.70         -         106Y         115.95         672           42X         110.50         524         74Y         112.75         -         107X         116.00         -           43X         110.60         -         75Y         112.80         -         107Y         116.05         674           43X         110.60         -         75Y         112.85         -         108X         116.10         -           43Y         110.65         592         76X         112.90         -         108X         116.15         676           44X         110.70         526         76Y         112.95         -         109X         116.20         -           45X         110.80         -         77Y         113.05         -         110X         116.25         678           45X         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.05         600         80X         113.			586			-			670
42X         110.50         524         74Y         112.75         -         107X         116.00         -           42Y         110.55         590         75X         112.80         -         107Y         116.05         674           43X         110.65         592         76X         112.90         -         108Y         116.15         676           44X         110.75         594         77X         113.00         -         109Y         116.25         678           45X         110.80         -         77Y         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.20         -         111X         116.40         -           47X         111.05         600         80X         113.20         -         1112Y         116.50         -           47X         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.15         602         81X         1			_			-			
42Y         110.55         590         75X         112.80         -         107Y         116.05         674           43X         110.60         -         75Y         112.85         -         108X         116.10         -           43Y         110.65         592         76X         112.95         -         109X         116.15         676           44X         110.70         526         76Y         112.95         -         109X         116.20         -           44Y         110.75         594         77X         113.00         -         109Y         116.20         -           45X         110.80         -         77Y         113.05         -         110X         116.30         -           46X         110.95         598         79X         113.10         -         110Y         116.35         680           46X         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.00         -         79Y         113.25         -         112X         116.50         -           48X         111.10         530         80Y         113.35 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>672</td>						-			672
43X         110.60         -         75Y         112.85         -         108X         116.10         -           43Y         110.65         592         76X         112.90         -         108Y         116.15         676           44X         110.75         594         77X         113.00         -         109Y         116.20         -           45X         110.80         -         77Y         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.00         -         79Y         113.25         -         112X         116.50         -           48X         111.15         600         80X         113.30         -         112Y         116.55         684           48Y         111.25         602         81X         113.40 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td>						-			
43Y         110.65         592         76X         112.90         -         108Y         116.20         -           44X         110.70         526         76Y         112.95         -         109Y         116.20         -           45X         110.80         -         77Y         113.00         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.25         -         111Y         116.45         682           47X         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.10         530         80Y         113.30         -         112Y         116.65         686           49X         111.20         -         81Y         113.40         -         113Y         116.65         686           50X         111.35         606         83X         113.			590			-			674
44X         110.70         526         76Y         112.95         -         109X         116.25         678           44Y         110.75         594         77X         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.00         -         79Y         113.25         -         112X         116.50         -           47Y         111.05         600         80X         113.35         620         113X         116.60         -           48X         111.15         602         81X         113.40         -         113Y         116.65         684           49X         111.25         604         82X         113.50         -         114Y         116.70         -           49Y         111.25         604         82X         11						-			
44Y         110.75         594         77X         113.00         -         109Y         116.25         678           45X         110.80         -         77Y         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.25         -         111Y         116.50         -           47Y         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.10         530         80Y         113.35         620         113X         116.65         686           49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.55         624         115X         116.80         -           50Y         111.35         606         83X						-			
45X         110.80         -         77Y         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46Y         110.95         598         79X         113.20         -         111Y         116.40         -           47Y         111.00         -         79Y         113.25         -         111Y         116.50         -           47Y         111.00         600         80X         113.30         -         112Y         116.50         -           47Y         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.25         604         82X         113.50         -         114Y         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.70         -           50X         111.30         532         82Y         113.55 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>_</td>						-			_
45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.00         -         79Y         113.25         -         112X         116.50         -           47Y         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.75         688           50X         111.35         606         83X         113.50         -         115Y         116.85         690           51X         111.40         -         83X						-			678
46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.20         -         111Y         116.50         -           47X         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y						-			-
46Y         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.00         -         79Y         113.25         -         112X         116.50         -           47Y         111.05         600         80X         113.30         -         112Y         116.50         -           48X         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.50         -         114Y         116.75         688           50X         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         11.45         608         84X         1						-			680
47X         111.00         -         79Y         113.25         -         112X         116.50         -           47Y         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.50         -         114Y         116.75         688           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.45         608         84X         113.70         -         116Y         116.85         690           51X         111.45         608         84X         113.70         -         116Y         116.85         690           52X         111.50         534         84Y <t< td=""><td></td><td></td><td></td><td></td><td></td><td>-</td><td></td><td></td><td>- 692</td></t<>						-			- 692
47Y         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.35         606         83X         113.50         -         114Y         116.75         688           50X         111.35         606         83X         113.65         624         115X         116.80         -90           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y			598			-			082
48X         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.60         -         115Y         116.85         690           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X			600			-			691
48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.70         -         116Y         116.95         692           52X         111.55         610         85X         113.80         -         117Y         117.00         -           53X         111.60         -         85Y						620			
49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.85         630         118X         117.10         -           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td></t<>									_
49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.65         626         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.85         630         118X         117.10         -           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.95         632         118X         117.10         -           54Y         111.75         614         87X									
50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.25         698           55X         111.80         -         87Y									
50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y <t< td=""><td></td><td></td><td></td><td></td><td></td><td>624</td><td></td><td></td><td>-</td></t<>						624			-
51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.95         632         119X         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X									690
51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.05         634         120X         117.30         -           55Y         111.80         -         87Y         114.05         634         120X         117.30         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X						626			
52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.95         632         119X         117.20         -           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X <t< td=""><td></td><td></td><td>608</td><td></td><td></td><td>-</td><td></td><td></td><td>692</td></t<>			608			-			692
52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.10         -         120Y         117.35         -           56Y         111.95         618         89X         114.20         -         121Y         117.40         -           57Y         112.00         -         89Y         114.						628			-
53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.25         638         122X         117.50         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         11									694
53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35			-			630			-
54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.35         640         123X         117.60         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40			612						696
54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45						632			-
55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50									698
56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50         -         124Y         117.75         -           60X         133.30         -         92Y         114.55         644         125X         117.80         -           60Y         133.36         -         93X         114.60						634			-
56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50         -         124Y         117.75         -           60X         133.30         -         92Y         114.55         644         125X         117.80         -           60Y         133.35         -         93X         114.60         -         125Y         117.85         -           61X         133.40         -         93Y         114.65	55Y	111.85	616	88X	114.10	-	120Y	117.35	-
57X     112.00     -     89Y     114.25     638     122X     117.50     -       57Y     112.05     -     90X     114.30     -     122Y     117.55     -       58X     112.10     -     90Y     114.35     640     123X     117.60     -       58Y     112.15     -     91X     114.40     -     123Y     117.65     -       59X     112.20     -     91Y     114.45     642     124X     117.70     -       59Y     112.25     -     92X     114.50     -     124Y     117.75     -       60X     133.30     -     92Y     114.55     644     125X     117.80     -       60Y     133.35     -     93X     114.60     -     125Y     117.85     -       61X     133.40     -     93Y     114.65     646     126X     117.90     -       61Y     133.45     -     94X     114.75     648	56X	111.90	538	88Y	114.15	636	121X	117.40	-
57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50         -         124Y         117.75         -           60X         133.30         -         92Y         114.55         644         125X         117.80         -           60Y         133.35         -         93X         114.60         -         125Y         117.85         -           61X         133.40         -         93Y         114.65         646         126X         117.90         -           62X         133.50         -         94Y         114.75         648	56Y	111.95	618	89X	114.20	-	121Y	117.45	-
58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50         -         124Y         117.75         -           60X         133.30         -         92Y         114.55         644         125X         117.80         -           60Y         133.35         -         93X         114.60         -         125Y         117.85         -           61X         133.40         -         93Y         114.65         646         126X         117.90         -           61Y         133.45         -         94X         114.75         648         126Y         117.95         -           62X         133.50         -         94Y         114.75         648         126Y         117.95         -	57X	112.00	-	89Y	114.25	638	122X	117.50	-
58Y     112.15     -     91X     114.40     -     123Y     117.65     -       59X     112.20     -     91Y     114.45     642     124X     117.70     -       59Y     112.25     -     92X     114.50     -     124Y     117.75     -       60X     133.30     -     92Y     114.55     644     125X     117.80     -       60Y     133.35     -     93X     114.60     -     125Y     117.85     -       61X     133.40     -     93Y     114.65     646     126X     117.90     -       61Y     133.45     -     94X     114.70     -     126Y     117.95     -       62X     133.50     -     94Y     114.75     648	57Y	112.05	-	90X	114.30	-	122Y	117.55	-
59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50         -         124Y         117.75         -           60X         133.30         -         92Y         114.55         644         125X         117.80         -           60Y         133.35         -         93X         114.60         -         125Y         117.85         -           61X         133.40         -         93Y         114.65         646         126X         117.90         -           61Y         133.45         -         94X         114.70         -         126Y         117.95         -           62X         133.50         -         94Y         114.75         648         -	58X		-		114.35	640	123X		-
59Y     112.25     -     92X     114.50     -     124Y     117.75     -       60X     133.30     -     92Y     114.55     644     125X     117.80     -       60Y     133.35     -     93X     114.60     -     125Y     117.85     -       61X     133.40     -     93Y     114.65     646     126X     117.90     -       61Y     133.45     -     94X     114.70     -     126Y     117.95     -       62X     133.50     -     94Y     114.75     648	58Y	112.15	-	91X	114.40	-	123Y	117.65	-
60X     133.30     -     92Y     114.55     644     125X     117.80     -       60Y     133.35     -     93X     114.60     -     125Y     117.85     -       61X     133.40     -     93Y     114.65     646     126X     117.90     -       61Y     133.45     -     94X     114.70     -     126Y     117.95     -       62X     133.50     -     94Y     114.75     648	59X	112.20	-	91Y	114.45	642	124X	117.70	-
60Y     133.35     -     93X     114.60     -     125Y     117.85     -       61X     133.40     -     93Y     114.65     646     126X     117.90     -       61Y     133.45     -     94X     114.70     -     126Y     117.95     -       62X     133.50     -     94Y     114.75     648	59Y	112.25	-	92X	114.50	-	124Y	117.75	-
61X 133.40 - 93Y 114.65 646 126X 117.90 - 61Y 133.45 - 94X 114.70 - 126Y 117.95 - 62X 133.50 - 94Y 114.75 648	60X	133.30	-	92Y	114.55	644	125X	117.80	-
61Y 133.45 - 94X 114.70 - 126Y 117.95 - 62X 133.50 - 94Y 114.75 648	60Y	133.35	-	93X	114.60	-	125Y	117.85	-
62X 133.50 - 94Y 114.75 648	61X	133.40	-		114.65	646	126X	117.90	-
	61Y	133.45	-	94X	114.70	-	126Y	117.95	-
62Y 133.55 - 95X 114.80 -			-			648			
	62Y	133.55	-	95X	114.80	-			

## 35 COMM/NAV/WEATHER REMARKS:

These remarks consist of pertinent information affecting the current status of communications, NAVAIDs and weather.


AIKEN MUNI (AIK) 6 N UTC-5(-4DT) N33°38.96′ W81°41.10′ 528 B S2 FUEL 100LL, JET A NOTAM FILE AND RWY 07-25: H5500X100 (ASPH-AFSC) S-22, D-65, ST-82 MIRL 0.4% up SW RWY 07: PAPI(P2L)-GA 3.0° TCH 22'. RWY 25: ODALS. REIL. PAPI(P2L)-GA 3.0° TCH 26'. RWY 01-19: H3800X75 (ASPH-AFSC) S-22 MIRL 0.9% up S RWY N1. Tree RWY 19: Tree. AIRPORT REMARKS: Attended 1100-2300Z‡. ACTIVATE MIRL Rwy 07-25 and ODALS Rwy 25-CTAF. -Industrial Park WEATHER DATA SOURCES: AWOS-3 118.025 (803) 643-8664. COMMUNICATIONS: CTAF/UNICOM 122.8 RCO 122.45 (ANDERSON RADIO)

R AUGUSTA APP/DEP CON 119.15 (1145-0400Z‡) (R) COLUMBIA APP/DEP CON 124.15 (0400-1145Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND

COLLIERS (H) VORTAC 113.9 IRO Chan 86 N33°42.44' W82°09.72' 102° 24.1 NM to fld. 428/04W.

NDB (MHW) 347 AIK N33°39.11′ W81°40.62′ at fld Unmonitored 2300-1300Z‡.



ALCOT N34°10.44′ W79°51.15′ NOTAM FILE FLO. NDB (LOM) 335 FL 089° 6.4 NM to Florence Rgnl. CHARLOTTE

CHARL OTTE

ΙΔΡ

H-9B, 12F, L-24I

**ALLENDALE CO** (88J) 2 SE UTC-5(-4DT) N32°59.71′ W81°16.21′ 161 B FUEL 100LL, JET A NOTAM FILE AND

CHARL OTTE H-9B, 12F, L-24I

RWY 17-35: H5005X75 (ASPH) S-26, D-34 MIRL

RWY 17: PAPI(P2L)—GA 3.0°TCH 26'. Tree. RWY 35: PAPI(P2L)-GA 3.0°TCH 26'. Tree.

AIRPORT REMARKS: Attended 1300-2200Z‡. For fuel or svc after hrs call 803-584-2060. 5' drainage structure located 1220' from Rwy 17 thld and 75' left. ACTIVATE MIRL Rwy 17-35 and PAPI Rwy 17 and Rwy 35-CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 116.7T (ANDERSON RADIO)

R JAX CENTER APP/DEP CON 132.5

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

VANCE (L) VORTAC 110.4 VAN Chan 41 N33°28.49′ W80°26.92′ 241° 50.4 NM to fld. 140/06W. (L) VOR 116.7 ALD N33°00.75′ W81°17.53′ 134° 1.5 NM to fld.

VOR unusable:

217°-314° blo 3000′ 360°-035° blo 3000'

036°-134° blo 6000' 315°-325° byd 10 NM blo 3000' 135°-145° byd 10 NM blo 6000′ 326°-341° blo 3000′

146°-216° blo 6000' 342°-359°

SE, 22 OCT 2009 to 17 DEC 2009

```
ANDERSON RGNL (AND) 3 SW UTC-5(-4DT) N34°29.68′ W82°42.56′
                                                                                                     ATI ANTA
  782 B S4 FUEL 100LL, JET A
                                       OX 4
                                              Class I, ARFF Index A NOTAM FILE AND
                                                                                             H-9B, 12F, L-25C
  RWY 05-23: H6002X150 (ASPH) S-50.5, D-67.5, ST-85
                                                                                                        ΙΔΡ
                                                         HIRL
    RWY 05: MALSR. PAPI(P4L). Trees.
                                          RWY 23: SAVASI(S2L)-GA 3.0°TCH 30'. Trees.
  RWY 17-35: H4996X150 (ASPH) S-16.5, D-23 0.9% up N
    RWY 17. Trees
                        RWY 35: Trees.
  AIRPORT REMARKS: Attended 1230-0030Z‡. Arpt unattended Thanksgiving, Christmas and New Years Day. After
    hours, 100LL fuel avbl by self-service. CLOSED to unscheduled air carrier ops with more than 30 passenger
    seats except 24 hr PPR call arpt manager 864-260-4163. Rwy 17-35 not avbl for air carrier use. Rwy 17-35
    widespread cracks. Wildlife on and invof arpt, more active at dusk and dawn, Profile of Rwy 05-23 restricts
    visibility from thId Rwy 05 to thId Rwy 23. Twy Igts from apron to Rwy 05 only. ACTIVATE HIRL Rwy 05-23,
    MALSR Rwv 05-CTAF.
  WEATHER DATA SOURCES: ASOS 120.675 (864) 226-9522.
  COMMUNICATIONS: CTAF 123.6 UNICOM 122.95
    RCO 123.6 122.2 (ANDERSON RADIO)
 R GREER APP/DEP CON 118.8 (1100-0445Z‡)
    ATLANTA CENTER APP/DEP CON 127.5 (0445-1100Z‡)
  RADIO AIDS TO NAVIGATION: NOTAM FILE AND. VHF/DF ctc FSS.
    ELECTRIC CITY (L) VORTACW 108.6 ELW Chan 23 N34°25.15′ W82°47.08′ 040° 5.9 NM to fld. 740/00E.
    ILS 111.9
               I-AND
                        Rwy 05. Class IB.
  COMM/NAV/WEATHER REMARKS: Ctc Anderson Radio for airport advisory service on 123.6.
      . . . . . . . .
  HELIPAD H1: H50X50 (CONC)
                            S-30
  HELIPAD H2: H50X50 (CONC) S-30
  HELIPORT REMARKS: Helicopters with skids are restricted to land on helipads or grassed areas. ACTIVATE perimeter
    lgts H1 and H2-CTAF.
```

NDB (MHW) 255 PHH at Robert F. Swinnie. Unusable byd 20 NM.

ANDREWS N33°27.09′ W079°31.64′ NOTAM FILE AND.

CHARLOTTE L-241

CHARLOTTE

**ANDREWS** 

**ROBERT F SWINNIE** (PHH) 2 E UTC-5(-4DT) N33°27.10′ W79°31.57′

B NOTAM FILE AND

RWY 18-36: H3001X60 (ASPH) S-11, D-22 MIRL 0.3% up S

RWY 18: VASI(V2L)-GA 3.0° TCH 38'. Tree.

RWY 36: VASI(V2L)-GA 3.0° TCH 34'.

AIRPORT REMARKS: Attended dalgt only. Rwy 18-36 MIRL OTS indef.

COMMUNICATIONS: CTAF 122.9


(R) MYRTLE BEACH APP/DEP CON 127.4 (1100-0400Z‡)

JAX CENTER APP/DEP CON 128.7 (0400-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE CHS.

CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66' W80°02.27' 043° 42.2 NM to fld. 39/05W. HIWAS.

ANDREWS NDB (MHW) 255 PHH N33°27.09' W079°31.64' at fld. Unusable byd 20 NM. NOTAM FILE AND.



**ASHLY** N32°58.58′ W80°05.85′ NOTAM FILE CHS.

NDB (HW/LOM) 329 CH 153° 5.5 NM to Charleston AFB/Intl. H-9C, L-23A, 241


**BAMBERG CO** (99N) 5 W UTC-5(-4DT) N33°18.27′ W81°06.51′ CHARL OTTE 231 B NOTAM FILE AND 1-241 RWY 05-23: H3603X60 (ASPH) S-30 D-60 MIRI RWY 05: PAPI(P2L)-GA 3.0° TCH 40'. Tree. m RWY 23: PAPI(P2L)-GA 3.0° TCH 40'. Pole. 0/00 AIRPORT REMARKS: Unattended. MIRL Rwy 05-23 opr dusk-0300Z‡, after 0300Z‡ ACTIVATE MIRL and PAPI Rwy 05-23-CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE OGB.

EDISTO (T) VORW/DME 111.4 EDS Chan 51 N33°27.34'

W80°51.51' 239° 15.5 NM to fld. 189/05W.



BARNWELL RGNL (BNL) 1 NW UTC-5(-4DT) N33°15.48′ W81°23.28′

246 B S4 FUEL 100LL, JET A NOTAM FILE AND

CHARLOTTE H-9B. 12F. L-24I ΙΔΡ

RWY 05-23: H4835X70 (ASPH) S-12

RWY 17-35: H5119X100 (ASPH) S-20, D-60

RWY 17: ODALS. REIL. PAPI(P2L)-GA 3.0° TCH 52'. Tree. Rgt tfc.

RWY 35: PAPI(P2L)-GA 3.0° TCH 45'. Tree.

AIRPORT REMARKS: Attended 1400-2200Z‡. Self svc fuel and 93 octane avbl with credit card. Parachute Jumping. Rwv 05-23 payement cracked with grass growing through producing loose stones.

WEATHER DATA SOURCES: AWOS-3 119.775 (803) 259-4536.

COMMUNICATIONS: CTAF/UNICOM 122.8

JACKSONVILLE CENTER APP/DEP CON 132.5

RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

COLUMBIA (H) VORTAC 114.7 CAE Chan 94 N33°51.44′ W81°03.24′ 207° 39.6 NM to fld. 400/02W.

BEAUFORT CO (ARW) 3 SE UTC-5(-4DT) N32°24.73′ W80°38.06′ 10 B FUEL 100LL, JET A TPA-1010(1000) NOTAM FILE AND

CHARLOTTE

L-24H IAP

RWY 07-25: H3434X75 (ASPH) S-12.5 MIRL

RWY 07: PAPI(P2L)-GA 3.45° TCH 29'. Rgt tfc.

RWY 25: REIL. PAPI(P2L)—GA 3.0° TCH 21'. AIRPORT REMARKS: Attended 1200-0000Z‡. Self svc fuel avbl 24 hrs.

Parachute Jumping. Deer, seagulls and geese on and invof arpt. Rwy 25 has 5' bushes 100' from thid. MIRL Rwy 07-25 preset low ints, to increase ints-CTAF,

WEATHER DATA SOURCES: AWOS-3 119.675 (843) 524-1000.

COMMUNICATIONS: CTAF/UNICOM 122.7


R BEAUFORT APP/DEP CON 118.45 Mon-Thur (1200-0400Z‡), Fri (1200-2300Z‡), Clsd holidays.

JACKSONVILLE CENTER APP/DEP CON 120.85 Mon-Thur (0400-1200Z‡), Fri-Sun (2300-1200Z‡).

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV.

SAVANNAH (H) VORTAC 115.95 SAV Chan 106(Y) N32°08.78' W81°11.95' 067° 32.8 NM to fld. 9/6W. HIWAS.

ASR (Mon-Fri 1100-0500Z‡, Sat 1300-2100Z‡, Sun 2000-0400Z‡)



```
BEAUFORT MCAS (MERRITT FLD) (NBC)(KNBC) MC
                                                       3 NW UTC-5(-4DT)
                                                                                                      CHARL OTTE
       N32°28.64′ W8043.39′
                                                                                                 H-9B, 12F, L-24I
  37 B TPA—See Remarks Class I, ARFF Index Ltd. NOTAM FILE AND Not insp.
                                                                                                       ΠΙΔΡ ΔΠ
  RWY 05-23: H12202X200 (PEM) PCN 59 R/C/W/T HIRL
    RWY 05: SALSF. PAPI(P4L).
                                  RWY 23: ALSF1. PAPI(P4L).
                               PCN 64 R/D/W/T HIRL
  RWY 14-32: H7999X200 (PEM)
    RWY 14: PAPI (P4R)—GA 3.0° TCH 40'.
                                              RWY 32: PAPI (P4R)-GA 3.0° TCH 40'.
  RWY 10-28: H6425X150 (ASPH)
  RWY 18-36: H3941X150 (ASPH)
  ARRESTING GEAR/SYSTEM
    RWY 05 HOOK E28(B) (2050')
                                                                                    HOOK E28(B) (1900') RWY 23
    RWY 14 HOOK E28(B) (1250')
                                                                                    HOOK E28(B) (1248') RWY 32
  MILITARY SERVICE: A-GEAR E-28 on all rwys and in raised position except on ldg rwy.
                                                                                 FUEL J5
                                                                                           TRAN ALFRT Tran svc.
    avbl 1200-2300Z‡ Mon-Fri only CLOSED natl hol. (See RSTD for additional tran acft info). Tran acft expect truck
    refuel. Tran acft maint unavbl. Tran aviation ordnance svc avbl. Lavatory svc unavbl. Jasu, fluid, and oil unavbl.
  MILITARY REMARKS: Opr Mon-Thu 1200-0400Z‡, Fri 1200-2300Z‡, CLOSED holidays, Other times open by NOTAM
    for special ops only. RSTD Rwy 10-28 and Rwy 18-36 CLOSED until further notice. Due to limited tran svc avbl.
    Prior ntc all inbound tran acft to include AMC, JOSAC, alternate afld and diverts. Prior ntc approval good for +/-
    1 hr of coordinated time. Ctc Base OPS DSN 335-7301/2/3/ C843-228-7301/2/3. Fax DSN 335-7874,
    C843-228-7874. Heavy acft rstd from use of VIP line. CAUTION Severe bird activity Oct-Apr. Wildlife on rwy during
    periods of darkness. Check ATIS for bird aircraft strike hazard updates. IFC PAT TPA—Overhead 1500(1463).
    conventional 800(763), helicopter call entering Class D Airspace blo 800(763). Multiple apch Rwy 32 not
    authorized. Reduced rwy separation standard in effect USN/USMC acft. Touch and go duty rwy only. CSTMS/AG/IMG
    Ltd CSTMS/AG avbl mil acft only, 24 hr prior notice rgr, Ctc Customs DSN 335-6161, C843-228-6161, MISC All
    acft with passenger, cargo, VIP ctc PTD 20 min prior to landing. ALCE team require for all AMC mission.
  COMMUNICATIONS: SFA ATIS 256.15 (Mon-Thu 1200-04007±, Fri 1200-23007±, clsd Sat-Sun and holidays.)
 R APP/DEP CON 123.7 328.425 (3000' and blo) 118.45 292.125 (abv 3000') (Mon-Thu 1200-0400Z‡,
      Fri 1200-2300Z‡), other times ctc
 R JACKSONVILLE CENTER APP/DEP CON 120.85 322.5
    TOWER 119.05 342.875 363.15(Mon-Thu 1200-0400Z±, Fri 1200-2300Z±, clsd Sat-Sun and holidays,)
      GND CON/CLNC DEL 128.15 348.625 (Mon-Thu 1200-0400Z‡. Fri 1200-2300Z‡, clsd Sat-Sun and holidays)
      PMSV METRO 264.5 (Mon-Thu 1200-0400Z‡, Fri 1200-2300Z‡, clsd holidays)
                                                                                  BASE OPS 281 8
  AIRSPACE: CLASS D svc Mon-Thu 1200-0400Z‡, Fri 1200-2300Z‡, clsd holidays, other times Class E.
  RADIO AIDS TO NAVIGATION: NOTAM FILE AND.
               Chan 42 NBC (110.5) N32°28.74′ W80°43.04′
                                                                at fld. 49/5W. TACAN unusable 300°-010° bvd
    (I) TACAN
      30 NM blo 5.000'. Unavbl Mon-Fri 0400-1200Z‡ and all day weekends except when afId is open by NOTAM.
    ASR/PAR
  COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima
```

**BENNETTSVILLE** N34°37.21′ W79°43.99′ NOTAM FILE AND. NDB (MHW) 230 BES at Marlboro Co. Jetport-H.E. Avent Fld.

CHARL OTTE L-24J, 25E, 35A, 36E

H-9C, 12G, L-24J, 25E, 35A, 36E

CHARLOTTE

IAP

#### BENNETTSVILLE

MARLBORO CO JETPORT-H.E. AVENT FLD (BBP) 3 W UTC-5(-4DT) N34°37.30′ W79°44.06′ 147 B FUEL 100, JET A NOTAM FILE AND RWY N6-24: H5003X74 (ASPH) S-28 D-43 DT-70 MIRI RWY 06: REIL. PAPI(P2L)-GA 3.0° TCH 40'. Tree. RWY 24: REIL. PAPI(P2L)-GA 3.0° TCH 40'. Tree. AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z‡, Sun 1800-2200Z‡, For svc Sun call FBO 843-454-2303, For fuel after hrs call 843-862-4359. For FBO call 843-479-4797. WEATHER DATA SOURCES: AWOS-3 123.825 (843) 479-5817. COMMUNICATIONS: CTAF/UNICOM 122.8 FLORENCE APP/DEP CON 118.6 (1130-0300Z‡) JAX CENTER APP/DEP CON 133.45 (0300-1130Z±) RADIO AIDS TO NAVIGATION: NOTAM FILE FLO. FLORENCE (H) VORTAC 115.2 FLO Chan 99 N34°13.98' W79°39.43' 354° 23.6 NM to fld. 110/03W. HIWAS. BENNETTSVILLE NDB (MHW) 230 BES N34°37.21′ W79°43.99′ at fld. NOTAM FILE AND.

BERKELEY CO (See MONCKS CORNER)

**BISHOPVILLE** 

LEE CO-BUTTERS FLD (52J) 2 N UTC-5(-4DT) N34°14.67′ W80°14.16′

CHARLOTTE L-24J, 25E, 36E

211 NOTAM FILE AND RWY 06-24: H3200X60 (ASPH)

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

CHESTERFIELD (L) VOR/DME 108.2 CTF Chan 19 N34°39.03′ W80°16.50′ 178° 24.4 NM to fld. 560/03W.

BRANHAMS (See DARLINGTON)

CALAB N33°53.12′ W78°37.80′ NOTAM FILE CRE.

NDB (LOM) 267 CR 233° 6.4 NM to Grand Strand.

CHARLOTTE

**CALHOUN FALLS** 

HESTER MEML (ØA2) 1 E UTC-5(-4DT) N34°05.42′ W82°34.07′

ATI ANTA 1-241

517 NOTAM FILE AND

RWY 10-28: H3917X60 (ASPH) S-12.5 LIRL

RWY 10. Tree RWY 28: Tree.

AIRPORT REMARKS: Unattended. Remote controlled acft invof arpt. Rwy 10-28 and apron cracking badly. Grass coming un thru cracks

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

ELECTRIC CITY (L) VORTACW 108.6 ELW Chan 23 N34°25.15′ W82°47.08′ 151° 22.5 NM to fld. 740/00E.

**CAMDEN** 

WOODWARD FLD (CDN) 3 NE UTC-5(-4DT) N34°17.02′ W80°33.89′

CHARL OTTE 302 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE AND H-9B. 12G. L-24J. 25D

RWY 06-24: H5000X100 (ASPH) S-30, D-55, DT-90

RWY 06: REIL. PAPI(P2L)-GA 3.0° TCH 31'. Tree. RWY 24: REIL. PAPI(P2L)—GA 3.0° TCH 28'. Tree.

RWY 14-32: H2998X100 (ASPH) S-30, D-55, DT-90

RWY 14. Tree RWY 32. Tree

AIRPORT REMARKS: Attended 1300-2300Z‡. For after hrs svc Sat-Sun, call 803-260-1128 or 803-446-0214. Aerobatic box overhead arpt up to 4000' during dalgt hrs. MIRL Rwy 06-24 preset low ints; to increase ints and ACTIVATE REIL Rwy 06 and Rwy 24-CTAF.


WEATHER DATA SOURCES: AWOS-3 119.975 (803) 424-1979. COMMUNICATIONS: CTAF/UNICOM 123.0

R SHAW APP/DEP CON 125.4 (1200-0430Z‡)

JAX CENTER APP/DEP CON 124.7 (0430-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

CHESTERFIELD (L) VOR/DME 108.2 CTF Chan 19 N34°39.03' W80°16.50' 216° 26.3 NM to fld. 560/03W.



```
CHARLESTON
```

IIS 109 7

ILS 108.9

I-CHS

I-CCI

Rwy 15.

Rwy 33.

```
CHARLESTON AFB/INTL (CHS)(KCHS) CIV/MIL 9 NW UTC-5(-4DT) N32°53.92′ W80°02.43′ CHARLOTTE
  46 B S4 FUEL 100, JET A1+ OX 1 TPA-See Remarks LRA
                                                                                                  H-9C. 12F. L-24I
       Class I, ARFF Index C NOTAM FILE CHS
                                                                                                          IAP, AD
  RWY 15-33: H9001X200 (CONC-GRVD)
                                         S-125, D-275, DT-350, DDT-775 PCN 55 R/A/W/T
                                                                                               HIRI
                                                                                                       CI
    RWY 15: ALSF2. TDZL. PAPI(P4L)-GA 3.0°.
    RWY 33: MALSR. PAPI(P4L)-GA 3.0° TCH 46'.
  RWY 03-21: H7004X150 (ASPH-GRVD) S-125, D-275, DT-350, DDT-775 PCN 76 F/C/W/T
                                                                                              HIRI 0.3% un
    RWY 03: REIL. PAPI(P4L)-GA 3.0°. TCH 50'.
                                                     RWY 21: REIL, PAPI(P4L)—GA 3.0°, TCH 50'.
  LAND AND HOLD SHORT OPERATIONS
                      HOLD SHORT POINT
      LANDING
                                             DIST AVRI
      RWY 03
                      15-33
                                             5550
      RWY 15
                      0.3 - 21
                                             5700
      RWY 33
                      0.3 - 21
                                             2900
  ARRESTING GEAR/SYSTEM
    RWY 15 ← BAK-12A(B) (1250')
                                                                                   BAK-12A(B) (1460') \rightarrow RWY 33
  MILITARY SERVICE: KCHS mil provides no security and no acft svcs at FBO's and commercial terminal. LGT: Afld
    rotating bcn not visible from northwest. A-GEAR Rwy 15-33 BAK 12A rgr 1hr prior notice. JASU 8(MD-3M)
    2(MA-1A) (M32A-60) (M32A-60A)
                                       FUEL J8 (FBO's, C843-746-7600; C843-414-9200), (NC-100LL, A1+) All
    acft requiring fuel, please have in your possession the white DD form 1896 fuel card, US government air card or
    your base billing information.
                                   FLUID SOAP—Routine SOAP samples not avbl: SP PRESAIR LHOX LOX
    OIL Non-detergent oil not avbl for piston acft. 0-128-133-148(Mil).
  AIRPORT REMARKS: Attended continuously. Rwy 03-21 CLOSED monthly 2nd Thu 1330-2200Z‡. Rwy 15-33 CLOSED
    last Thu of each month 1330-2200Z‡. Intensive heavy military jets and other miscellaneous acft executing
    numerous cargo and personnel drops, high speed low-level formation flights and miscellaneous air-to-ground
    ops. No student solo touch and go ldg allowed. PPR for parking of general aviation acft on terminal ramp ctc
    843-767-1100. Parking on terminal apron restricted to commercial air carrier and acft for customs clearance by
    prior arrangement only. Railroad cars frequently parked at approach end of Rwy 21. Railroad cars 25' AGL and
    1000' from Rwy 21 thld, Gravel piles, up to 50' AGL located 1000' from Rwy 21 thld, Flight Notification Service
    (ADCUS) avbl.
  MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remark, RSTD All acft must ctc Palmetto OPS prior to entering
    military ramp for parking assignment. Rwy condition reading not avbl. Intersection twy on mil ramp in front of
    spot 29-34 clsd to through tfc. All inbound VIP Code 7 or higher, passenger, cargo acft must ctc Palmetto OPS
    no later than 30 min prior to ldg. AMC acft ops rstd during Bird Watch condition moderate (tkf or ldg permission
    only when dep/arr route avoid identification bird activity, no local IFR/VFR tfc pattern activity) and severe (tkf
    and Idg prohibited without OG/CC approval), ctc Palmetto OPS for current Bird Watch condition. Non-AMC
    aircrews requesting Remain Overnight svc ctc Comd Post (Palmetto OPS)DSN 673-8400, C843-963-8400 prior
    arrival. Terminal apron restricted to commercial air carrier and acft for Customs clearance by PPR. Request C-5
    and B-747 acft taxi with outboard engines at idle. CAUTION Military ramp acft contact CHS ground control for
    engine start and taxi. Rwy 15-33 1000' overruns has frangible raised apch lgts. Rwy 15-33 raised apch lgts in
    overruns. Wingtip clearance lines on mil ramp inter-twy 115' from centerline. Depart Rwy 03 apch Rwy 21 train
    cars (20' AGL) frequently parked 1200' from rwy end. Twy D wingtip clnc line 161' from twy centerline. Rwy
    15-33 no rwy end lgt. Rwy 15-33 1' raised thId lgt. Twy going into Military Aero Club ramp unlighted. TFC PAT
    TPA—Rectangular 1200 (1154), overhead 1700 (1654), light acft 700 (654), C5A 2000 (1954). NS ABTMT
    Practice circle approach prohibited 0200-1100Z‡. MISC Temporary storage of classified materials: up to Secret
    at Base Ops and Top Secret at Comd Post. Rwy condition reading not avbl. Base OPS DSN 673-3024,
    C843-963-3024. If civil side of arpt is final destination, acft commander will so indicate on DD 175. Dangerous
    cargo acft ctc PTD primary, Palmetto OPS secondary. All AMC mission acft ctc Palmetto OPS when within radio
    range. Airfield surface wx observations taken in accordance with FAA criteria, not Air Force criteria. Req wx
    forecast for Mil opr using the ICAO ident KIGC. Mil wx advisory/warning avbl on request via Metro. LLWAS. Mil wx
    clsd Mon-Fri, 0100-0800Z‡, clsd Sat, Sun and hol. Hol Wx briefings for tran aircrews byd normal opr hr avbl via
    26 OWS/Barksdale AFB, DSN 781-3952/3949/1212; C318-456-3949/1212. Military Aero Club acft ctc CHS
    ground control prior to taxi.
  WEATHER DATA SOURCES: ASOS (843) 554-9862. HIWAS 113.5 CHS. LLWAS.
  COMMUNICATIONS: ATIS 124.75
                               UNICOM 122.95
                                                 PTD 372.2
    RCO 122.1R 113.5T (ANDERSON RADIO)
    RCO 113.5T 122.2 122.5 (ANDERSON RADIO)
 (R) APP CON 120.7 306.925 (151°-330°) 135.8 379.925 (331°-150°) 119.3 284.0 317.45
 R DEP CON 120.7 306.925 (151°-330°) 135.8 379.925 (331°-150°)
    TOWER 126 0 239 0 GND CON 121 9 348 6 CINC DEL 127 325 291 65
      PALMETTO OPS 134.1 349.4 (Have quick timing avbl 255.5) PMSV METRO 233.95
  AIRSPACE: CLASS C svc continuous ctc APP CON
  RADIO AIDS TO NAVIGATION: NOTAM FILE CHS.
    (H) VORTAC 113.5
                     CHS Chan 82
                                         N32°53.66′ W80°02.27′
                                                                    at fld. 39/05W.
                                                                                      2AWIH
    ASHLY NDB (HW/LOM) 329
                           CH N32°58.58′ W80°05.85′
                                                             153° 5.5 NM to fld.
```

Class IIE. LOM ASHLY NDB.

Class ID. ILS/LOC unusable byd 20° right of course.

CHARLESTON EXECUTIVE (JZI) 6 SW UTC-5(-4DT) N32°42.05′ W80°00.18′ CHARL OTTE 17 B S2 FUEL 100LL, JET A NOTAM FILE AND H-9C, 12F, L-24I RWY 09-27: H5000X150 (CONC) S-45, D-56 HIRL ΙΔΡ RWY 09: PAPI(P4L)-GA 3.0° TCH 49'. Tree. RWY 27: PAPI(P4L)-GA 3.0° TCH 43'. RWY 04-22: H4313X150 (CONC) S-45, D-56 MIRL AIRPORT REMARKS: Attended 1100-0300Z‡. Arpt CLOSED to single-wheel acft with published maximum tkf weight over 45,000 lbs and dual wheel acft with published maximum tkf weight over 56,000 lbs. Deer and birds on and invof arpt. Uneven/broken pavement on Rwy 09-27. Rwy 09-27 pavement showing extensive wear and deterioration. ACTIVATE MIRL Rwy 04-22 and HIRL Rwy 09-27-CTAF. WEATHER DATA SOURCES: AWOS-3 123.775 (843) 559-3123 HIWAS 113.5 CHS. COMMUNICATIONS: CTAF/UNICOM 122.8 (R) APP/DEP CON 120.7 **CINC DEL** 127 15 RADIO AIDS TO NAVIGATION: NOTAM FILE CHS. CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66' W80°02.27' 176° 11.7 NM to fld. 39/05W. ILS/DME 110.7 I-ETI Chan 44 Rwv 09

 CHERAW MUNI/LYNCH BELLINGER FLD
 (CQW)
 3 NW
 UTC-5(-4DT)
 N34°42.77′ W79°57.42′
 CHARLOTTE

 239
 B
 S4
 FUEL
 100LL, JET A
 NOTAM FILE AND
 H-9B, 126, L-24J, 25E, 35A, 36E

RWY 08-26: H5000X75 (ASPH-PFC) S-30, D-48 MIRL 1.0% up W

**RWY 08:** REIL. PAPI(P2L)—GA 3.45° TCH 33'. Pole.

RWY 26: REIL. PAPI(P2L)—GA 3.0° TCH 26'. Pole.

AIRPORT REMARKS: Attended Mon-Sat 1300-2300Z±. Sun

1800–2200Z‡. MIRL Rwy 08–26 preset low ints, to increase ints ACTIVATE MIRL Rwy 08–26—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.175 (843) 537-3301.


COMMUNICATIONS: CTAF/UNICOM 122.8

FLORENCE APP/DEP CON 118.6 (1130-0300Z‡)

JAX CENTER APP/DEP CON 133.45 (0300-1130Z‡)
RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

CHESTERFIELD (L) VOR/DME 108.2 CTF Chan 19 N34°39.03′ W80°16.50′ 080° 16.2 NM to fid. 560/03W

WBB (MHW) 409 CQW N34°44.51′ W79°51.94′ 257° 4.8 NM to fld.



CHESTER CATAWBA RGNL (DCM) 5 N UTC-5(-4DT) N34°47.36′ W81°11.75′ 656 B FUEL 100LL, JET A NOTAM FILE AND

RWY 17-35: H5000X100 (ASPH) S-30, D-44 MIRL 0.4% up N

RWY 17: PAPI(P2L)—GA 3.1° TCH 34'. Tree. Rgt tfc.

RWY 35: PAPI(P2L)-GA 3.0° TCH 33'. Tree.

RWY 05-23: H4998X100 (ASPH) S-4, D-12 0.4% up SW RWY 05: Tree. Rgt tfc. RWY 23: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z‡, Sat 1300-0100Z‡, Sun 1800-0100Z‡. Parachute Jumping. Rwy 05-23 severely aged and cracked. Grass beginning to grow through cracks. Rwy 23 dirt access road 0' from thld. ACTIVATE MIRL Rwy 17-35 and PAPI Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.975 (803) 385-2011.

COMMUNICATIONS: CTAF/UNICOM 122.7


R CHARLOTTE APP/DEP CON 120.05

RADIO AIDS TO NAVIGATION: NOTAM FILE CLT.

CHARLOTTE (L) VORW/DME 115.0 CLT Chan 97 N35°11.42' W80°57.11' 212° 26.9 NM to fid. 732/05W. HIWAS. FORT MILL (L) VORTAC 112.4 FML Chan 71 N34°59.34'

 $\rm W80^{\circ}57.29' - 227^{\circ}\,16.9~NM$  to fld. 645/02W. NOTAM FILE AND. SHUTDOWN.

NDB (MHW) 220 DCM N34°47.21′ W81°12.07′ at fld. NOTAM FILE AND.



CHARL OTTE

CHESTERFIELD N34°39.03′ W80°16.50′ NOTAM FILE AND.

CHARI OTTE

(L) VOR/DME 108.2 CTF Chan 19 080° 16.1 NM to Cheraw Muni/Lynch Bellinger Fld. 560/03W. L-24J, 25E, 36E RCO 122.05R 108.2T (ANDERSON RADIO)

CLEMSON N34°40.43′ W82°53.21′ NOTAM FILE CEU.

NDB (MHW) 257 CEU at Oconee County Rgnl.

ATLANTA L-25C

ΔΤΙ ΔΝΤΔ

L-25C

#### CLEMSON

OCONEE COUNTY RGNL (CEU) 3 W UTC-5(-4DT) N34°40.32′ W82°53.21′

892 B S4 **FUEL** 100LL, JET A NOTAM FILE CEU

RWY 07-25: H4400X100 (ASPH) S-26 MIRL

RWY 07: REIL. PAPI(P2L)—GA 3.0° TCH 35'. Tree. Rgt tfc.

RWY 25: REIL. PAPI(P2L)—GA 3.0° TCH 35'. Tree.

AIRPORT REMARKS: Attended Mon-Sat 1300-0000Z‡. Parachute
Jumping. No line of sight between rwy ends. Acft may be operating
from private arpt 1 NM W-NW of arpt. MIRL Rwy 07-25 high ints

OTS indef. ACTIVATE MIRL Rwy 07-25—CTAF.
WEATHER DATA SOURCES: ASOS 119.275 (864) 882-0144.

COMMUNICATIONS: CTAF/UNICOM 122.7


R GREER APP/DEP CON 118.8 (1100-0445Z‡)

ATLANTA CENTER APP/DEP CON 134.8 (0445-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

**FOOTHILLS (H) VORTAC** 113.4 ODF Chan 81 N34°41.75′ W83°17.86′ 094° 20.4 NM to fld. 1700/00E.

CLEMSON NDB (MHW) 257 CEU N34°40.43′ W82°53.21′ fid. NOTAM FILE CEU.



**CLIO CROP CARE** (9W9) 2 SE UTC-5(-4DT) N34°33.69′ W79°32.29′

192 TPA-792(600) NOTAM FILE AND

RWY 05-23: 2598X125 (TURF)

RWY 05: Tree. RWY 23: Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300Z‡-dusk, Sat 1300-1700Z‡.

COMMUNICATIONS: CTAF 122.9

COLLIERS N33°42.44′ W82°09.72′ NOTAM FILE AND.

ATLANTA

CHARLOTTE

(H) VORTAC 113.9 IRQ Chan 86 161° 15.7 NM to Daniel Fld, GA. 428/04W.

H-9B, L-241

RCO 122.1R 113.9T (ANDERSON RADIO)

#### COLUMBIA

COLUMBIA METROPOLITAN (CAE) 5 SW UTC-5(-4DT) N33°56.33′ W81°07.17′

236 B S4 FUEL 100LL, JET A OX 1, 3 TPA—See Remarks LRA Class I, ARFF Index C NOTAM FILE CAE

CHARLOTTE H-9B, 12G, L-24I IAP, AD

**RWY 11–29**: H8601X150 (ASPH-GRVD) S-72, D-225, ST-175,

DT-409, DDT-700 HIRL CL

RWY 11: ALSF2. TDZL. PAPI(P4L)-GA 3.0° TCH 72'.

RWY 29: MALSR. PAPI(P4L)-GA 3.0° TCH 78'. 0.5% up.

**RWY 05-23**: H8001X150 (ASPH-CONC-GRVD) S-100, D-200,

ST-175, DT-355, DDT-675 HIRL **RWY 05**: MALSR. PAPI(P4R)—GA 3.0° TCH 60′. 0.4% down.

RWY 23: REIL. VASI(V4L)—GA 3.0° TCH 54'. Thid dspicd 1000'.

#### RUNWAY DECLARED DISTANCE INFORMATION

 RWY 11: TORA-8601
 TODA-8601
 ASDA-8601
 LDA-8601


 RWY 29: TORA-8601
 TODA-8601
 ASDA-8601
 LDA-8601

 RWY 05: TORA-8001
 TODA-8001
 ASDA-7001
 LDA-7001

 RWY 23: TORA-8001
 TODA-8001
 ASDA-8001
 LDA-7001

AIRPORT REMARKS: Attended continuously. Acft ldg with explosives

obtain PPR from arpt ops 803–822–5050. Surface Touchdown rwy visual range avbl Rwy 05–23. Touchdown, midpoint and rollout rwy visual range avbl Rwy 11. Touchdown, midfield and rollout rwy visual range avbl Rwy 29. Fee for commercial aircraft over 15,000



pounds. Opr of ultralight vehicles prohibited. TPA for propeller acft 1236(1000); TPA for turboprop 2036(1800). Sports complex with numerous flood Igts approximately 6500' from apch end Rwy 11. Noise abatement procedure: No turns blo 1000' for turbine engine acft unless directed by ATC.

WEATHER DATA SOURCES: ASOS (803) 822-4168

COMMUNICATIONS: ATIS 120.15 UNICOM 122.95

RCO 122.65 (ANDERSON RADIO)

RCO 122.1R 114.7T (ANDERSON RADIO)

R APP/DEP CON 124.15 (110°-289°) 133.4 (290°-109°)

TOWER 119.5 GND CON 121.9 CLNC DEL 119.75

AIRSPACE: CLASS C svc continuous ctc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

(H) VORTAC 114.7 CAE Chan 94 N33°51.44′ W81°03.24′ 328° 5.9 NM to fld. 400/02W. VOR portion unusable:

327°-073° byd 10 NM blo 4000'.

MURRY NDB (LOM) 362 CA N33°58.03′ W81°14.68′ 112° 6.5 NM to fld. LOM unmonitored.

ILS 110.3 I-CAE Rwy 11. Class IIIE. LOM MURRY NDB. LOM unmonitored.

ILS 108.3 I-VYK Rwy 29. Class IB. MM OTS indef.

ILS 108.95 I-GJC Rwy 05.

ASR

HELIPAD H1: H50X50 (CONC) PERIMETER LGTS

JIM HAMILTON L.B. OWENS (CUB) 2 S UTC-5(-4DT) N33°58.23′ W80°59.72′ 193 B S4 FUEL 100LL, JET A OX 3, 4 TPA-1000(807) NOTAM FILE CUB

CHARLOTTE H-9B, 12G, L-24I ΙΔΡ

RWY 13-31: H5002X75 (ASPH) S-20, D-40 MIRL RWY 13: REIL. PAPI(P2L)-GA 4.0° TCH 70'. Tree. Rgt tfc.

RWY 31: REIL. PAPI(P2R)—GA 3.0° TCH 45'. Thid dsplcd 391'. Tree. RUNWAY DECLARED DISTANCE INFORMATION

RWY 13-TORA-4999 TODA-4999 ASDA-4999 LDA-4999 TORA-4999 TODA-4999 ASDA-4999 LDA-4599 RWY 31.

AIRPORT REMARKS: Attended 1100-0300Z‡. For svc after hrs call 803-771-7915. Railroad switching yard parallel to Rwy 13-31. Rwy 13 is designated calm wind rwy. Avoid noise sensitive area N of arpt blo 1500'. No Northbound departure turns either rwy blo 1500'. ACTIVATE MIRL Rwy 13-31 and REIL Rwy 13 and 31-CTAF.

WEATHER DATA SOURCES: ASOS 119.675 (803) 929-0665


COMMUNICATIONS: CTAF/UNICOM 122.8

R COLUMBIA APP/DEP CON 133.4 CLNC DEL 124.4

RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

COLUMBIA (H) VORTAC 114.7 CAE Chan 94 N33°51.44' W81°03.24' 025° 7.4 NM to fld. 400/02W. ILS/DME 110.9 I-CUB Chan 46 Rwv 31. LOC only.

ASR



CONWAY-HORRY CO (HYW) 3 W UTC-5(-4DT) N33°49.71′ W79°07.33′

35 B S4 **FUEL** 100LL, JET A, A+ TPA—1035(1000) NOTAM FILE AND

RWY 04-22: H4401X75 (ASPH) S-12.5, D-20 MIRL

RWY 04: PAPI(P2L)—GA 4.0°TCH 39'. Tree. Rgt tfc.

RWY 22: PAPI(P2L)-GA 4.0°TCH 36'. Tree.

AIRPORT REMARKS: Attended 1100-0100Z‡, MIRL Rwv 04-22, PAPI Rwv 04 and Rwy 22 opr dusk-0500Z‡, after 0500Z‡ ACTIVATE—CTAF. WEATHER DATA SOURCES: AWOS-3 119.525 (843) 397-8046.

COMMUNICATIONS: CTAF/UNICOM 122.7


(R) MYRTLE BEACH APP/DEP CON 127.4 (1100-0400Z‡)

JAX CENTER APP/DEP CON 128.7 (0400-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE CRE.

GRAND STRAND (L) VORTAC 117.6 CRE Chan 123 N33°48.83' W78°43.47' 276° 19.9 NM to fld. 20/03W.

HORRY NDB (MHW) 370 HYW N33°49.40′ W79°07.69′ at fld NOTAM FILE AND. NDB unmonitored.



CORONACA N34°15.22′ W82°05.17′ NOTAM FILE GRD. NDB (MHW) 239 GIW 269° 3.6 NM to Greenwood Co.

ATLANTA L-241

CHARLOTTE

L-241, 35A

#### DARLINGTON

BRANHAMS (6J7) 3 SW UTC-5(-4DT) N34°16.93′ W79°55.72′

CHARLOTTE

165 B S2 NOTAM FILE AND

RWY 16-34: 3200X100 (TURF) LIRL

RWY 16: VASI(V2L). Trees. Rgt tfc. RWY 34: VASI(V2L)-GA 4.0° TCH 45'. Road.

AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z‡, Sat-Sun on call. On call phone 803-467-6941. Rwy 16-34 slightly bumpy in some areas. Arpt rotating bcn OTS indef. ACTIVATE LIRL Rwy 16-34, VASI Rwy 34—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

**DARLINGTON CO JETPORT** (UDG) 9 N UTC-5(-4DT) N34°26.96′ W79°53.40′

192 B S5 **FUEL** 100LL, JET A NOTAM FILE UDG **RWY 05-23**: H5500X100 (ASPH) S-25 MIRL

RWY 05: ODALS. REIL. PAPI(P2L)—GA 3.0° TCH 52'.

RWY 23: REIL. PAPI(P2L)—GA 3.0° TCH 55'. Tree.

RWY 10-28: H4947X150 (ASPH) S-25 RWY 10: Tree. RWY 28: Tree.

RWY 16-34: H4751X150 (ASPH) S-25 RWY 16: Tree. RWY 34: Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡. After hrs svc call 843-393-9928. Rwy 10-28 markings are not visible through grass growing through cracks in pavement. Rwy 34 grass has rwy markings obscured. Rwy 16-34 has severe cracking with grass growing through cracks entire rwy. Twy Igts opr and MIRL Rwy 05-23 are preset on low ints dusk-0400Z‡, to increase ints ACTIVATE—CTAF. After 0400Z‡ ACTIVATE MIRL Rwy 05-23, REIL Rwy 05 and Rwy 23 and twy Igts—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.925 (843) 393-8220.

COMMUNICATIONS: CTAF/UNICOM 123.0

FLORENCE APP/DEP CON 118.6 (1130-0300Z‡) CLNC DEL 118.55 JAX CENTER APP/DEP CON 133.45 (0300-1130Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.

FLORENCE (H) VORTAC 115.2 FLO Chan 99 N34°13.98′ W79°39.43′ 321° 17.4 NM to fld. 110/03W.

NDB (MHW) 245 UDG N34°26.60′ W79°53.24′ at fld. NOTAM FILE AND. NDB unmonitored.

**DILLON CO** (DLC) 3 N UTC-5(-4DT) N34°26.94′ W79°22.12′ 133 B NOTAM FILE AND

RWY 07-25: H3000X60 (ASPH-AFSC) S-10 MIRL 0.5% up W RWY 07: Pole. RWY 25: Tree.

AIRPORT REMARKS: Unattended. Rwy 07–25 has cracks, spalling and grass growing thru cracks.

COMMUNICATIONS: CTAF/UNICOM 122.8


NOTAM FILE AND.

FLORENCE APP/DEP CON 118.6 (1130-0300Z‡)

JAX CENTER APP/DEP CON 133.45 (0300-1130Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.

FLORENGE (H) VORTAC 115.2 FLO Chan 99 N34°13.98′ W79°39.43′ 051° 19.3 NM to fld. 110/03W. HIWAS. NDB (MHW) 274 DLC N34°27.01′ W79°22.13′ at fld.




CHARLOTTE

CHARLOTTE

ΙΔΡ

H-9C, 12G, L-24J, 25E, 36E



DONALDSON CENTER (See GREENVILLE)

DORCHESTER N33°03.68′W80°16.64′ NOTAM FILE AND. CHARLOTTE

NDB (MHW) 365 DYB at Summerville. L-24I

 DYANA
 N34°41.46′ W82°26.62′
 NOTAM FILE ANB.
 ATLANTA

 NDB (MHW/LOM) 338
 GY
 044° 5.2 NM to Donaldson Center. Unmonitored 0200–1200Z‡.
 L-24J, 25C

EDGEFIELD CO (See TRENTON)

 EDISTO
 N33°27.34′ W80°51.51′
 NOTAM FILE OGB.
 CHARLOTTE

 (T) VORW/DME 111.4
 EDS
 Chan 51
 at Orangeburg Muni. 189/05W.
 L-24I

 VOR/DME unusable blo 3000′.
 L-24I

ELECTRIC CITY N34°25.15′ W82°47.08′ NOTAM FILE AND.

(L) YORTACW 108.6 ELW Chan 23 040° 5.9 NM to Anderson Rgnl. 740/00E.

L-25C

NOREE N34°18.69′ W81°38.16′ NOTAM FILE AND.  NDB (MHW) 278 EOE at Newberry County. NDB unmonitored.	CHARLOTT L-2
EVANS N33°51.36′ W79°45.95′ NOTAM FILE AND.  NDB (MHW) 420 CFY at Lake City Muni CJ Evans Fid.	CHARLOTT L-241, 36
FAIRFIELD CO (See WINNSBORO)	
AIRMONT N34°54.14′ W81°59.09′ NOTAM FILE AND.	CHARLOTT
NDB (HW) 248 FRT 065° 1.6 NM to Spartanburg Downtown Meml.	L-24J, 25
AIRVIEW (See LANDRUM)	
FLORENCE RGNL (FLO) 3 E UTC-5(-4DT) N34°11.12′ W79°43.43′ 146 B S4 FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE FLO RWY 09-27: H6502X148 (ASPH-GRVD) S-52, D-77, ST-98, DT-135 HIRL 0.4% up W RWY 09: MALSR. PAPI(P4L)—GA 3.0°TCH 58′. RWY 27: PAPI(P4L)—GA 3.0°TCH 46′. Trees.	CHARLOTT H-9C, 12G, L-24J, 36 IAP, A €
19, Rwy 09 and Rwy 27; MALSR Rwy 09 and twy Igts—CTAF.  WEATHER DATA SUURCES: ASOS (843) 665–1306.  HIWAS 115.2 FLO. LAWRS.  COMMUNICATIONS: CTAF 125.1 ATIS 123.625 UNICOM 122.95  RCO 122.6 (ANDERSON RADIO)  RCO 122.1R 115.2T (ANDERSON RADIO)  R FLORENCE APP/DEP CON 118.6 (256°–074°) 135.25 (075°–255°)  (1130–0300Z‡)	: /
JAX CENTER APP/DEP CON 133.45 (0300-1130Z‡)   TOWER 125.1 (1130-0300Z‡)   GND CON 121.9   CLNC DEL 121.9     AIRSPACE: CLASS D svc 1130-0300Z‡ other times CLASS E.     RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.     (H) VORTAC 115.2   FLO   Chan 99   N34°13.98′ W79°39.43′   232° 4.4 NM to fld. 110/ VOR portion unusable:   089°-125° byd 30 NM blo 3000′.   126°-194° byd 10 NM.   195°-223° byd 10 NM blo 4000′.     DME unusable:   200°-025° byd 30 NM blo 4000′.     ALCOT NDB (LOM) 335   FL   N34°10.44′ W79°51.15′   089° 6.4 NM to fld.     ILS 109.1   I-FLO   Rwy 09. Class IB.   LOM ALCOT NDB. BC unusable.     ASR (1130-0300Z‡)   COMM/NAV/WEATHER REMARKS: Frequency 121.5 monitored by Anderson Radio when FLO twr clsd.	703W. <b>Hiwas.</b>

FORT MILL N34°59.34′ W80°57.29′ NOTAM FILE AND. CHARLOTTE
(L) VORTAC 112.4 FML Chan 71 271° 5.1 NM to Rock Hill York Co/Bryant fld. 645/02W. L-25D, 36E

VOR portion unusable 115°-123° byd 30 NM blo 3000′. SHUTDOWN.

RCO 122.1R 112.4T (ANDERSON RADIO)

GEORGETOWN CO (GGE) 3 S UTC-5(-4DT) N33°18.70′ W79°19.18′ 39 B S4 FUEL 100LL, JET A NOTAM FILE AND **RWY 05-23**: H5000X100 (ASPH) S-30, D-60 RWY 05: PAPI(P2L)-GA 3.0° TCH 31'. Tree. RWY 23: PAPI(P2L)—GA 3.0° TCH 32'. Tree. RWY 11-29: H4539X150 (ASPH) S-20, D-30 MIRL 0.3% up W RWY 11. Tree RWY 29. Tree AIRPORT REMARKS: Attended 1200-0200Z‡. Rwy 11-29 CLOSED to acft 12,500 lbs and over. Rwy 11 65' trees 1500' from thid. Rwy 11-29 entire runway is severely cracking and grass is growing through cracks. WEATHER DATA SOURCES: AWOS-3 118,275 (843) 527-3851. COMMUNICATIONS: CTAF/UNICOM 123.0 (R) MYRTLE BEACH APP/DEP CON 127.4 (1100-0400Z‡) JAX CENTER APP/DEP CON 128.7 (0400-1100Z‡) MYRTLE BEACH CLNC DEL 119.7 (Key mike 4 times to activate Clnc GCO 119.7 (MYRTLE BEACH CLNC) RADIO AIDS TO NAVIGATION: NOTAM FILE CHS. CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66' W80°02.27' 060° 44.0 NM to fld. 39/05W. HIWAS.

ΙΔΡ ۵. <u>ن</u> **3** ଫଫ **3** 3 ß 3 **3** ′ଫ ଫ Œ **(3** €3 ¢ **43** €3 a €3 03 G G €3 €3 a **(3** 4539 X 150 ¢ C3 C3 0 ß 63 €3 ദേദ Œ a 63

CHARL OTTE

ATLANTA

H-9C, 12G, L-24I

GRAND STRAND (See NORTH MYRTLE BEACH)

NOTAM FILE AND. Unmonitored 0200-1200Z‡.

#### GRANITEVILLE

TWIN LAKES (\$17) 4 NW UTC-5(-4DT) N33°38.74' W81°52.02'

GGE N33°18.93' W79°19.47'

540 B NOTAM FILE AND

**RWY 06-24:** H4000X60 (ASPH) S-12.5


RWY 06: Thid dsplcd 390'. Tree.
RWY 24: Thid dsplcd 421'. Fence.

AIRPORT REMARKS: Unattended. CLOSED to acft with maximum gross weight 10,000 lbs and above. No parking for transient acft. ACTIVATE rotating beacon—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

COLLIERS (H) VORTAC 113.9 IRQ Chan 86 N33°42.44′ W82°09.72′ 108° 15.2 NM to fld. 428/04 W.



GREEN SEA (S79) 4 NW UTC-5(-4DT) N34°11.13′ W79°01.24′

CHARLOTTE

95 NOTAM FILE AND

RWY 09-27: 3600X100 (TURF)

RWY 09: Tree. RWY 27: Tree.

AIRPORT REMARKS: Unattended. Parachute Jumping. Remote controlled acft invof arpt. Rwy 09 rwy edge marked with

COMMUNICATIONS: CTAF 122.9

#### **GREENVILLE**

**DONALDSON CENTER** (GYH) 6 S UTC-5(-4DT) N34°45.50′ W82°22.59′

955 B S4 FUEL 100LL, JET A OX 1 TPA—1755 (800) Class IV, ARFF Index A NOTAM FILE GYH

ATLANTA H-9B. 12G. L-24J. 25C IAP, AD

RWY 05-23: H8000X150 (CONC-GRVD) S-30, D-120, ST-152, DT-200 HIRL

RWY 05: MALSR. PAPI(P4L)—GA 3.22°TCH 60'. Rgt tfc. 0.3%

RWY 23: PAPI(P4L)—GA 4.14° TCH 80'. Trees. 0.6% up.

AIRPORT REMARKS: Attended 1100-0000Z‡. CLOSED to air carrier opr with more than 30 passenger seats except 24 hr PPR call arpt manager 864-277-3152. When twr CLOSED use frequency 125.95 for clearance delivery. ACTIVATE HIRL Rwy 05-23 and PAPI Rwvs 05 and 23, MALSR Rwv 05-CTAF.

WEATHER DATA SOURCES: AWOS-3 127.325 (864) 277-5674. COMMUNICATIONS: CTAF 133.325 UNICOM 122.7

- R GREER APP/DEP CON 118.8 (1100-0445Z±)
- R ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z±)


TOWER 133.325 (1200-0200Z‡)

GND CON 121.4 CLNC DEL 121.4 CLNC DEL 125.95 (when twr clsd)

AIRSPACE: CLASS D svc 1200-0200Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

SPARTANBURG (H) VORTAC 115.7 SPA Chan 104 N35°02.02′ W81°55.62′ 235° 27.6 NM to fld. 910/02W. DYANA NDB (MHW/LOM) 338 GY N34°41.46′ W82°26.62′ 044° 5.2 NM to fld. Unmonitored 0200-1200Z‡. ILS/DME 108.3 I-GYH Chan 20 Rwy 05. Class IA. LOM DYANA NDB. NDB unmonitored 0200-1200Z‡. LOC/GS unmonitored 0200-1200Z‡. MM OTS indef.



 GREENVILLE DOWNTOWN
 (GMU)
 3 E
 UTC-5(-4DT)
 N34°50.88′ W82°21.00′
 ATLANTA

 1048
 B
 S4
 FUEL
 100LL, JET A
 OX 3, 4
 TPA—See Remarks
 NOTAM FILE GMU
 H-9B, 126, L-24J, 25C

 RWY 01-19: H5393X100 (ASPH-GRVD)
 S-44, D-60, DT-95
 HIRL
 1.1% up N
 IAP, AD

RWY 01: REIL. MALSF. PAPI(P4L) TCH 35'. Tree.

RWY 19: REIL. PAPI(P4L) TCH 30'. Tree. Rgt tfc.

**RWY 10–28:** H3998X80 (ASPH) S–20 MIRL 0.5% up E

RWY 10: Thid dsplcd 265'. Tree.
RWY 28: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Thid dsplcd 270'. Tree.

#### RUNWAY DECLARED DISTANCE INFORMATION

**RWY 10:** TORA-3998 TODA-3998 ASDA-3728 LDA-3463 **RWY 28:** TORA-3998 TODA-3998 ASDA-3733 LDA-3463

#### ARRESTING GEAR/SYSTEM

RWY 01: EMAS 157'X113'

AIRPORT REMARKS: Attended Mon-Fri 1000-0300Z‡, Sat-Sun

1100–1300Z‡. CAUTION—Aircraft operating in Airport Traffic Area south thru east be alert for jet and conventional tfc descending on Greenville—Spartanburg localizer course. Acft inbound from the SSW or on ILS Rwy 01 apch, be alert for tfc 4.5 miles S opr in the Donaldson Center arpt tfc pattern at 1800 ft or below.

TPA—1848(800) for light aircraft, 2048(1000) for heavy aircraft. No acft permitted on Twy C or Twy D when acft greater than

12,500 lbs is operating on Rwy 10–28. Rwy 10–28 restricted to small acft less than 12,500 lbs when acft is operating on Twy C or Twy D. When twr clsd ACTIVATE HIRL Rwy 01–19, REIL Rwy 01, Rwy 19 and perimeter lights H1 and H2—CTAF.

WEATHER DATA SOURCES: ASOS 127.075 (864) 239-0014. LAWRS.

COMMUNICATIONS: CTAF 119.9 UNICOM 122.95

(R) GREER APP/DEP CON 118.8 (1100-0445Z‡) ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z‡)

TOWER 119.9 (1200-0300Z‡) GND CON 121.25

AIRSPACE: CLASS D svc 1200-0300Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

**SPARTANBURG (H) VORTAC** 115.7 SPA Chan 104 N35°02.02′ W81°55.62′ 244° 23.6 NM to fld. 910/02W. **JUDKY NDB (LOM)** 521 GM N34°46.81′ W82°20.99′ 005° 4.1 NM to fld.

ILS 109.7 I-GMU Rwy 01. Class IB. LOM JUDKY NDB. GS unusable blo 1216' MSL. (ILS unmonitored when two closed).

ASR (1130-0500Z‡)

HELIPAD H1: H50X50 (CONC)

HELIPAD H2: H50X50 (CONC)

HELIPORT REMARKS: No overnight parking on helipads. ACTIVATE perimeter lgts H1 and H2—CTAF.

#### GREENVILLE-SPARTANBURG INTL-ROGER MILLIKEN (See GREER)

**GREENWOOD CO** (GRD) 3 N UTC-5(-4DT) N34°14.92′ W82°09.55′

631 B S8 FUEL 100LL, JET A NOTAM FILE GRD RWY 09-27: H5003X100 (ASPH) S-30. D-57.5 MIRL

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 52'. Tree.

RWY 27: ODALS. REIL. PAPI(P2L)-GA 3.0° TCH 52'.

AIRPORT REMARKS: Attended Mon-Sat 1300-23007† Sun

1600–2200Z‡. Taxiway A parallel to Rwy 09–27 grade extreme with dropoffs each side of taxiway. MIRL Rwy 09–27 preset on med ints dusk–0400Z‡; to increase ints and ACTIVATE REIL Rwys 09 and 27—CTAF; After 0400Z‡ ACTIVATE MIRL Rwy 09–27 and REIL Rwys 09 and 27 and 0DALS Rwy 27—CTAF.

WEATHER DATA SOURCES: ASOS 121.125 (864) 388-9115.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 115.5T (ANDERSON RADIO)

RCO 122.625 (ANDERSON RADIO)


GREER APP/DEP CON 120.6 (1100-0445Z‡)

ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE GRD.

(H) VORTAC 115.5 GRD Chan 102 N34°15.09′ W82°09.25′ at fld. 630/01W.

CORONACA NDB (MHW) 239 GIW N34°15.22′ W82°05.17′ 269° 3.6 NM to fld.



ATLANTA

H-9B, 12F, L-24I

#### **GREER**

GREENVILLE-SPARTANBURG INTL-ROGER MILLIKEN (GSP) 3 S UTC-5(-4DT)

ATLANTA H-9B. 12G. L-24J. 25C

N34°53.74′ W82°13.13′

964 B S4 FUEL 100LL, JET A OX 2, 4 LRA Class I, ARFF Index C

12G, L-24J, 25C

NOTAM FILE GSP

IAP, AD

RWY 04: ALSF2. TDZL. Rgt tfc. RWY 22: MALSR. VASI(V4R)—GA 3.0° TCH 51'.

AIRPORT REMARKS: Attended continuously. Fuel icing inhibitor avbl. Rwy 04 and Rwy 22 touchdown, midpoint and rollout RVR avbl. Rwy 04 ALSF2 Step 3 only avbl 0445–1100Z‡. When twr is clsd ACTIVATE HIRL Rwy 04–22 and MALSR Rwy 22—CTAF. Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS (864) 879-0614. LLWAS

COMMUNICATIONS: CTAF 120.1 ATIS 134.25 UNICOM 122.95

GREER RCO 122.65 122.2 (ANDERSON RADIO)

R GREER APP/DEP CON 118.8 (West) 119.4 (East) 120.6 (1100-0445Z‡)

ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z‡)

GREER TOWER 120.1 (1100-0445Z‡) GND CON 121.9

AIRSPACE: CLASS C svc 1100-0445Z‡ ctc APP CON other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

SPARTANBURG (H) VORTAC 115.7 SPA Chan 104 N35°02.02′ W81°55.62′ 242° 16.6 NM to fld. 910/02W. GREER NDB (LOM) 287 GS N34°48.93′ W82°16.81′ 038° 5.7 NM to fld. (Unmonitored when twr clsd).

ILS 109.3 I-GSP Rwy 04. Class IIIE. LOM GREER NDB.

 $\label{eq:lls} \textbf{ILS} \ 110.7 \qquad \text{I-LMJ} \qquad \text{Rwy 22. Class IB.} \qquad \text{(LOC course width } 4.25^{\circ}\text{). ILS unusable } 0445-1100Z\ddagger.$ 

ASR (1100-0445Z‡)

GREER N34°48.93′ W82°16.81′ NOTAM FILE GSP.

ATLANTA

NDB (LOM) 287 GS 038° 5.7 NM to Greenville–Spartanburg Intl.–Roger Milliken. L-24J, 25C (Unmonitored when twr clsd).

RCO 122.65 122.2 (ANDERSON RADIO) at Greenville-Spartansburg Intl.-Roger Milliken.

**HAMPTON-VARNVILLE** (3JØ) 1 E UTC-5(-4DT) N32°52.06′ W81°04.99′

CHARLOTTE L-241

113 NOTAM FILE AND

RWY 11-29: H3580X60 (ASPH) S-8

RWY 11: Tree.

RWY 29: Tree.


AIRPORT REMARKS: Unattended. Marked water tank approximately 680' from Rwy 29.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV.

**SAVANNAH (H) VORTAC** 115.95 SAV Chan 106(Y) N32°08.78′ W81°11.95′ 014° 43.6 NM to fld. 9/6W.

HIWAS.



HARTSVILLE RGNL (HVS) 3 NW UTC-5(-4DT) N34°24.19′ W80°07.15′

364 B FUEL 100LL, JET A NOTAM FILE AND

RWY 03-21: H5000X75 (ASPH) S-30 MIRL 0.4% up NE

RWY 03: PAPI (P2L)-GA 3.0°TCH 28'. Tree. Rgt tfc.

RWY 21: PAPI(P2L)-GA 3.0° TCH 23'. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡, Sat-Sun 1400-2200Z‡. +300' antenna 2.5 miles SW of arpt. MIRL Rwy

03-21 preset on low ints dusk-0200Z‡; to increase ints ACTIVATE—CTAF. After 0200Z‡ ACTIVATE MIRL—CTAF.

WEATHER DATA SOURCES: AWOS-3 118,225 (843) 339-9625. COMMUNICATIONS: CTAF/UNICOM 122.8


R SHAW APP/DEP CON 125.4 (1200-0430Z‡)

JAX CENTER APP/DEP CON 124.7 (0430-1200Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

CHESTERFIELD (L) VOR/DME 108.2 CTF Chan 19 N34°39.03' W80°16.50' 155° 16.7 NM to fld. 560/03W.

NDB (MHW) 341 HVS N34°24.40′ W80°07.20′ at fld.



CHARL OTTE

CHARLOTTE

HEMINGWAY-STUCKEY (38J) 3 SW UTC-5(-4DT) N33°43.72′ W79°30.96

54 NOTAM FILE AND

S-8

RWY 11-29: H3386X50 (ASPH) RWY 11. Tree RWY 29: Tree.


AIRPORT REMARKS: Unattended. Rwy 29 75' trees 200' from thid across entire apch. Rwy 11 15' dirt road 40' from thld. Rwy 11-29 cracked with grass growth. Rwy 11-29 pavement is cracking badly and has grass growing through cracks.

**COMMUNICATIONS: CTAF 122.9** 

RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.

FLORENCE (H) VORTAC 115.2 FLO Chan 99 N34°13.98' W79°39.43′ 170° 31 NM to fld. 110/03W. HIWAS.

STUCKEY NDB (MHW) 236 HEK N33°43.71′ W79°31.50′ fld. NOTAM FILE AND. Out of svc indefinitely.



at

HESTER MEML (See CALHOUN FALLS)

#### HILTON HEAD ISLAND

HILTON HEAD (HXD) 3 E UTC-5(-4DT) N32°13.46′ W80°41.85′ 19 B FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE AND RWY 03-21: H4300X100 (ASPH-GRVD) S-55, D-75, ST-94 MIRL

RWY 03: REIL. PAPI(P4L)—GA 3.3° TCH 40'. Thid dsplcd 299'. Tree. RWY 21: REIL. PAPI(P4R)—GA 3.0° TCH 40'. Thid dsplcd 300'. Tree.

AIRPORT REMARKS: Attended 1100-0300Z‡. Deer on and invof arpt. Birds on and invof arpt. Parasail ops within 3 NM radius of SAV 009°/15NM, surface to 1500' during dalgt hrs.CLOSED to unscheduled air carrier ops with more than 30 passenger seats except 24 hr PPR call arpt manager 843-689-5400. Noise abatement procedures in effect—ctc arpt manager 843-689-5400. Transient parking ramp not visible from twr. Non-std separation between rwy and general aviation Twy A. ACTIVATE MIRL Rwy 03-21 and REIL Rwy 03 and Rwy 21-CTAF.

WEATHER DATA SOURCES: AWOS-3 121.4 (843) 342-5072, LAWRS. COMMUNICATIONS: CTAF 118.975 ATIS 121.4

RCO 122.55 (ANDERSON RADIO)

(R) SAVANNAH APP/DEP CON 125.3 (1100-0500Z‡) CLNC DEL 121.1 JACKSONVILLE CENTER APP/DEP CON 120.85 (0500-1100Z‡) TOWER 118.975 (1100-0100Z±) GND CON 121.1

AIRSPACE: CLASS D svc 1100-0100Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV.

SAVANNAH (H) VORTAC 115.95 SAV Chan 106(Y) N32°08.78' W81°11.95' 085° 26 NM to fld. 9/6W.

ILS/DME 111.3 I-HXD Chan 50 Rwy 21. Localizer only.

HOLLY HILL (5J5) 2 SE UTC-5(-4DT) N33°18.06′ W80°23.64′

96 NOTAM FILE AND

RWY 04-22: 2900X150 (TURF)

RWY 04: Trees. RWY 22: Tree.

AIRPORT REMARKS: Unattended. COMMUNICATIONS: CTAF 122.9

HORRY N33°49.40′ W79°07.69′ NOTAM FILE AND.

NDB (MHW) 370 HYW at Conway-Horry Co. NDB unmonitored.

L-241, 35A

CHARLOTTE

CHARLOTTE

HUGGINS MEML (See TIMMONSVILLE)

JIM HAMILTON L.B. OWENS (See COLUMBIA)


JUDKY N34°46.81′ W82°20.99′ NOTAM FILE GMU.

NDB (LOM) 521 GM 005° 4.1 NM to Greenville Downtown.

KINGSTREE N33°43.07′ W79°51.30′ NOTAM FILE AND NDB (MHW) 404 CKI at Williamsburg Rgnl. NDB Unmonitored. CHARLOTTE L-241

ATLANTA

CHARLOTTE I-24H ΙΔΡ



#### KINGSTREE

WILLIAMSBURG RGNL (CKI) 3 W UTC-5(-4DT) N33°43.03′ W79°51.42′

67 B FUEL 100LL NOTAM FILE AND

RWY 14-32: H5000X75 (ASPH) S-30, D-45 MIRI

RWY 14: PAPI(P2L)-GA 3.0° TCH 40'. Tree.

RWY 32: PAPI(P2L)-GA 3.0° TCH 40'. Tree.

AIRPORT REMARKS: Unattended. Arpt bcn ots indef. ACTIVATE MIRL Rwy 14-32 and PAPI Rwys 14 and 32-CTAF.

WEATHER DATA SOURCES: AWOS-3 124.775 (843) 382-3000.

COMMUNICATIONS: CTAF/UNICOM 122.7

R MYRTLE BEACH APP/DEP CON 127.4 (1100-0400Z‡)


JAX CENTER APP/DEP CON 127.95 (0400-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

VANCE (L) VORTAC 110.4 VAN Chan 41 N33°28.49"

W80°26.92' 070° 33 NM to fld. 140/06W.

KINGSTREE NDB (MHW) 404 CKI N33°43.07' W79°51.30' at fld. NDB Unmonitored.



KIRK AIR BASE (See LANCASTER)

LAKE CITY MUNI CJ EVANS FLD (51J) 2 SW UTC-5(-4DT) N33°51.22′ W79°46.09′

CHARL OTTE L-24I, 36E

ΙΔΡ

CHARLOTTE

ΙΔΡ

H-9C. 12G. L-241

80 B S4 FUEL 100LL NOTAM FILE AND RWY 01-19: H3700X75 (ASPH) S-10 MIRL

RWY 19: VASI(V2L)-GA 3.0° TCH 25'. Tree.

RWY 01: VASI(V2L)—GA 3.0° TCH 25'. Tree. AIRPORT REMARKS: Unattended, Rwy 01-19 cracking badly with grass growing thru cracks, ACTIVATE MIRL Rwy 01-19-CTAF.

**COMMUNICATIONS: CTAF 122.9** 

R FLORENCE APP/DEP CON 135.25 (1130-0300Z‡)

(R) JAX CENTER APP/DEP CON 133.45 (0300-1130Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.

FLORENCE (H) VORTAC 115.2 FLO Chan 99 N34°13,98′ W79°39,43′ 197° 23.4 NM to fld. 110/03W.

EVANS NDB (MHW) 420 CFY N33°51.36′ W79°45.95′ at fld. NOTAM FILE AND.

LAKE KEOWEE N34°48.67′ W82°42.21′ NOTAM FILE AND.

NDB (MHW) 408 LOK at Pickens Co. ATLANTA 1-25C

#### LANCASTER

KIRK AIR BASE (T73) 5 SE UTC-5(-4DT) N34°40.46′ W80°40.94′

CHARLOTTE

578 S4 NOTAM FILE AND

RWY 15-33: H2600X40 (ASPH) S-8 LIRL

RWY 33: Tree. RWY 15. Tree

AIRPORT REMARKS: Attended 1300-2330Z‡. Rwy 15 has 30' drop at thid. Rwy 33 has 10' drop at thid. For LIRL Rwy 15-33 call 803-286-8800.

COMMUNICATIONS: CTAF 122.9

550

WATERWAY 05-23: 4400X300 (WATER)

WATERWAY 16-34: 3000X300 (WATER)

WATERWAY 11-29: 2245X600 (WATER)

SEAPLANE REMARKS: Waterways 05-23 and 11-29 and 16-34-Water lanes are not marked-lengths change with water levels-ctc arpt manager and check NOTAM's.

LANCASTER CO-MC WHIRTER FLD (LKR) 4 W UTC-5(-4DT) N34°43.38′ W80°51.28′ CHARLOTTE

486 B S4 FUEL 100LL, JET A NOTAM FILE AND

H-9B, 12G, L-24J, 25D, 36E

**RWY 06–24**: H6004X100 (ASPH) S–19, D–28 MIRL 0.4% up NE

RWY 06: PAPI(P2L)—GA 3.0°TCH 47'. Thid dsplcd 105'. Tree.

RWY 24: PAPI(P2L)-GA 3.0°TCH 43'. Tree.

AIRPORT REMARKS: Attended 1400–2300Z‡. For after hrs fuel call 803–493–3226. Deer on and invof arpt. ACTIVATE MIRL Rwy 06–24—CTAF

WEATHER DATA SOURCES: AWOS-3 120.825 (803) 286-6444.

COMMUNICATIONS: CTAF/UNICOM 122.725

R CHARLOTTE APP/DEP CON 120.05


GCO 121.725 (CHARLOTTE APCH)

RADIO AIDS TO NAVIGATION: NOTAM FILE CLT.

CHARLOTTE (L) VORW/DME 115.0 CLT Chan 97 N35°11.42′ W80°57.11′ 175° 28.4 NM to fld. 732/05W. HIWAS.

FORT MILL (L) VORTAC 112.4 FML Chan 71 N34°59.34′ W80°57.29′ 165° 16.7 NM to fld. 645/02W. NOTAM FILE AND. SHUTDOWN.

NDB (MHW) 400 LKR N34°43.43′ W80°51.49′ at fld.
NOTAM FILE AND.



#### LANDRUM

FAIRVIEW (33A) 3 SE UTC-5(-4DT) N35°09.44′ W82°07.34′

ATLANTA

CHARL OTTE

1046 B NOTAM FILE AND

RWY 14-32: H2770X30 (ASPH) S-6.5 LIRL

RWY 14: Tree. Rgt tfc. RWY 32: Tree.

AIRPORT REMARKS: Unattended. Rwy 14–32 centerline markings NSTD size and separation. Twy markings are of wrong color. Rwy 14–32 is very bumpy with excessive patches along entire surface length. ACTIVATE LIRL Rwy 14–32—CTAF.

COMMUNICATIONS: CTAF 122.9

LAURENS CO (LUX) 3 E UTC-5(-4DT) N34°30.42′ W81°56.83′

697 B S4 **FUEL** 100LL TPA—1500 (803) NOTAM FILE AND

RWY 08-26: H3898X75 (ASPH) S-9 MIRL RWY 08: PAPI(P2L)—GA 3.0° TCH 41'. Tree.

RWY 26: PAPI(P2L)—GA 3.0° TCH 40'. Tree.

AIRPORT REMARKS: Attended Mon-Sat 1500-2300Z‡, Sun

1800-2300Z‡. ACTIVATE MIRL Rwy 08-26-CTAF.

WEATHER DATA SOURCES: AWOS-3 123.975 (864) 682-3639.


COMMUNICATIONS: CTAF/UNICOM 122.8

GREER APP/DEP CON 120.6 (1100-0445Z±)

ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE GRD.

**GREENWOOD (H) VORTAC** 115.5 GRD Chan 102 N34°15.09′ W82°09.25′ 035° 18.4 NM to fld. 630/01W.



LEE CO (See BISHOPVILLE)

LEXINGTON CO AT PELION (See PELION)

#### LORIS

TWIN CITY (5J9) 3 NE UTC-5(-4DT) N34°05.31′ W78°51.90′

99 B NOTAM FILE AND

RWY 08-26: H3694X60 (ASPH-AFSC) S\_8 LIRI

RWY 08: Thid dsplcd 200'. Tree.

RWY 26: SAVASI(S2L)-GA 3.5°TCH 34'. Tree.

AIRPORT REMARKS: Unattended. Parachute Jumping. Birds on and invof arpt. For svc call 843-756-7404. Rwy 26; 3 ft ditch 40 ft rgt/left of centerline end of thid, 30' P-line 180' left.


COMMUNICATIONS: CTAF 122.9

(R) MYRTLE BEACH APP/DEP CON 119.2 (1100-0400Z‡)

JAX CENTER APP/DEP CON 128.7 (0400-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE CRE.

GRAND STRAND (L) VORTAC 117.6 CRE Chan 123 N33°48.83' W78°43.47' 340° 17.9 NM to fld. 20/03W.



LOWCOUNTRY RGNL (See WALTERBORO)

MANNING N33°35.29′ W80°12.37′ NOTAM FILE AND.

NDB (MHW) 381 MNI at Santee Cooper Rgnl. Unmonitored. CHARLOTTE L-241

CHARLOTTE

L-241

CHARLOTTE

L-24J. 35A

#### MANNING

SANTEE COOPER RGNL (MNI) 7 S UTC-5(-4DT) N33°35.23′ W80°12.52′

103 B S2 FUEL 100LL NOTAM FILE AND

RWY 02-20: H3602X75 (ASPH) S-30 MIRL

RWY 02: PAPI(P2L)-GA 4.0°TCH 25'. Tree.

RWY 20: PAPI(P2L)-GA 4.0°TCH 25'. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡. Self svc fuel avbl 24 hrs with credit card. Vehicles opr adjacent to Rwy 02-20 and cross at midfield periodically. Glider ops on and invof arpt. MIRL preset on low ints dusk-0400Z‡, to increase ints

ACTIVATE-CTAF. After 0400Z + ACTIVATE-CTAF.

WEATHER DATA SOURCES: AWOS-3 120.175 (803) 478-6060.

COMMUNICATIONS: CTAF/UNICOM 122.8

R SHAW APP/DEP CON 125.4 (1200-0430Z‡)

JAX CENTER APP/DEP CON 124.7 (0430-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

VANCE (L) VORTAC 110.4 VAN Chan 41 N33°28.49' W80°26.92' 067° 13.8 NM to fld. 140/06W.

MANNING NDB (MHW) 381 MNI N33°35.29′ W80°12.37′ fld. Unmonitored.

IAP ~ 63 €3 **3 3** G G a

ATLANTA

MARION CO (MAO) 3 E UTC-5(-4DT) N34°10.87′ W79°20.08′

92 B FUEL 100LL, JET A NOTAM FILE AND

**RWY 04-22:** H4503X100 (ASPH) S-26, D-34 MIRL

RWY 04: Rgt tfc. RWY 22: Tree. Rgt tfc.

**AIRPORT REMARKS:** Attended 1200–2200Z‡. For fuel after hrs call 843–526–1409 Mon–Sun; call either 843–423–7325 or

843–464–0401. Student training on and invof arpt. **WEATHER DATA SOURCES:** AWOS–3 119.875 (843) 423–4231.

COMMUNICATIONS: CTAF/UNICOM 122.8


FLORENCE APP/DEP CON 135.25 (1130-0300Z‡)

JAX CENTER APP/DEP CON 133.45 (0300-1130Z‡)
RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.

FLORENCE (H) VORTAC 115.2 FLO Chan 99 N34°13.98′ W79°39.43′ 104° 16.3 NM to fld. 110/03W. HIWAS. NDB (MHW) 388 MAO N34°11.11′ W79°19.99′ at fld.

NOTAM FILE AND.

CHARLOTTE L-24J, 35A, 36E



#### MARLBORO CO JETPORT-H.E. AVENT FLD (See BENNETTSVILLE)

MCCORMICK CO (S19) 1 SE UTC-5(-4DT) N33°54.49′ W82°16.02′

459 B NOTAM FILE AND

RWY 18-36: H3598X75 (ASPH) S-12.5 MIRL


RWY 18: Tree. RWY 36: Tree.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 18–36 and rotating bcn—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GRD.

**GREENWOOD (H) VORTAC** 115.5 GRD Chan 102 N34°15.09′ W82°09.25′ 196° 21.3 NM to fld. 630/01W.



MC FNTIRF INGR

(MMT) AF (ANG ARNG) 10 E UTC-5(-4DT) N33°55.13′ W80°48.04′ CHARL OTTE 254 B TPA—See Remarks Class I, ARFF Index A NOTAM FILE AND Not insp. H-9B. 12G. L-24I RWY 14-32: H9009X150 (PEM) PCN 37 F/A/W/T ΠΙΔΡ ΔΠ HIRI RWY 32: ALSF1. PAPI(P4L). RWY 14. PAPI(P4I) RWY 05-23: H2033X90 (ASPH) PCN 46 R/B/W/T MIRL ARRESTING GEAR/SYSTEM RWY 14 BAK-14 BAK-12A(B) (1061') BAK-14 BAK-12A(B) (1500') RWY 32 MILITARY SERVICE: LGT Rotating bon and rwy lgt opr Mon-Fri SS-0400Z± except holidays, ACTIVATE MIRL Rwy A-GEAR BAK-12A cable raised by BAK-14 device on request to twr. Departure end cable will be raised for all tail hook equipped acft. JASU 1(A/M32A-86) 9(AM32A-60A) FLUID SP LPOX LOX FUEL J8 DoD cost accounting code number rgr from other military syc for refueling. OIL 0-133-148-156 SOAP TRAN ALERT Svc avbl Mon-Fri 1300-2000Z‡ except holidays. MILITARY REMARKS: Opr Mon-Fri 1300-0400Z‡ except holidays, Sat-Sun 1300-2100Z‡. See FLIP AP/1 Supplementary Arpt Remark. RSTD PPR 48 hr notice rgr, ctc ANG OPS DSN 583-8231, C803-647-8231, fax DSN 583-8641, C803-647-8641. Rwy 05-23 is copter only. CAUTION Possible crosswind hazard due to rwy environment and affect on wind equipment causing wind to be slightly greater than measured. See AP/1 for weather observation limitations. Remain blo 1000' until dep end of rwy or unless twr clears. BASH Phase 1 April thru October. BASH Phase 2 November thru March. Aircraft sunshades 742' W of Rwy 14-32. IFC PAT TPA—Overhead 1500(1246), helicopter/rectangular 1000(746). MISC Wx observation visibility is limited from 5/8 mile south to \$\frac{1}{10}\$ mile west northwest. Rwy 05-23 is helicopter only. First 2000' Rwy 32 is concrete, remaining 7009' is asphalt. Tran parking extremely ltd. Fleet svc not avbl without prior coordination. Limited fire protection avbl from 2000-1130Z‡. Twy widths are as follows: Twy J, B, C, D, E are 50', Twy A is 98', Twy F is 95', Twy G is 147', Twy H is 75', Twy M and Twy L are 40'wide. Heavy acft will park at north or south end of rwy, ctc Base OPS or LGX. Tran acft expect progressive taxi instructions. ARNG PPR for Army, AR, ARNG R/W acft only, DSN 583-1814. Opr Mon-Fri 1300-2100Z‡ except holidays. Fuel not avbl for tran acft. COMMUNICATIONS: SFA CTAF 132.4 PTD 298.3

(R) SHAW APP/DEP CON 125.4 285.4 (1200-0430Z‡)

JACKSONVILLE CENTER APP/DEP CON 124.7 269.55 (0430-1200Z±)

TOWER 132.4 253.5 (Mon-Fri 1300-0400Z‡ except holidays, Sat-Sun 1300-2100Z‡) GND CON 127.625 226.675 PMSV METRO 342.5 Ctc Shaw AFB METRO—Remote briefing svc avbl 26 OWS Barksdale AFB DSN 781-4775 C318-456-4775. ARNG OPS PTD 246.7 41.30

AIRSPACE: CLASS D svc Mon-Fri 1300-0400Z‡ except holidays, Sat-Sun 1300-2100Z‡ other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE MMT.

(T) VORTACW 113 2 MMT Chan 79 N33°55.45′ W80°48.14′ at fld 249/5W Unmonitored Mon-Fri 0400-1300Z‡ except holidays, Sat-Sun 2100-1300Z‡. No NOTAM MP Mon 1300-1700Z‡.

NDR (MHW) 427 MMT N33°56.14′ W80°47.94′ at fld. Unmonitored Mon-Fri 0400-1300Z‡ except holidays, Sat-Sun 2100-1300Z±.

ILS 111.1 I-MMT Rwy 32. Unmonitored Mon-Fri 0400-1300Z‡ except holidays, Sat-Sun 2100-1300Z‡. No NOTAM MP Mon 1300-1700Z‡.

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

MERRITT FLD (See BEAUFORT MCAS)

NDB (MHW) 354 MKS

MONCKS CORNER N33°11.46′ W80°02.01′ NOTAM FILE AND at Berkeley Co.

CHARLOTTE L-241

CHARLOTTE

L-241

```
MONCKS CORNER
```

BERKELEY CO (MKS) 1 SW UTC-5(-4DT) N33°11.13′ W80°02.18′

73 B S4 FUEL 100LL, JET A NOTAM FILE AND

RWY 05-23: H4351X75 (ASPH) S-26, D-38

RWY 05: PAPI(P2L)-GA 3.0°TCH 46'. Tree.

RWY 23: PAPI(P2L)-GA 3.0°TCH 43'. Tree.

AIRPORT REMARKS: Attended 1300-2300Z‡.

ACTIVATE MIRL Rwy 05-23-CTAF.

WEATHER DATA SOURCES: AWOS-3 119.175 (843) 761-1486.

COMMUNICATIONS: CTAF/UNICOM 123.05


(R) CHARLESTON APP/DEP CON 135.8

RADIO AIDS TO NAVIGATION: NOTAM FILE CHS

CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66'

W80°02.27' 005° 17.4 NM to fld. 39/05W.

MONCKS CORNER NDB (MHW) 354 MKS N33°11.46′ W80°02.01′ at fld. NOTAM FILE AND.



MT PLEASANT RGNL—FAISON FLD (LRO) 9 NE GMT-5(-4DT) N32°53.87′ W79°46.97′

12 B FUEL 100LL, JET A TPA-1000(988) NOTAM FILE AND

CHARL OTTE L-241

IAP

RWY 17-35: H3700X75 (ASPH) S-12.5 MIRL

RWY 35: PAPI (P4L)-GA 4.0° TCH 27'. Rgt tfc.

RWY 17: PAPI(P4L)—GA 4.0° TCH 27'. Tree. AIRPORT REMARKS: Attended 1100-0100Z‡. Deer and birds on and invof arpt. Two 2000' towers approximately 4-6 miles E of arpt. ACTIVATE MIRL Rwy 17-35-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.625 (843) 849-0438.

COMMUNICATIONS: CTAF/UNICOM 122.7

CHARLESTON APP/DEP CON 135.8

RADIO AIDS TO NAVIGATION: NOTAM FILE CHS.

CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66' W80°02.27' 094° 12.9 NM to fld. 39/05W. **RAWIH** 

MURRY N33°58.03′ W81°14.68′ NOTAM FILE CAE.

NDB (LOM) 362 CA 112° 6.5 NM to Columbia Metropolitan. LOM unmonitored. CHARL OTTE 1-241

IAP. AD

MYRTLE BEACH INTL (MYR) 3 SW UTC-5(-4DT) N33°40.79′ W78°55.70′

CHARLOTTE H-9C, 12G, L-24I, 35B

25 B S4 FUEL 100LL, JET A Class I, ARFF Index C NOTAM FILE AND RWY 18-36: H9503X150 (ASPH-CONC-GRVD) S-50, D-175, ST-175, SBTT-436, DT-325,

TDT-643, DDT-650 PCN 27 F/A/X/T HIRL

RWY 18: MALSR. PAPI(P4L). P-line. Rgt tfc. RWY 36: MALSF, PAPI(P4L), Trees.

AIRPORT REMARKS: Attended 1100-0400Z‡. Gulls on and invof arpt. Rwy 18-36 concrete first 1000' both ends. No approval required for pushback at terminal gates; push is at pilots discretion; remain clear of twys. U.S. customs user fee arpt. U.S. Customs svc avbl Mon-Fri 1300-2200Z‡, other times PPR and fee charged. Arpt lgts opr dusk-0500Z±. When twr clsd ACTIVATE HIRL Rwv 18-36—CTAF. Rwv 18 touchdown and rollout runway visual range avbl. Rwy 36 touchdown and rollout runway visual range avbl.

UNICOM 122.95

WEATHER DATA SOURCES: AWOS-3 124.5 (843) 238-0335. LAWRS.

COMMUNICATIONS: CTAF 128.45 ATIS 123.925

R APP/DEP CON 127.4 (171°-321°) 119.2 (322°-170°) (1100-0400Z‡)

JAX CENTER APP/DEP CON 128.7 (0400-1100Z±)

TOWER 128.45 (1100-0400Z‡) GND CON 120.3 CLNC DEL 132.175

AIRSPACE: CLASS C svc 1100-0400Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE CRE.

GRAND STRAND (L) VORTAC 117.6 CRE Chan 123 N33°48.83′ W78°43.47′ 235° 13 NM to fld. 20/03W.

ILS 109.5 I-MYR Rwy 18. GS unusable for coupled apphs blo 350', MM OTS indef.

II\$ 111 9 I\_BSO Rwy 36. Class IF 
 NEWBERRY COUNTY
 (EOE)
 3 N
 UTC-5(-4DT)
 N34°18.56′ W81°38.44′
 CHARLOTTE

 570
 B
 S4
 FUEL
 100LL
 NOTAM FILE AND
 L-241

 RWY 04-22: H4000X75 (ASPH)
 S-12.5
 MIRL
 0.9% up NE
 IAP

 RWY 04: PAPI(P2L)—GA 3.15° TCH 42′. Tree.
 RWY 22: PAPI(P2L)—GA 3.15°TCH 43′. Rgt tfc.
 TOTAL T

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡, PPR ngts and weekends. Fuel self-serve. Deer on invof arpt. ACTIVATE PAPI Rwy 04 and Rwy 22 and MIRL Rwy 04-22—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.275 (803) 276-2419.


COMMUNICATIONS: CTAF/UNICOM 122.8

COLLIMBIA APP/DEP CON 133 4

RADIO AIDS TO NAVIGATION: NOTAM FILE GRD.

**GREENWOOD (H) VORTAC** 115.5 GRD Chan 102 N34°15.09′ W82°09.25′ 083° 25.8 NM to fld. 630/01W.

ENDREE NDB (MHW) 278 EOE N34°18.69′ W81°38.16′ at fld.
NOTAM FILE AND. NDB unmonitored.



NORTH AF AUX (XNO)(KXNO) AF 2 NE UTC-5(-4DT) N33°36.57′ W81°04.87′ 321 B NOTAM FILE AND Not insp.

RWY 06-24: H10003X150 (ASPH-GRVD) PCN 60 F/A/W/T HIRL

CHARLOTTE H-9B, 12F, L-24I IAP. DIAP

**RWY 06:** Thid dsplcd 1000'. **RWY 24:** Thid dsplcd 1000'. **RWY 05-23:** H3493X90 (ASPH-GRVD) PCN 97 F/B/W/T

MILITARY SERVICE: LGT ACTIVATE HIRL Rwy 06-24-131.1. Rotating bon off during lgt out training.

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Rmk, RSTD Rwv 05-23 CLOSED 1300-1500Z± monthly 3rd Thu. Rwy 06-24 CLOSED 1601-2100Z‡ monthly 3rd Thu. Rwy 06 and Rwy 24 takeoff distance avbl 9000', landing distance avbl 8000'. Rwy condition reading not avbl. Twy D clsd during box-in-one ops to Rwy 23. Opr rstd during Bird Watch Condition MODERATE (tkf or ldg permission only when dep/arr route avoid ident bird act. no local IFR/VFR tfc pattern activity) and SEVERE (tkf and ldg prohibited without OG/CC approval), ctc twr for current Bird Watch Condition. Minimum 2 week prior coordinate rgr for all users. Point of ctc is Charleston AFB. 437 OSS/OSO, DSN 673-5554, C843-963-5554. All aircrews will ctc North Drop Zone on 118.15 235.775 prior to 5 NM to DZ. This airspace is subject to be rstd by NOTAM. Rwy 06-24, no 180° star turns on asphalt, conduct all turns on concrete ends. IFR opr limited to 1 acft on app/dep at a time. CAUTION Intense heavy Mil jet and miscellaneous acft executing numerous cargo and personnel drops, hi-speed lo-level formation flt, and air/land opr. Rwy 06-24 NW tree line 750' from rwy centerline. Rwy 06-24 large ditch 350' from rwy centerline at midfield on NW side rwy. Intense gnd training on reservation. Rwy 05-23 used as Idg zone 3500' x 90'. Rwy condition reading not avbl. IFC PAT TPA—Rectangular 1300(979), Overhead 1800(1479). NS ABTMT Overflight of North, SC prohibited. MISC Twr limited to advisory svc only. VFR only. Cancel IFR clnc with Columbia APP prior to opr at North AF Aux. Alfd surface observations are derived from non-augmented ASOS. Local PMSV unavbl, contact Charleston METRO-233.95.

WEATHER DATA SOURCES: ASOS 118.525.

**COMMUNICATIONS: CTAF 118.15 235.775** 

COLUMBIA APP/DEP 124.15 338.2

TWR 118.15 235.775 GND 118.15 235.775 COLUMBIA CLNC DEL 120.475

AIRSPACE: CLASS D Effective by NOTAM.

RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

COLUMBIA (H) VORTAC 114.7 CAE Chan 94 N33°51.44′ W81°03.23′ 187° 14.9 NM to fld. 400/02W. COMM/NAV/WEATHER REMARKS: Mobile Microwave Landing System VMC only.

#### NORTH MYRTLE BEACH

**GRAND STRAND** (CRE) 1 NW UTC-5(-4DT) N33°48.71′ W78°43.44′

32 B S4 FUEL 100LL, JET A NOTAM FILE AND

CHARL OTTE H-9C 1-35A ΙΔΡ ΔΠ

RWY 05-23: H5997X100 (ASPH) S-30, D-60 HIRL

RWY 05: REIL. PAPI (P2L)-GA 3.0° TCH 40'. Tree.

RWY 23: MALSR. Tree. PAPI (P2L)-GA 2.98° TCH 55'. Rgt tfc.

AIRPORT REMARKS: Attended 1200-0300Z‡. Gulls on and invof arpt. Extensive banner tow ops from arpt along coastline 10 NM NE to 20 SW. After 0500Z‡ ACTIVATE HIRL Rwy 05-23, REIL Rwy 05, and MALSR Rwy

WEATHER DATA SOURCES: ASOS (843) 361-2802.

COMMUNICATIONS: CTAF 124.6 ATIS 119.625 UNICOM 122.95

RCO 122.1R 117.6T (ANDERSON RADIO)

RCO 123.6 (ANDERSON RADIO)

R MYRTLE BEACH APP/DEP CON 119.2 (1100-0400Z‡) JAX CENTER APP/DEP CON 128.7 (0400-1100Z‡)

STRAND TOWER 124.6 (1200-0200Z±) GND CON 121.8

AIRSPACE: CLASS D svc 1200-0200Z± other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE CRE.

(L) VORTAC 117.6 CRE Chan 123 N33°48.83′ W78°43.47′ at fld. 20/03W. DME unusable 294°-010° bvd 20 NM, VOR portion unusable 303°-312°.

CALAB NDB (LOM) 267 CR N33°53.12′ W78°37.80′ 233° 6.4 NM to fld

ILS 111.7 I-CRE Rwv 23. LOM CALAB NDB, BC unusable.

#### OCONEE COUNTY RGNL (See CLEMSON)

#### ORANGEBURG

DRY SWAMP (1DS) 6 S UTC-5(-4DT) N33°23.27′ W80°54.67′

CHARLOTTE

CHARLOTTE

ΙΔΡ

H-9B. 12F. L-24I

180 S4 FUEL 100LL NOTAM FILE AND

RWY 02-20: 2900X60 (TURF)

RWY 02: Thid dspicd 900'. Tree. RWY 20: Thid dspicd 900'. Tree.

AIRPORT REMARKS: Attended 1300-2200Z±, Glider ops on and invof arpt.

COMMUNICATIONS: CTAF 122.9

**ORANGEBURG MUNI** (OGB) 2 S UTC-5(-4DT) N33°27.42′ W80°51.56′

195 B FUEL 100LL, JET A NOTAM FILE OGB

RWY 17-35: H5399X100 (ASPH) S-30, D-72 MIRL

RWY 17: ODALS. REIL. PAPI(P2L)-GA 3.0° TCH 42'. Tree.

RWY 35: ODALS. PAPI(P2L)—GA 3.0° TCH 42'.

RWY 05-23: H4508X100 (ASPH) S-30, D-50 MIRL 0.6% up NE

RWY 05: VASI(V4L)-GA 3.0° TCH 20'. Tree. Rgt tfc.

RWY 23: Tree

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡, Sat 1400-2100Z‡ clsd Sun. ACTIVATE MIRL Rwy 05-23, Rwy 17-35, ODALS Rwy 17,

Rwy 35 and REIL Rwy 05 and Rwy 17-CTAF, VASI Rwy 05 and PAPI Rwy 17 and Rwy 35 opr continuously.

WEATHER DATA SOURCES: ASOS 118.525 (803) 536-3901.

COMMUNICATIONS: CTAF/UNICOM 122.7

R COLUMBIA APP/DEP CON 124.15

RADIO AIDS TO NAVIGATION: NOTAM FILE OGB.


EDISTO (T) VORW/DME 111.4 EDS Chan 51 N33°27.34'

W80°51.51' at fld. 189/05W.

NDB (MHW) 226 OYI N33°25.09′ W80°54.35′ 050° 3.3 NM

(3 CG<sup>CG</sup> G G G

PAGELAND (PYG) 3 SE UTC-5(-4DT) N34°44.53′ W80°20.71′ 575 B NOTAM FILE AND RWY 05-23: H3395X60 (ASPH) S-125 MIRL 0.7% up NE RWY 23: REIL. Tree. RWY 05: REIL. Tree. AIRPORT REMARKS: Unattended. COMMUNICATIONS: CTAF 122.9 CHARLOTTE APP/DEP CON 120.05 RADIO AIDS TO NAVIGATION: NOTAM FILE AND. CHESTERFIELD (L) VOR/DME 108.2 CTF Chan 19 N34°39 03' W80°16.50' 331° 6.5 NM to fld. 560/03W. NDB (MHW) 270 PYG N34°44.70′ W80°20.29′ at fld. Unusable bvd 15 NM, NDB unmonitored.



#### **PELION**

LEXINGTON CO AT PELION (6JØ) 2 N UTC-5(-4DT) N33°47.68' W81°14.75'
452 B FUEL: 100LL NOTAM FILE AND

CHARLOTTE L-241

CHARL OTTE

RWY 17-35: H4335X60 (ASPH) S-12.5

RWY 35: PAPI (P2R)-GA 3.0° TCH 40'.


AIRPORT REMARKS: Unattended. Self svc fuel avbl with credit card. P-line 800' from thId Rwy 35 end marked with red balls. Access into terminal building, use the key pad and enter the UNICOM freq followed by the '#' button. Pilot controlled lighting OTS indef. Arpt lighting on continuous from 2300Z‡ until 0300Z‡, after 0300Z‡ until dawn, ACTIVATED with pilot controlled lighting. ACTIVATE MIRL Rwy 17–35 PAPI Rwy 35—CTAF. PAPI Rwy 35 on during daylight.

COMMUNICATIONS: CTAF/UNICOM 122.8

R COLUMBIA APP/DEP CON 124.15

RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

**COLUMBIA (H) VORTAC** 114.7 CAE Chan 94 N33°51.44′ W81°03.24′ 251° 10.3 NM to fld. 400/02W.



ATI ANTA

ΙΔΡ

H-9B, 12G, L-25C

PICKENS CO (LOK) 4 S UTC-5(-4DT) N34°48.60′ W82°42.17′ 1013 B S1 FUEL 100LL, JET A NOTAM FILE AND

RWY 05-23: H5002X100 (ASPH) S-35, D-65 MIRL 1.0% up NE

RWY 05: PAPI(P2L)-GA 3.0° TCH 26'.

RWY 23: PAPI(P2L)-GA 3.0° TCH 26'.

AIRPORT REMARKS: Attended 1300-2200Z‡. Noise abatement

procedure in effect, phone 864-843-5803. ACTIVATE MIRL Rwy 05-23-CTAF

WEATHER DATA SOURCES: AWOS-3 120.0 (864) 843-5801.

COMMUNICATIONS: CTAF/UNICOM 122.8

R GREER APP/DEP CON 118.8 (1100-0445Z‡)

ATLANTA CENTER APP/DEP CON 134.8 (0445-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.


ELECTRIC CITY (L) VORTACW 108.6 ELW Chan 23 N34°25.15'

W82°47.08' 010° 23.8 NM to fld. 740/00E.

LAKE KEOWEE NDB (MHW) 408 LOK N34°48.67′ W82°42.21′

COMM/NAV/WEATHER REMARKS: AWOS wind unreliable.





RALLY N34°53.40′ W81°04.85′ NOTAM FILE AND.

NDB (MHW/LOM) 227 UZ 016° 6 NM to Rock Hill (York Co) Bryant Fld.

CHARLOTTE L-24J, 25D, 36E

CHARLOTTE

RIDGELAND (3J1) 1 NW UTC-5(-4DT) N32°29.56′ W80°59.54′ B S4 FUEL 80, 100LL NOTAM FILE AND

RWY 03-21: H2692X70 (ASPH) S-12.5 MIRL


RWY 03: PAPI(P2L)—GA 3.25° TCH 45'. Tree. RWY 21: Tree.

AIRPORT REMARKS: Attended 1400Z±-Dusk, Glider ops invof arpt, Rwy 0.3 20' drop at end of pavement

COMMUNICATIONS: CTAF/UNICOM 122.7

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV.

SAVANNAH (H) VORTAC 115.95 SAV Chan 106(Y) N32°08.78' W81°11.95' 033° 23.3 NM to fld. 9/6W. HIWAS.



ROBERT F SWINNIE (See ANDREWS)

ROCK HILL (YORK CO) BRYANT FLD (UZA) 4 NW UTC-5(-4DT) N34°59.27′ W81°03.43′

666 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE UZA

H-9B, 12G, L-25D, 36E

CHARL OTTE

RWY 02-20: H5500X100 (ASPH) S-30, D-60 MIRL

RWY 02: MALSR. PAPI(P2L)-GA 3.0° TCH 35'. Tree. RWY 20: PAPI(P2L)-GA 3.0° TCH 39'. Tree. AIRPORT REMARKS: Attended 1300-0100Z‡. MIRL Rwy 02-20 and MALSR Rwy 02 preset med ints dusk-0400Z‡; to

increase ints and ACTIVATE after 0400Z‡-CTAF. WEATHER DATA SOURCES: ASOS 120.775 (803) 981-9388.

COMMUNICATIONS: CTAF/UNICOM 123.05

R CHARLOTTE APP/DEP CON 120.05 CLNC DEL 126.85

RADIO AIDS TO NAVIGATION: NOTAM FILE CLT.

CHARLOTTE (L) VORW/DME 115.0 CLT Chan 97 N35°11.42′ W80°57.11′ 208° 13.2 NM to fld. 732/05W.

FORT MILL (L) VORTAC 112.4 FML Chan 71 N34°59.34′ W80°57.29′ 271° 5.1 NM to fld. 650/02W. NOTAM FILE AND. SHUTDOWN.

RALLY NDB (MHW/LOM) 227 UZ N34°53.40′ W81°04.85′ 016° 6 NM to fld. NOTAM FILE AND.

IIS 108 5 I-UZA Rwv 02. Class IA. LOM RALLY NDB. **ST GEORGE** (6J2) 3 E UTC-5(-4DT) N33°11.73′ W80°30.51′ CHARL OTTE 85 B NOTAM FILE AND L-241 RWY 05-23: H3201X60 (ASPH) S-21, D-30 LIRL RWY 05: Tree RWY 23: Tree. AIRPORT REMARKS: Unattended. Parachute Jumping. Arpt bcn OTS indef. C3 C3 €3 COMMUNICATIONS: CTAF/UNICOM 122.8 N R CHARLESTON APP/DEP CON 120.7 €3 €3 RADIO AIDS TO NAVIGATION: NOTAM FILE AND. VANCE (L) VORTAC 110.4 VAN Chan 41 N33°28.49' €3 W80°26.92' 196° 17 NM to fld. 140/06W. ß Ç3

**SALUDA CO** (6J4) 4 S UTC-5(-4DT) N33°55.61′ W81°47.67′ 555 B S4 FUEL 100LL NOTAM FILE AND

RWY 01-19: H3200X60 (ASPH) S-11.3 MIRL

RWY 01: Tree.

RWY 19: PAPI(P2L)-GA 4.15° TCH 52'. Tree.


AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z±. Sat

1300-1700Z‡. 30' drop off N end of Rwy 01. ACTIVATE MIRL Rwy 01-19 and PAPI Rwy 19-CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GRD.

GREENWOOD (H) VORTAC 115.5 GRD Chan 102 N34°15.09' W82°09.25' 138° 26.5 NM to fld. 630/01W.



IAP

Ø

CHARLOTTE

SANTEE COOPER RGNL (See MANNING)

```
SHAW AFR
             (SSC)(KSSC) AF
                                  6 NW UTC-5(-4DT) N33°58.36′ W80°28.23′
                                                                                                       CHARL OTTE
  241 B TPA—See Remarks
                                  Class I, ARFF Index Ltd.
                                                          NOTAM FILE AND Not insp.
                                                                                                  H-9B. 12G. L-241
  RWY 04L-22R: H10016X150 (CONC) PCN 51 R/B/W/T HIRL
                                                                                                        ΠΙΔΡ ΔΠ
                                     RWY 22R: ALSF1, PAPI(P4L).
    RWY 04L: ALSF1. PAPI(P4L).
  RWY 04R-22L: H8001X150 (CONC)
                                     PCN 34 R/C/W/T HIRL
    RWY 04R: SALSE, PAPI(P4L).
                                     RWY 22L: ALSF1, PAPI(P4L).
  ARRESTING GEAR/SYSTEM
    RWY 04L ← HOOK BAK-12B(B) (45' OVRN) HOOK BAK-12B(B) (1457')
                                              HOOK BAK-12B(B) (1447') HOOK BAK-12B(B) (45' OVRN) \rightarrow RWY 22R
    RWY 04R ← HOOK E5 (75' OVRN) HOOK BAK-12B(B) (1203')
                                                       HOOK BAK-12B(B) (1202') HOOK E5 (74' OVRN) → RWY 22L
  MILITARY SERVICE: LGT All rwy thid lgt gated.
                                            A-GEAR Normal BAK-12 configuration: Rwy 04R-22L; apch down, dep
    up. Rwy 04L-22R: Rwy 22R dep up at all times, when Rwy 22R is active, both dep and apch up. Call twr for
    other configurations, BAK-12B apch end avbl 20 min prior notice.
                                                                    JASU 2(M32A-60) 2(A/M32A-86)
                    FLUID SOAP SP PRESAIR LPOX LOX, LOX-24 hours prior notification required.
    0-128-133-148
                        TRANS ALERT No fleet service avbl. Expect 2-3 hr syc/refuel delays weekends, holidays and
    peak periods; Itd maintenance. Concurrent refueling not avbl. No de-ice svc avbl. Tran acft will retain drag
    chutes to park. Tran Alert svc avbl Mon-Fri 1230-0030Z‡, Sat-Sun 1500-2000Z‡; not avbl holidays. Tran alert
    after hrs support is not authorized unless supporting higher HQ directed missions.
  MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remark. RSTD All civilian acft rgr 20 FW approval
    (C803-895-2356) and an approved civil acft ldg permit prior to executing practice apch. Taxilane A. South of
    Twy B closed to all acft except 20 FW mission approved acft. ACC quiet hr in effect 0330-1100Z‡. PPR, 24 hr
    prior notice rgr, ctc Base OPS. Tran acft contact Base OPS PTD prior to arrival to confirm svc rgr. DSN
    965-2356, C803-895-2357, fax 2360, Issued PPR valid 1 hr +/- ETA, early/late arr/dep must re-coordinate.
    Tran acft ctc twr prior to exiting rwy. CAUTION Tran pilots will not climb above 1000' on dep during VFR conditions
    until clear of arpt boundary unless specifically cleared to do so by ATC. Specific taxi instructions for heavy acft
    ctc GND (may rqr back taxiing on rwy to appropriate ladder twy). Uncontrolled vehicle traffic on twy and apron.
    Acft with wingspan larger than 180' must use wing walkers when taxiing on Twy B centerline, 45' obstruction
    located 140' south two centerline, IFT PAT TPA—Rectangular 1741(1500), overhead 2241(2000), CSTMS/AG/IMG 24
    hr prior notice rgr for CSTMS and AG. MISC ACC RSRS applied to ACC acft only. Wx observation surface visibility
    ltd 1/16 SM SW-NE. Augmented/backed up AN/FMO-19 AMOS in use when reg during opr hr and for resource
    protection
  COMMUNICATIONS: SFA
                       ATIS 132.125 270.1 PTD 139.6 372.2
 (R) APP/DEP CON 125.4 285.4 (1200-0430Z‡)
 R JACKSONVILLE CENTER APP/DEP CON 124.7 269.55 (0430-1200Z‡)
                           GND CON 126.1 275.8 CLNC DEL 121.8 289.4
    TOWER 126.65 254.25
    COMD POST (RAYMOND 26) 381.3 PMSV METRO 342.5 (Rdo svc unavbl until further notice. Forecaster avbl
      Mon-Fri 1000-1800Z‡, clsd hol, ctc DSN 965-2362, C803-895-2362. Opr hrs may vary with local flying
      schedule. After hrs remote and tran aircrew WX briefing call 26 OWS Barksdale AFB DSN 781-4775.)
  AIRSPACE: CLASS C svc 1200-0430Z‡ other times CLASS D.
  RADIO AIDS TO NAVIGATION: NOTAM FILE AND
    (L) TACAN
               Chan 38 SSC (110.1) N33°58.67′ W80°27.97′ at fld. 241/5W. No NOTAM MP Fri
      1100-1300Z‡ (1500/3+1).
      TACAN unusable:
        126-184° bvd 10 NM blo 4.000'
                                                                    261°-345° byd 10 NM blo 4,000'
        150°-175° byd 25 NM blo 5,000′
                                                                    295°-325° byd 25 NM blo 5,000'
    ILS 110.1
                          Rwy 04L.
                                      No NOTAM MP Mon-Thu 1100-1300Z‡ (1500/3+1).
                I-SSC
    ILS 108.7
                I-JWU
                          Rwv 22R.
                                      No NOTAM MP Mon-Thu 1100-1300Z‡ (1500/3+1).
```

COMM/NAV/WEATHER REMARKS: Radar No NOTAM MP Tue-Fri daily 0400-1100Z± (1500/3+1).

SPARTANBURG DOWNTOWN MEML (SPA) 3 SW UTC-5(-4DT) N34°54.94′ W81°57.39′ CHARLOTTE
801 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE SPA H-9B, 12G, L-24J, 25C
RWY 05-23: H5202X100 (ASPH) S-30, D-45 HIRL
RWY 05: MALSR. VASI(V4L)—GA 3.0°TCH 59′. Tree.
RWY 23: VASI(V4L)—GA 3.0°TCH 57′. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1200-0100Z‡, Sat-Sun 1300-0100Z‡. For fuel after hrs call 864-574-8552. TPA— 1601(800) for piston acft and 2101(1300) for turboprop acft with small jets. ACTIVATE HIRL Rwy 05-23 and MALSR Rwy 05—CTAF.
WEATHER DATA SDURGES: AWOS-3 133.925 (864) 587-2529.

WEATHER DATA SOURCES: AWOS-3 133.925 (864) 587-2529. COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 122.1R 115.7T (ANDERSON RADIO)

R GREER APP/DEP CON 119.4 (1100-0445Z‡) CLNC DEL 120.55 ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z‡)


AIRSPACE: CLASS E svc 1100-2300Z‡ other times class G. Radio aids to navigation: Notam file and.

(H) VORTAC 115.7 SPA Chan 104 N35°02.02′ W81°55.62′ 194° 7.2 NM to fld. 910/02W.

VORTAC unusable: 351°-099° below 15,000′.

FAIRMONT NDB (HW) 248 FRT N34°54.14′ W81°59.09′ 065°

ILS 109.1 I–SPA Rwy 05. LOC and outer marker unmonitored.



**STUCKEY** N33°43.71′ W79°31.50′ NOTAM FILE AND.

NDB (MHW) 236 HEK at Hemingway-Stuckey. OTS indef.

CHARLOTTE L-241, 36E

\$\$\text{SUMMERVILLE}\$ (DYB) 5 NW UTC-5(-4DT) N33°03.81' W80°16.76' 
56 B S4 FUEL 100LL, JET A NOTAM FILE AND RWY 06-24: H3700X75 (ASPH) S-12.5, D-30 MIRL

CHARLOTTE L-241 IAP

RWY 06: PAPI(P2L)—GA 3.3° TCH 28'. Thid dsplcd 250'. Tree. Rgt tfc.

RWY 24: PAPI(P2L)-GA 3.3° TCH 28'. Trees.

AIRPORT REMARKS: Attended 1300–0000Z‡. For FBO call 843–851–0970. Banner towing 1500/blo intermittently daily; south side Rwy 06–24. MIRL Rwy 06–24 opr dusk–0300Z‡; after 0300Z‡ ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.575 (843) 821-8403.

COMMUNICATIONS: CTAF/UNICOM 123.0

R CHARLESTON APP/DEP CON 120.7

RADIO AIDS TO NAVIGATION: NOTAM FILE CHS.

CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66′ W80°02.27′ 315° 15.9 NM to fld. 39/05W. HIWAS.

DORCHESTER NDB (MHW) 365 DYB N33°03.68' W80°16.64' at fld. NOTAM FILE AND.

**SUMTER** (SMS) 4 N UTC-5(-4DT) N33°59.70′ W80°21.68′

182 B S4 **FUEL** 100LL, JET A NOTAM FILE AND

RWY 05-23: H5501X100 (ASPH) S-26, D-55 MIRL RWY 05: REIL. PAPI(P2L)—GA 3.0°TCH 26'. Tree. Rgt tfc.

WI 03: KLIL. FAFI(F2L)—GA 3.0 TOTI 20 . TIEE. Kgt tic

RWY 23: ODALS. REIL. PAPI(P2L)—GA 3.0°TCH 26'. Tree.

RWY 14-32: 3181X120 (TURF)

RWY 14: Tree. RWY 32: Tree. Rgt tfc.

AIRPORT REMARKS: Attended Mar-Oct 1300-0000Z‡, Nov-Feb 1300-2300Z‡. For fuel after 0100Z‡ call 803-983-6577. Wildlife on and invof arpt with increased activity dusk and dawn. After 0100Z‡ ACTIVATE MIRL Rwy 05-23, REILS Rwy 05 and Rwy 23 —CTAF. PAPI Rwy 05 and Rwy 23 continuous operations.

WEATHER DATA SOURCES:  ${\tt AWOS-3\ 118.075\ (803)\ 469-6750}.$ 

COMMUNICATIONS: CTAF/UNICOM 122.7

R SHAW APP/DEP CON 125.4 (1200-0430Z‡)


JAX CENTER APP/DEP CON 124.7 (0430-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

VANCE (L) VORTAC 110.4 VAN Chan 41 N33°28.49′ W80°26.92′ 014° 31.5 NM to fld. 140/06W.

NDB (MHW) 252 SMS N33°59.45′ W80°21.60′ at fld. (Unmonitored SS-SR).

CHARLOTTE H-9B, 12G, L-24I IAP



**TIMMONSVILLE** 

HUGGINS MEML (58J) 1 NE UTC-5(-4DT) N34°08.26′ W79°55.24′

CHARLOTTE

143 B NOTAM FILE AND RWY 14-32: 3090X150 (TURF)

RWY 14: Tree. RWY 32: Tree.

AIRPORT REMARKS: Unattended. Parachute Jumping. ACTIVATE LIRL Rwy 14-32 and rotating bcn-CTAF.

**COMMUNICATIONS: CTAF 122.9** 

**TRENTON** 

**EDGEFIELD CO** (6J6) 1 SE UTC-5(-4DT) N33°44.21′ W81°49.17′

CHARLOTTE

610 TPA-1410(800) NOTAM FILE AND RWY 11-29: 2640X85 (TURF)

RWY 11. Tree

RWY 29. Tree RWY 15-33: 1584X56 (TURF)

RWY 15: Pole. RWY 33: Tree.

AIRPORT REMARKS: Unattended, Radio controlled acft on and invof arpt. Deer on and invof arpt.

COMMUNICATIONS: CTAF 122.9

TWIN CITY (See LORIS)

TWIN LAKES (See GRANITEVILLE)

UNION CO. TROY SHELTON FLD (35A) 1 SW UTC-5(-4DT) N34°41.22′ W81°38.47′

610 B S2 FUEL 100LL NOTAM FILE AND

RWY 05-23: H3508X60 (ASPH) S-12.5 MIRL 1.0% up NE

RWY 05: PAPI(P2L)-GA 4.0° TCH 40'. Tree.

RWY 23: PAPI(P2L)-GA 4.0° TCH 38'. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡. Self-serve fuel avbl 24 hrs. For svc after hrs call 864-426-3003, MIRL Rwy 05-23 preset on med ints dusk-0500Z‡, after 0500Z‡

ACTIVATE—CTAF. ACTIVATE PAPI Rwy 05 and Rwy 23—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

GREER APP/DEP CON 119.4 (1100-0445Z‡)

ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

GREENWOOD (H) VORTAC 115.5 GRD Chan 102 N34°15.09' W82°09.25' 045° 36.4 NM to fld. 630/01W.

NDB (MHW) 326 UOT N34°41.04′ W81°38.54′ at fld.

CHARLOTTE L-24J, 25D ΙΔΡ

a a a

G G G G G G ~ 3508 t ପ୍ରସ୍ଥ୍ୟ Ø G G G<sup>C</sup> 43

**VANCE** N33°28.49′ W80°26.92′ NOTAM FILE AND.

(L) VORTAC 110.4 VAN Chan 41 067° 13.8 NM to Santee Cooper Rgnl. 140/06W. VOR unusable:

209°-243° blo 2000'

244°-208° blo 18.000'

RCO 122.1R 110.4T (ANDERSON RADIO)

CHARLOTTE H-9B. L-241

CHARLOTTE L-241

**WALTERBORO** N32°55.55′ W80°38.41′ NOTAM FILE AND.

NDB (MHW) 221 RBW at Lowcountry Rgnl.

#### WALTERBORO

**LOWCOUNTRY RGNL** (RBW) 2 NE UTC-5(-4DT) N32°55.26′ W80°38.44′

101 B S4 **FUEL** 100LL, JET A NOTAM FILE AND

RWY 05-23: H6002X100 (ASPH-CONC) S-26, D-75 MIRL

RWY 05: PAPI(P2L)—GA 4.0° TCH 50'. Tree.

RWY 23: ODALS. REIL. PAPI(P2L)—GA 3.0°TCH 45'. Tree.

RWY 17-35: H5705X100 (ASPH-CONC) S-17, D-40

RWY 17: Tree. RWY 35: Tree.

RWY 09-27: H5408X100 (ASPH-CONC) S-17, D-40

RWY 09: Tree. RWY 27: Tree.

AIRPORT REMARKS: Attended 1330–2300Z‡. 100LL self–svc fuel avbl 24 hrs. For after hrs svc call 843–549–2549. Parachute Jumping. Lgtd water tank .98 miles from Rwy 09 thr on rwy centerline. Firing range between Rwy 17 and Rwy 09. Twys between Rwy 05, Rwy 09, Rwy 17 and Rwy 23 clsd due to washouts and potholes. MIRL Rwy 05–23, PAPI Rwy 05, Rwy 23 and 0DALS Rwy 23 opr continuously via photocell from dusk until 0300Z‡ then opr by pilot controlled lighting until dawn.


WEATHER DATA SOURCES: AWOS-3 118.725 (843) 538-3575. COMMUNICATIONS: CTAF/UNICOM 122.8

R CHARLESTON APP/DEP CON 120.7

RADIO AIDS TO NAVIGATION: NOTAM FILE CHS.

CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66′ W80°02.27′ 278° 30.5 NM to fld. 39/05W. HIWAS.

WALTERBORO NDB (MHW) 221 RBW N32°55.55′ W80°38.41′



at fld. NOTAM FILE AND

#### WILLIAMSBURG RGNL (See KINGSTREE)

**WINNSBORO** N34°18.87′ W81°06.76′ NOTAM FILE AND.

NDB (MHW) 414 FDW at Fairfield Co.

CHARLOTTE L-24J, 25D

CHARLOTTE

CHARLOTTE

ΙΔΡ

H-9B. 12F. L-241

#### WINNSBORO

FAIRFIELD CO (FDW) 3 SW UTC-5(-4DT) N34°18.93′ W81°06.53′

B S4 FUEL 100LL, JET A NOTAM FILE AND H-9B, 12G, L-24J, 25D

RWY 04-22: H5003X100 (ASPH) S-42, D-60 MIRL 0.3% up SW RWY 04: PAPI (P2L)-GA 3.0° TCH 26'. Tree. RWY 22: PAPI (P2L)-GA 3.0° TCH 30'. Tree.

AIRPORT REMARKS: Attended 1300–2300Z‡. For FBO call (803) 635–3086. MIRL Rwy 04–22 preset on low ints and PAPI Rwys 04 and 22 opr dusk–0400Z‡; to increase ints MIRL Rwy 04–22 ACTIVATE—CTAF. After 0400Z‡ ACTIVATE MIRL Rwy 04–22 and PAPI Rwys 04 and 22—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.075 (803) 712-2577.

COMMUNICATIONS: CTAF/UNICOM 123.05

R COLUMBIA APP/DEP CON 133.4

RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

COLUMBIA (H) VORTAC 114.7 CAE Chan 94 N33°51.44′ W81°03.24′ 356° 27.6 NM to fld. 400/02W. WINNSBORO NDB (MHW) 414 FDW N34°18.87′ W81°06.76′ at fld. NOTAM FILE AND.

WOODWARD FLD (See CAMDEN)

# 2009 U.S. & CANADIAN MILITARY AERIAL AIRCRAFT/PARACHUTE DEMONSTRATIONS

During CY 2009, the U.S. and Canadian Military Aerial Demonstration Teams (Thunderbirds, Blue Angels, Snowbirds, and Golden Knights) will be performing on the dates and locations listed below.

Pilots should expect Temporary Flight Restrictions (TFR) in accordance with 14 CFR Section 91.145, Management of aircraft operations in the vicinity of aerial demonstrations and major sporting events. The dimensions and effective times of the TFRs may vary based upon the specific aerial demonstration event and will be issued via the U.S. NOTAM system. Pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding these airspace restrictions.

The currently scheduled 2009 aerial demonstration locations, subject to change without notice, are:

DATE:		USAF Thunderbirds	USN Blue Angels	Canadian Snowbirds	USA Golden Knights
October	24-25		Fort Worth, TX		Fort Worth, TX
	24-25				Pinehurst, NC
	31		Houston, TX		
November	1		Houston, TX		
	7-8	Homestead AFB, FL	Jacksonville Beach, FL		
	13-14		NAS Pensacola, FL		
	14-15	Nellis AFB, NV			

Note: Dates and locations are scheduled "show dates" only and do not reflect arrival or practice date TFR periods that may precede the specific aerial demonstration events listed above. Again, pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding any airspace restrictions.

# NOISE ABATEMENT PROCEDURES COVINGTON, KY, CINCINNATI/NORTHERN KENTUCKY INTL AIRPORT (CVG)

Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no further than 2 miles from the departure end of parallel runways, due to noise abatement restrictions.

#### AEROBATIC PRACTICE AREA Jack Edwards Airport (JKA) Gulf Shores, AL

Aerobatic flight activity will be conducted within a 2 NM radius of airport. Contact UNICOM for traffic and Anniston AFSS for specific times.

#### Fayette County, Somerville, Tennessee

Aerobatic training and practice is conducted in a 3500' symmetrical box located 500 feet west of Rwy 01–19 from the sfc to 4500 MSL. If surface winds favor Rwy 01, right traffic for that rwy is in effect when area is active.

Pilots should use caution within this area. For further information contact Jackson AFSS on 1-901-423-1289.

# CONTROLLED FIRING AREA Milan, Tennessee

Controlled Firing Area 5 NM radius 2500' & blo of MKL 030/018, eff. Mon-Fri 1200-2300Z‡, Sat 1530-2230Z‡ Sun 1230-1700Z‡.

# Helicopter Activity Mosby Army Heliport, Dahlonega, GA Area

Occasional military helicopter activity within 15NM radius of Mosby AHP, (34°37'N/84°06'W) SFC to 3700 MSL. Activity includes: flight formations, personnel transport operations, cargo para—drop operations (below 500 AGL), medical evacuation and night vision device training. CTAF 227.2, 139.3, "Mountain Ranger 08" FM 34.10. Staff Duty Officer, Camp Frank D. Merrill, (706) 864–3367.

#### NIGHT VISION LIGHTS OUT OPERATIONS North Carolina. South Carolina

Military helicopter activity will be conducted for Night Vision Lights Out Training in North Carolina and South Carolina. Position lights will be extinguished or greatly reduced in intensity. The training is conducted in areas of low air traffic and not within four (4) miles of a public use airport. Training is IAW exemption to Far Part 91.

Boundaries: Beginning at Lat  $35^{\circ}41'N$ , Lon  $78^{\circ}30'W$ ; to Lat  $34^{\circ}00'N$ , Lon  $78^{\circ}30'W$ ; to Lat  $34^{\circ}00'N$ , Lon  $80^{\circ}00'N$ , Lon  $80^{\circ}00'N$ , Lon  $80^{\circ}30'W$ ; to point of beginning.

Times of use: Sunset to sunrise, daily.

# Helicopter Activity Camp Blanding, Starke, Florida Area

Heavy military helicopter activity within 9 NM radius Blanding AAF, (29°57′7.84″N; 81°58′47.32″W). Surface to 1,500 feet. Activity includes: flight formations, personnel transport operations, sling loads, MED VAC, and night vision goggle training. Mon–Sat 1300–0500Z‡, 1300–2000Z‡ Sun. Blanding Twr 123.0 by NOTAM, other times Range Control 123.0. (904) 533–3113/3352.

# Cuban Flight Advisory (UNTIL FURTHER NOTICE)

The Federal Aviation Administration has been informed that an official Cuban government publication has issued a warning that Cuban Armed Forces will shoot down any aircraft that penetrates Cuban Airspace illegally and refuses to obey an order to land for inspection.

All pilots should take note: use extreme caution in the area of Cuban Airspace; adhere strictly to Cuban requirements for overflight of their territory.

#### LASER LIGHT DEMONSTRATIONS Lake Buena Vista, Florida

A laser light demonstration will be conducted at Disney MGM Studios Theme Park, Lake Buena Vista, Florida (ORL 226 radial, 16.2 NM, LAT 28°21'42"N, LON 81°33'29"W), from 6:00 PM until 4:00 AM, until further advised. The beam may be injurious to eyes if viewed within 3,000 feet vertically and/or 12,000 feet laterally of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

#### Lake Buena Vista, Florida

A laser light demonstration will be conducted at Epcot Center, Lake Buena Vista, Florida (ORL 226 radial, 16 NM, lat 28\*22'N, long 81\*32'W), from 6:00 pm until 4:00 am, until further advised. The beam may be injurious to eyes if viewed within 5000 feet vertically and/or 1 nautical mile laterally of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

#### Miami, Florida

A permanent laser light demonstration will be conducted at Bayfront Park, Miami, Florida (VKZ 312 radial, 2.24 NM, Lat 25\*46'41"N, Lon 80°11'12"W), from 8:00 p.m. until 12:00 a.m. until further advised. The laser light beam is not expected to elevate above the horizon from a 90 foot high platform. Laser light beam may be injurious to eyes if viewed within 4,400 feet laterally of the light source. Cockpit illumination–flash blindness may occur beyond these distances.

#### Miami Beach, Florida

A permanent Laser Light Demonstration will be conducted at the Amnesia Club, located in Miami Beach, Florida, Lat 25°46"N/Long 80°08"W, nightly from dusk until 2 AM.

Laser Light beam may be injurious to eyes if viewed within 3,500 feet vertically and/or 2,000 feet laterally of the light source. Cockpit illumination-flash blindness may occur beyond these distances.

#### Orlando, Florida

A laser light demonstration will be conducted at Sea World of Florida, Orlando, Florida (ORL 220 radial, 11 NM, Lat 27°24′N, Long 81°27′W), from 6:30 pm until 12:00 am, until further advised. The beam may be injurious to eyes if viewed within 5000 feet vertically and/or 6500 feet laterally of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

A permanent laser light demonstration will be conducted at the Walt Disney World, Alien Encounter, Orlando, Florida, ORL VORTAC 239 radial, 15 nautical miles, from Dusk to 12:00 AM daily.

Laser light beam may be injurious to eyes if viewed within 2500 feet laterally and/or 2500 feet vertically of the light source. Cockpit illumination-flash blindness may occur beyond these distances.

#### Decatur, Georgia

Laser light activity will be conducted at Agnes Scott College, Decatur, GA located at Lat 33° 45′ 55″N/Long 84° 17′ 39″W (ATL 041° radial, 11 NM), intermittent daily, at an angle of 90 degrees from the surface, projecting up to 14,036 feet, until further notice. Flash blindness or cockpit illumination may occur beyond these distances.

#### Clemson, South Carolina

A permanent laser light demonstration will be conducted at Clemson University, Clemson, South Carolina, ELW VORTAC 353R/18NM, from dusk until dawn, daily.

Laser light beam may be injurious to eyes if viewed within 3,500 feet laterally and/or 3,500 feet vertically of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

#### LASER LIGHT EXPERIMENT

Arecibo Observatory, Puerto Rico

Location: 18°-20'-37"N 66°-45'-11"W

A Laser Light Beam Experiment will be conducted at the Arecibo Observatory, Puerto Rico (PSE 340/30), from one hour before sunset until one hour after sunrise twice weekly (by NOTAM).

Laser light beam may be injurious to eyes if viewed within 5,000 feet vertical and/or one nautical mile lateral of the light source. Cockpit illumination–flash blindness may occur beyond these distances.

# MEMPHIS, TN MEMPHIS INTL AIRPORT (MEM) NOISE ABATEMENT PROCEDURES

Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no later than 2 miles from the departure end of parallel runways, due to noise abatement restrictions.

# NASHVILLE, TN NASHVILLE INTL AIRPORT (BNA) NOISE ABATEMENT PROCEDURES

Successive or simultaneous departures from Runways 20L and 20R are authorized, with course divergence beginning within 1mile of the departure end of parallel runways, due to noise abatement restrictions.

# CHARLOTTE, NC CHARLOTTE/DOUGLAS INTL AIRPORT (CLT) NOISE ABATEMENT PROCEDURES

Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no later than 3 miles from the departure end of parallel runways, due to noise abatement restrictions.

#### AIRSPACE DELEGATED TO MACDILL AFB

From 1100–2300 UTC (0700–1900 Local) daily, the following airspace that lies within the Tampa CLASS B Airspace will be delegated to McDill AFB ATCT for airport traffic control services, and CLASS B Airspace services will not be provided within this portion of the CLASS B Airspace:

That airspace which extends from 1,200 feet MSL up to and including 1,600 feet MSL, south of a line located  $1\frac{1}{2}$  miles west of and parallel to MacDill AFB Runway 4/22 extended runway centerline, within a 4.5 NM radius from the geographical center of the MacDill AFB Airport.

### Indianapolis ARTCC NABB INDIANA AREA

New Hope, London, Lexington Kentucky Area

Indianapolis Center has installed frequencies in the southern portion of their airspace that require 720-channel radio canability

Pilots should be aware that if they fly in the Nabb, IN, or the New Hope, London, and Lexington, KY, area without a 720-channel radio, ATC services will be greatly reduced. Traffic advisories, weather information, airport information, along with any other direct communication services will not be available.

While in this area of Indianapolis Center, pilots without 720-channel capability will, in most cases, monitor Flight Service Stations. There will be a noticeable delay in all clearance activity. Please ensure that ATC has adequate lead time in the event of problems or clearance requirements.

#### HELICOPTER ACTIVITY ORLANDO, FL AREA.

Heavy helicopter activity over the Disney attractions, Sea World, Universal Studios, Bay Hill and surrounding area. Surface to 1000' MSL. Operations 24 hours daily. Helicopters, transmitting and receiving on 123.02.

#### CAUTION-TETHERED AEROSTAT RADAR SYSTEM (TARS)

A TARS (a large helium-filled balloon) operates continuously up to 14,000 feet, except during inclement weather or when the system is down for maintenance, in R–2916 at Cudjoe Key, Florida. The tether is unmarked and is virtually impossible to see from only a few hundred feet. See the Miami Sectional Chart for location.

#### SPECIAL NORTH ATLANTIC. CARIBBEAN AND PACIFIC AREA COMMUNICATIONS

VHF air-to-air frequencies enable aircraft engaged in flights over remote and oceanic areas out of range of VHF ground stations to exchange necessary operational information and to facilitate the resolution of operational problems.

Frequencies have been designated as follows:

North Atlantic area: 123.45 MHz
Caribbean area: 123.45 MHz
Pacific area: 123.45 MHz

#### ST. PETERSBURG, FLORIDA

Pilots planning to overfly the St. Petersburg VORTAC (PIE) below 13,000 feet MSL should file via the Lakeland VORTAC (LAL) between 1100 and 2300 UTC.

#### **GEORGIA**

Atlanta Tower: Low altitude airway structure in proximity of the Hartsfield–Jackson Atlanta Intl Airport is aligned to provide bypass routes for traffic overflying Atlanta. To avoid heavy concentration of high performance and wide-bodied aircraft, pilots should file for airways beyond 35 nautical miles from Atlanta VOR. Aircraft operating IFR below 15,000 MSL, via airways within 35 nautical miles of Atlanta VOR may expect altitude changes and/or rerouting between the hours 0830 and 2100 local.

#### **U.S. SPECIAL CUSTOMS REQUIREMENT**

Air Commerce Regulations of the Treasury Department's Customs Service require all private aircraft arriving in the U.S. from a foreign place in the Western Hemisphere, (a) south of 33 degrees north latitude which cross into the U.S. over a point on the U.S./Mexican border between 97 and 120 degrees west longitude, or (b) south of 31 degrees north latitude which enter the U.S. via the Gulf of Mexico and Atlantic Coasts, to provide notice of intended arrival to the Customs Service at least one hour prior to crossing the U.S./Mexican border or the U.S. coastline. This notice may be provided by: (1) radio through an appropriate FAA Flight Service Station, (2) normal FAA flight plan notification procedures (a flight plan filed in Mexico does not meet this requirement due to unreliable relay of data), or (3) directly to the District Director of Customs or other Customs officer at place of first intended landing. Unless an exemption has been granted by Customs, private aircraft are required to make first landing in the U.S. at one of the following designated airports nearest to the point of border or coastline crossing:

Brownsville International, Corpus Christi International, Del Rio International, Eagle Pass Airport, El Paso International, Hobby Airport, Jefferson County Airport, Laredo International, Miller International, or Presidio—Lely International in Texas; Calexico International, or Brown Field in California; Bisbee Douglas International, Nogales International, Tuscon International, or Yuma International in Arizona; Las Cruces Intl in New Mexico; Lakefront or Louis Armstrong New Orleans Intl in Louisana; Fort Lauderdale Executive, Fort Lauderdale—Hollywood International, Key West Airport, Miami International, Opa—Locka Airport, St. Lucie County International, Tampa International, or West Palm Beach Airport in Florida.

#### MILITARY TRAINING ROUTES

The DOD Flight Information Publication AP/1B provides textual and graphic descriptions and operating instructions for all military training routes (IR, VR, SR) and refueling tracks/anchors. Complete and more comprehensive information relative to policy and procedures for IRs and VRs is published in FAA Handbook 7610.4 (Special Military Operations) which is agreed to by the DOD and therefore directive for all military flight operations. The AP/1B is the official source of route data for military users.

#### CIVIL USE OF MILITARY FIELDS:

U.S. Army, Air Force, Navy and Coast Guard Fields are open to civil fliers only in emergency or with prior permission.

Army Installations, prior permission is required from the Commanding Officer of the installation.

For Air Force installations, prior permission should be requested at least 30 days prior to first intended landing from either Headquarters USAF (PRPOC) or the Commander of the installation concerned (who has authority to approve landing rights for certain categories of civil aircraft). For use of more than one Air Force installation, requests should be forwarded direct to Hq USAF (PRPOC), Washington, D.C. 20330.

Use of USAF installations must be specifically justified.

For Navy and Marine Corps installations prior permission should be requested at least 30 days prior to first intended landing. An Aviation Facility License must be approved and executed by the Navy prior to any landing by civil aircraft.

Forms and further information may be obtained from the nearest U.S. Navy or Marine Corps aviation activity.

For Coast Guard fields prior permission should be requested from the Commandant, U.S. Coast Guard via the Commanding Officer of the field.

When instrument approaches are conducted by civil aircraft at military airports, they shall be conducted in accordance with the procedures and minimums approved by the military agency having jurisdiction over the airport.

### AIRCRAFT RESTRICTIONS BOCA RATON AIRPORT, FLORIDA

On initial contact, pilot should advise local Air Traffic Control Tower or announce on local Unicom frequency if aircraft has greater than 79 feet wingspan and/or greater than 140 knot approach speed. Aircraft with wingspan greater than 79 feet and/or an approach speed greater than 140 knots are prohibited from using Runway 5/23 while any aircraft occupies Taxiway P. Aircraft with a wingspan greater than 79 feet must remain clear of Taxiway P while any aircraft are approaching or departing Runway 5/23.

#### AIRCRAFT LANDING RESTRICTIONS

Landing of aircraft at locations other than public use airports may be a violation of Federal or local law. All land and water areas are owned or controlled by private individuals or organizations, states, cities, local governments, or U.S. Government agencies. Except in emergency, prior permission should be obtained before landing at any location that is not a designated public use airport or seaplane base.

Landing of aircraft is prohibited on lands or waters administered by the National Park Service, U.S. Fish and Wildlife Service, U.S. Forest Service, and on many areas controlled by the U.S. Army Corps of Engineers, unless prior authorization is obtained from the respective agency.

#### **FEDERAL AVIATION REGULATION 91.713**

The provisions of FAR 91.713 will apply as follows:

Air traffic clearances to aircraft of Cuban registry not engaged in scheduled International Air Service in U.S. airspace will require that the flight plan be filed with appropriate authorities at least five days prior to the proposed departure time. Route changes while en route will normally not be authorized. The procedures set forth herein do not apply at this time to overflights by aircraft of Cuban registry engaged in scheduled International Air Service.

#### CAUTION—HIGH DENSITY AIR TRAFFIC AREA

Heavy helicopter and seaplane traffic exists over the Gulf of Mexico and adjacent onshore areas. Thousands of operations per month occur in this area in support of oil drilling and exploration.

Itinerant pilots traversing this area should familiarize themselves with offshore operating practices and frequencies through contact with the pertinent Flight Standards District Office (FSDO) or Flight Service Station.

#### **CONTINUOUS POWER FACILITIES**

In order to insure that a basic ATC system remains in operation despite an areawide or catastrophic commercial power failure, key equipment and certain airports have been designated to provide a network of facilities whose operational capability can be utilized independent of any commercial power supply.


In addition to those facilities comprising the basic ATC system, the following approach and lighting aids have been included in this program for a selected runway.

- 1. ILS (Localizer, Glide Slope, COMLO, Inner, Middle and Outer Markers)
- 2. Wind Measuring Capability
- 3. Approach Light System (ALS) or Short ALS (SALS)
- 4. Ceiling Measuring Capability
- Touchdown Zone Lighting (TDZL)
- 6. Centerline Lighting (CL)
- 7. Runway Visual Range (RVR)
- 8. High Intensity Runway Lighting (HIRL)
- 9. Taxiway Lighting
- 10. Apron Light (Perimeter Only)

The following have been designated "Continuous Power Airports," and have independent back up capability for the equipment installed.

Airport/Ident	Runway No.	Airport/Ident	Runway No.
Albuquerque, NM (ABQ)	08	Milwaukee, WI (MKE)	01L
Anchorage, AK (ANC)	07R	Minneapolis, MN (MSP)	30L
Andrews AFB, MD (ADW)	01L	Nashville, TN (BNA)	02L
Atlanta, GA (ATL)	09R	New Orleans, LA (MSY)	10
Baltimore, MD (BWI)	10	New York, NY (JFK)	04R
Bismarck, ND (BIS)	31	New York, NY (LGA)	22
Boise, ID (BOI)	10R	Newark, NJ (EWR)	04R
Boston, MA (BOS)	04R	Oklahoma City, OK (OKC)	35R
Charlotte, NC (CLT)	36L	Omaha, NE (OMA)	14R
Chicago, IL (ORD)	14R	Ontario, CA (ONT)	26L
Cincinnati, OH (CVG)	36C	Philadelphia, PA (PHL)	09R
Cleveland, OH (CLE)	06R	Phoenix, AZ (PHX)	08
Dallas/Fort Worth, TX (DFW)	17C	Pittsburgh, PA (PIT)	10L
Denver, CO (DEN)	35R	Reno, NV (RNO)	16R
Des Moines, IA (DSM)	31	Salt Lake City, UT (SLC)	34L
Detroit, MI (DTW)	03R	San Antonio, TX (SAT)	12R
El Paso, TX (ELP)	22	San Diego, CA (SAN)	09
Fairbanks, AK (FAI)	01L	San Francisco, CA (SFO)	28R
Great Falls, MT (GTF)	03	San Juan, PR (SJU)	08
Honolulu, HI (HNL)	08L	Seattle, WA (SEA)	16C
Houston, TX (IAH)	26L	St. Louis, MO (STL)	30R
Indianapolis, IN (IND)	05L	Tampa, FL (TPA)	36L
Jacksonville, FL (JAX)	07	Tulsa, OK (TUL)	36R
Kansas City, MO (MCI)	19R	Washington, DC (DCA)	01
Los Angeles, CA (LAX)	24R	Washington, DC (IAD)	01R
Memphis, TN (MEM)	36L	Wichita, KS (ICT)	01L
Miami, FL (MIA)	08R		


NOTE—The existing CPA runway is listed. Pending and future changes at some locations will require a revised runway designation.




SE, 22 OCT 2009 to 17 DEC 2009

# DISNEY WORLD THEME PARK NOTICE

Pursuant to Public Law 108–199, Section 521, aircraft flight operations are prohibited at and below 3,000 feet AGL within a 3 nautical mile radius of the Disney World Theme Park (282445N/081342W or the Orlando (ORL) VORTAC 238 degree radial at 14.8 nautical miles). This restriction does not apply to: (A) those aircraft authorized by ATC for operational or safety purposes, including aircraft arriving or departing from an airport using standard air traffic procedures; (B) Department of Defense, law enforcement, or aeromedical flight operations that are in contact with ATC; Those who meet any of the following criteria may apply for a waiver to these restrictions: (A) for operational purposes of the venue, including the transportation of equipment or officials of the governing body; (b) for safety and security purposes of the venue.





# BOWMAN FIELD


#### TERMINAL AREA GRAPHIC NOTICE

(Not to be used for navigation)

Bowman Airport Runway 24 and Runway 32 VFR Departure Procedure.

"SENECA DEPARTURE"

PILOTS SHOULD SPECIFICALLY REQUEST THIS PROCEDURE USING THE ABOVE NAME.



Remaining within  $1^{1}/_{2}$  miles from Bowman VOR (BQM), turn right heading O45, maintaining VFR at or below 2500 feet. Expect IFR activation and climb upon crossing the IIU 360 radial

WEATHER MINIMUMS: Ceiling 3000 and visibility 3 miles.

NOTE: Receipt of a clearance to climb above 2500 feet constitutes activation of IFR clearance upon leaving 2500 feet.


#### HOLLYWOOD/NORTH PERRY (HWO) HOLLYWOOD, FL

TERMINAL AREA GRAPHIC NOTICE (Not to be used for navigation)

Hollywood/North Perry Airport Runway 9L, 9R, 36L and 36R VFR Departure Procedure.

#### "SHERIDAN DEPARTURE"

PILOTS SHOULD SPECIFICALLY REQUEST THIS PROCEDURE USING THE ABOVE NAME.




ATIS 135.475
MIAMI APPROACH CONTROL 128.6
NORTH PERRY TOWER 132.1
GROUND CONTROL 120.45

Remain within 1 mile from HWO airport, if departing north or east turn left to heading 260. Remain south of Sheridan Street VFR at or below 1500. Expect IFR activation and climb crossing I75 (5 miles west of HWO) or the DHP 360 radial.

WEATHER MINIMUMS: Ceiling 2000 and visibility 3 miles.

NOTE: Receipt of a clearance to climb above 1500 constitutes activation of IFR clearance.

#### **FIREFIGHTING TRAFFIC AREAS**



Pilots are advised to stay clear of Firefighting Traffic Areas. Remain 15 miles from the area of activity. If you must over-fly the area, do so at an altitude of 5000 feet AGL above. However, to remain safe and out of the way of working aircraft, it is best to circumnavigate the area.

The wild-land fire environment can be very complex and involve a large number and variety of aircraft types including fixed and rotary wing aircraft. Some of the aircraft are small single and multi-engine command and control platforms that can be especially difficult to see and may give the appearance that the fire is not staffed. The aircraft participating in firefighting can orbit as far out as 12 miles from the perimeter of the fire. Any intrusion by aircraft not directly involved in the firefighting operation could delay the delivery of much needed retardant or water to ground firefighters and will adversely affect the safety of participating aircraft. Please stay well away from wild-land fires even if you feel that aircraft are not working the fire; they may be en route or unseen.

If you see a fire developing along your route, report it immediately to air traffic control who will advise the US Forest Service. The firefighting community would welcome this information.

The following narratives summarize the FAR Part 93 Special Air Traffic Rules, Patterns, and/or Airport Traffic Patterns in effect as prescribed in the rule. This information is advisory in nature and in no way relieves the pilot from compliance with the specific rules set forth in FAR Parts 91 and 93.

Special Airport Traffic Areas prescribed in Part 93 are depicted on Sectional Aeronautical Charts, World Aeronautical Charts, Enroute Low Altitude Charts, and where applicable, on VFR Terminal Area Charts.

# DESTIN-FT WALTON BEACH, FLORIDA VALPARAISO TERMINAL AREA

Part 93, Subpart F, prescribes that Valparaiso, Florida, Terminal Area, and the special air traffic rules for operating aircraft within specific corridor.

#### - North-South Corridor.

Before operating within the corridor, obtain a clearance from the Eglin Radar Control Facility or an appropriate FAA ATC facility, and maintain two-way radio communication with the Eglin Radar Control Facility while within the corridor.

#### - East-West Corridor.

Before operating within the corridor, establish two-way radio communications with Eglin Radar Control Facility or an appropriate FAA ATC facility for an ATC advisory concerning operations being conducted therein; and maintain two-way radio communications with the Eglin Radar Control Facility while within the corridor. For Destin/Eglin AFB FL Part 93 Operations details, see FAASafety.gov Knowledge Course at: http://faasafety.gov/gslac/ALC/course\_catalog.aspx.

#### OPERATIONS RESERVATIONS FOR HIGH DENSITY TRAFFIC AIRPORTS KENNEDY, LAGUARDIA, AND WASHINGTON REAGAN NATIONAL

The Federal Aviation Administration (FAA) has designated New York's Kennedy and LaGuardia Airports and Washington Reagan National Airport as High Density Traffic Airports (HDTA), Title 14, Code of Federal Regulations, part 93, subpart K, and has prescribed air traffic rules and requirements for operating aircraft (excluding helicopters) to and from those airports during certain hours.

Reservations are required for operations from 6 a.m. through 11:59 p.m. local time at LaGuardia Airport and Washington Reagan National Airport. Reservations at Kennedy Airport are required from 3 p.m. through 7:59 p.m. local time.

Reservation procedures are detailed in Advisory Circular 93–1, Reservations for Unscheduled Operations at High Density Traffic Airports. A copy of the advisory circular is available on the FAA website at http://www.faa.gov. Reservations for unscheduled operations are allocated through the Enhanced Computer Voice Reservation System (e–CVRS) accessible via telephone or the Internet. This system may not be used to make reservations for scheduled air carrier or commuter flights.

The toll–free telephone number for accessing e–CVRS is 1–800–875–9694 and is available for calls originating within the United States, Canada, and the Caribbean. Users outside the toll–free areas may access e–CVRS by calling the toll number of 703–707–0568. The Internet web address for accessing the e–CVRS is <a href="http://www.fly.faa.gov/ecvrs">http://www.fly.faa.gov/ecvrs</a>. If you have any questions about reservation requirements or are experiencing problems with the system, you may telephone the Airport Reservation Office at the Air Traffic Control System Command Center at (703) 904–4452.

Requests for instrument flight rules (IFR) reservations will be accepted beginning 72 hours prior to the proposed time of operation at the high-density airport. For example, a request for an 11 a.m. reservation on a Thursday will be accepted beginning at 11 a.m. on the previous Monday.

IFR reservations must be obtained prior to IFR landing or takeoff at an HDTA during slot controlled hours. An air traffic control (ATC) clearance does not constitute a reservation. A reservation does not constitute permission to operate at an HDTA if additional operational limits or procedures are required by NOTAM and/or regulation.

Aircraft involved in medical emergencies will be handled by ATC without regard to a reservation after obtaining prior approval of the ATC System Command Center on (703) 904–4452. ATC will accommodate declared other emergency situations without regard to slot reservations.

NOTE: Visual flight rule (VFR) reservations via ATC for unscheduled operations at LaGuardia are not authorized from 7 a.m. through 8:59 a.m. local time and 4 p.m. through 6:59 p.m. local time, Monday through Friday and Sunday evenings, unless otherwise announced by NOTAM. Both IFR and VFR operations during those time periods must obtain an advance reservation through e–CVRS.

#### FSS TELEPHONE NUMBERS

Flight Service Station (FSS) facilities provide flight planning and weather briefing services to pilots. FSS services in the contiguous United States, Hawaii and Puerto Rico, are provided by a network of large hub facilities and smaller remote facilities which are interconnected with the hubs.

Selected remote FSS facilities across the contiguous United States have variable part-time operating hours. Because of the interconnectivity between remote and hub facilities, all FSS services are available continuously using published telephone numbers and radio frequencies.

#### SOUTHEAST U.S.

FLORIDA: St. Petersburg, St. Petersburg—Clearwater International (PIE) — PIE FSS NORTH CAROLINA: Raleigh, Raleigh—Durham International (RDU) — RDU FSS

TENNESSEE: Nashville, Nashville International (BNA) — BNA FSS

Telephone Information Briefing Service (TIBS) is a FSS service that provides continuous recordings of meteorological and/or aeronautical information including area and/or route briefings, airspace procedures and special announcements. A touch-tone telephone is required to fully utilize this service.

Further information can be found in the Aeronautical Information Manual (AIM).

#### NATIONAL FSS TELEPHONE NUMBER

#### OTHER FSS TELEPHONE NUMBERS (except in Alaska)

TIBS (see description above)	1-877-4TIBS-WX (1-877-484-2799)
Clearance Delivery Only	1-888-766-8267
Lifeguard Flights Only	1-877-LIF-GRD3 (1-877-543-4733)
Flights within DC SFRA & FRZ*	1-866-225-7410

<sup>\*</sup> District of Columbia Special Flight Rules Area & Flight Restricted Zone

390 FAA AND NWS

# KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

TAF KPIT 091730Z 091818 15005KT 5SM HZ.FEW020 WS010/31022KT FM1930 30015G25KT 3SM SHRA OVC015 TEMPO 2022 1/2SM +TSRA OVC008CB

FM0100 27008KT 5SM SHRA BKN020 OVC040 PROB40 0407 1SM -RA BR FM1015 18005KT 6SM -SHRA OVC020 BECMG 1315 P6SM NSW SKC

METAR KPIT 091955Z COR 22015G25KT 3/4SM R28L/2600FT TSRA OVC010CB 18/16 A2992 RMK SLP045 T01820159

Forecast	Explanation	Report
TAF	Message type: <u>TAF</u> -routine or <u>TAF AMD</u> -amended forecast, <u>METAR</u> -hourly, <u>SPECI</u> -special or <u>TESTM</u> -non-commissioned ASOS report	METAR
KPIT	ICAO location indicator	KPIT
091730Z	Issuance time: ALL times in UTC "Z", 2-digit date, 4-digit time	091955 <b>Z</b>
091818	Valid period: 2-digit date, 2-digit beginning, 2-digit ending times	
	In U.S. <b>METAR</b> : <u>COR</u> rected ob; or <u>AUTO</u> mated ob for automated report with no human intervention; omitted when observer logs on	COR
15005KT	Wind: 3 digit true-north direction, nearest 10 degrees (or VaRiaBle); next 2-3 digits for speed and unit, KT (KMH or MPS); as needed, Gust and maximum speed; 00000KT for calm; for METAR, if direction varies 60 degrees or more, Variability appended, e.g. 180V260	22015G25KT
5SM	Prevailing visibility: in U.S., <u>Statute Miles &amp; fractions</u> ; above 6 miles in <u>TAF Plus6SM</u> . (Or, 4-digit minimum visibility in meters and as required, lowest value with direction)	3/4SM
	Runway Visual Range: R; 2-digit runway designator Left, Center, or Right as needed; "/"; Minus or Plus in U.S., 4-digit value, FeeT in U.S., (usually meters elsewhere); 4-digit value Variability 4-digit value (and tendency Down, Up or No change)	R28L/2600FT
HZ	Significant present, forecast and recent weather: see table (on back)	TSRA
FEW020	Cloud amount, height and type: SKy Clear 0/8, FEW >0/8-2/8, SCaTtered 3/8-4/8, BroKeN 5/8-7/8, OVerCast 8/8; 3-digit height in hundreds of ft; Towering CUmulus or CumulonimBus in METAR; in TAF, only CB. Vertical Visibility for obscured sky and height "VV004". More than 1 layer may be reported or forecast. In automated METAR reports only, CLeaR for "clear below 12,000 feet"	OVC010CB
	Temperature: degrees Celsius; first 2 digits, temperature "/" last 2 digits, dew-point temperature; Minus for below zero, e.g., M06	18/16
	Altimeter setting: indicator and 4 digits; in U.S., A-inches and hundredths; (Q-hectoPascals, e.g., Q1013)	A2992

FAA AND NWS 391

### KEY to AERODROME FORECAST (TAF) and **AVIATION ROUTINE WEATHER REPORT** (METAR)

Forecast	Explanation	Report
WS010/31022KT	In U.S. <b>TAF</b> , non-convective low-level (≤2,000 ft) <u>Wind Shear</u> ; 3-digit height (hundreds of ft); "/"; 3-digit wind direction and 2-3 digit wind speed above the indicated height, and unit, <u>KT</u>	
	In <b>METAR</b> , <u>ReMarK</u> indicator & remarks. For example: <u>Sea-Level Pressure</u> in hectoPascals & tenths, as shown: 1004.5 hPa; <u>Temp/dew-point</u> in tenths °C, as shown: temp. 18.2°C, dew-point 15.9°C	RMK SLP045 T01820159
FM1930	<u>FroM</u> and 2-digit hour and 2-digit minute <b>beginning</b> time: indicates significant change. Each FM starts on new line, indented 5 spaces.	
TEMPO 2022	TEMPOrary: changes expected for < 1 hour and in total, < half of 2-digit hour <b>beginning</b> and 2-digit hour <b>ending</b> time period	
PROB40 0407	PROBability and 2-digit percent (30 or 40): probable condition during 2-digit hour <b>beginning</b> and 2-digit hour <b>ending</b> time period	
BECMG 1315	BECoMinG: change expected during 2-digit hour <b>beginning</b> and 2-digit hour <b>ending</b> time period	

Table of Significant Present, Forecast and Recent Weather - Grouped in categories and used in the order listed below; or as needed in TAF, No Significant Weather.

QUALIFI	ER					
Intensity o	r Proximity					
- Light	"no	sign* Moderate	+ F	leavy		
		erodrome; in U.S. MI				
obse	ervation; in U.S.	TAF, 5 to 10SM fron	ı cei	nter of runway compl	ex (	elsewhere within 8000m)
Descriptor						
MI Shal	low BC	Patches	PR	Partial	TS	Thunderstorm
BL Blow	ving SH	Showers	DR	Drifting	FΖ	Freezing
WEATHE	R PHENOME	NA				
Precipitati	on					
DZ Driz				Snow	SG	Snow grains
		Ice pellets			GS	Small hail/snow pellets
		on in automated obse	ervat	ions		
Obscuration						
					V۸	Volcanic ash
SA San	d HZ	Haze	PΥ	Spray	DU	Widespread dust
Other						
SQ Squ				Duststorm	PO	Well developed
FC Fun	nel cloud +F0	tornado/waterspout				dust/sand whirls

- Explanations in parentheses "()" indicate different worldwide practices.
- Ceiling is not specified; defined as the lowest broken or overcast layer, or the vertical visibility.
- NWS TAFs exclude turbulence, icing & temperature forecasts; NWS METARs exclude trend fcsts
   Although not used in US, Ceiling And Visibility OK replaces visibility, weather and clouds if: visibility ≥10 km; no cloud below 5000 ft (1500 m) or below the highest minimum sector altitude, whichever is greater and no CB; and no precipitation, TS, DS, SS, MIFG, DRDU, DRSA or DRSN.

  UNITED STATES DEPARTMENT OF COMMERCE

NOAA/PA 96052 National Oceanic and Atmospheric Administration—National Weather Service

### FAA AND NWS KEY AIR TRAFFIC FACILITIES

#### **Air Traffic Control System Command Center**

Main Number......703-904-4400

RGNL AIR TRAFFIC DIVISIONS			
REGION	TELEPHONE		
Alaskan	907-271-5464		
Central	816-329-2500		
Eastern	718-553-4502		
Great Lakes	847-294-7202		
New England	781-238-7500		
Northwest Mountain	425-227-2500		
Southern	404-305-5500		
Southwest	817-222-5500		
Western Pacific	310-725-6500		

#### AIR ROUTE TRAFFIC CONTROL CENTERS (ARTCCs)

ARTCC NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS Hours	BUSINESS TELEPHONE #
Albuquerque	817-222-5006	7:30 a.m4:00 p.m.	505-856-4300
Anchorage	907-271-5936	7:30 a.m4:00 p.m.	907-269-1137
Atlanta	404-305-5180	7:30 a.m5:00 p.m.	770-210-7601
Boston	617-238-7001	7:30 a.m4:00 p.m.	603-879-6633
Chicago	847-294-8400	8:00 a.m4:00 p.m.	630-906-8221
Cleveland	847-294-8400	8:00 a.m4:00 p.m.	440-774-0310
Denver	425-227-1389	7:30 a.m4:00 p.m.	303-651-4100
Ft. Worth	817-222-5006	7:30 a.m4:00 p.m.	817-858-7300
Houston	817-222-5006	7:30 a.m4:00 p.m.	281-230-5300
Indianapolis	847-294-8400	8:00 a.m4:00 p.m.	317-247-2231
Jacksonville	404-305-5180	8:00 a.m4:30 p.m.	904-549-1501
Kansas City	816-329-3000	7:30 a.m4:00 p.m.	913-254-8500
Los Angeles	661-265-8200	7:30 a.m4:00 p.m.	661-265-8200
Memphis	404-305-5180	7:30 a.m4:00 p.m.	901-368-8103
Miami	404-305-5180	7:00 a.m3:30 p.m.	305-716-1500
Minneapolis	847-294-8400	8:00 a.m4:00 p.m.	651-463-5580
New York	718-995-5426	8:00 a.m4:40 p.m.	516-468-1001
Oakland	310-725-3300	6:30 a.m3:00 p.m.	510-745-3331
Salt Lake City	425-227-1389	7:30 a.m4:00 p.m.	801-320-2500
Seattle	425-227-1389	7:30 a.m4:00 p.m.	253-351-3500
Washington	718-995-5426	8:00 a.m4:30 p.m.	703-771-3401

#### MAJOR TERMINAL RADAR APPROACH CONTROLS (TRACONS)

TRACON NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Atlanta	404-305-5180	7:00 a.m3:30 p.m.	404-669-1200
Chicago	847-294-8400	8:00 a.m4:00 p.m.	847-608-5509
Dallas/Ft. Worth	817-222-5006	7:30 a.m4:00 p.m.	972-615-2500
Denver	425-227-1389	7:30 a.m4:00 p.m.	303-342-1500
Houston	817-222-5006	7:30 a.m4:00 p.m.	281-230-8400
New York	718-995-5426	8:00 a.m4:30 p.m.	516-683-2901
Northern CA	310-725-3300	7:00 a.m3:30 p.m.	916-366-4001
Southern CA	310-725-3300	7:30 a.m4:00 p.m.	858-537-5800

<sup>\*</sup>Facilities can be contacted through the RgnI Duty Officer during non-business hours.

#### FAA AND NWS

# KEY AIR TRAFFIC FACILITIES DAILY NAS REPORTABLE AIRPORTS

AIRPORT	*24 HR RGNL DUTY OFFICE	BUSINESS	BUSINESS
NAME	TELEPHONE #	HOURS	TELEPHONE #
Albuquerque Intl Sunport, NM	817-222-5006	8:00 a.m5:00 p.m.	505-842-4366
Andrews AFB, MD	718-995-5426	8:00 a.m4:30 p.m.	301-735-2380
Baltimore/Washington			
Intl Thurgood Marshall, MD	718-995-5426	8:00 a.m4:30 p.m.	410-962-3555
Boston Logan Intl, MA	781–238–7001	7:30 a.m4:00 p.m.	617-455-3100
Bradley Intl, CT	617-238-7001	7:30 a.m4:00 p.m.	203-627-3428
Burbank/Bob Hope, CA	310–725–3300 404–305–5180	7:00 a.m5:30 p.m. 8:00 a.m4:30 p.m.	818–567–4806 704–344–6487
Charlotte Douglas Intl, NC Chicago Midway, IL	847-294-8400	8:00 a.m.–4:00 p.m. 8:00 a.m.–4:00 p.m.	773-884-3670
Chicago O'Hare Intl, IL	847-294-8400	8:00 a.m.–4:00 p.m.	773-601-7600
Cleveland Hopkins Intl, OH	847-294-8400	8:00 a.m4:00 p.m.	216-898-2020
Covington/Cincinnati, OH	708-294-7401	8:00 a.m4:30 p.m.	606-767-1006
Dallas/Ft. Worth Intl, TX	817-222-5006	8:30 a.m.–5:00 p.m.	972-615-2531
Dayton Cox Intl, OH	847-294-8400	7:30 a.m4:00 p.m.	937-454-7300
Denver Intl, CO	425-227-1389	7:30 a.m4:00 p.m.	303-342-1600
Detroit Metro, MI	847-294-8400	8:00 a.m4:00 p.m.	734-955-5000
Fairbanks Intl, AK	907-271-5936	7:30 a.m4:00 p.m.	907-474-0050
Fort Lauderdale Intl, FL	404-305-5180	7:00 a.m3:30 p.m.	305-356-7932
George Bush			
Intercontinental/Houston, TX	817-222-5006	7:30 a.m4:00 p.m.	713-230-8400
Hartsfield-Jackson Atlanta Intl, GA	404–305–5180	7:00 a.m3:30 p.m.	404-669-1200
Honolulu Intl, HI	310-643-3200	7:30 a.m4:00 p.m.	808-840-6100
Houston Hobby, TX Indianapolis Intl, IN	817-222-5006 847-294-8400	8:00 a.m5:00 p.m. 8:00 a.m4:00 p.m.	713–847–1400 317–484–6600
Kahului/Maui, HI	310-643-3200	7:30 a.m.–4:00 p.m.	808-877-0725
Kansas City Intl, MO	816-329-3000	7:30 a.m.–4:00 p.m.	816-329-2700
Las Vegas McCarran, NV	310-725-3300	7:30 a.m.–4:00 p.m.	702-262-5978
Los Angeles Intl, CA	310-725-3300	7:00 a.m3:30 p.m.	310-342-4900
Louis Armstrong New Orleans			
Intl, LA	817-222-5006	7:00 a.m4:30 p.m.	504-471-4300
Memphis Intl, TN	404-305-5180	7:30 a.m4:00 p.m.	901-322-3350
Miami Intl, FL	404-305-5180	7:00 a.m4:00 p.m.	305-869-5400
Minneapolis/St. Paul, MN	847-294-8400	8:00 a.m4:00p.m.	612-713-4000
Nashville Intl, TN	404–305–5180	7:00 a.m3:30 p.m.	615-781-5460
New York Kennedy Intl, NY	718-995-5426	8:00 a.m4:30 p.m.	718-656-0335
New York La Guardia, NY Newark Liberty Intl, NJ	718–995–5426 718–995–5426	8:00 a.m4:30 p.m. 8:00 a.m4:30 p.m.	718–335–5461 973–645–3103
Norman Y. Mineta San Jose Intl, CA	310-643-3200	7:30 a.m.–4:00 p.m.	408-982-0750
Ontario Intl, CA	310-643-3200	7:30 a.m4:00 p.m.	909-983-7518
Orlando Intl, FL	404-305-5180	7:30 a.m.–5:00 p.m.	407-850-7000
Philadelphia Intl, PA	718-995-5426	8:00 a.m.–4:30 p.m.	215-492-4100
Phoenix Sky Harbor Intl, AZ	310-643-3200	7:30 a.m4:00 p.m.	602-379-4226
Pittsburgh Intl, PA	718-995-5426	8:00 a.m4:30 p.m.	412-269-9237
Portland Intl, OR	425-227-1389	7:30 a.m4:00 p.m.	503-493-7500
Raleigh-Durham, NC	404-305-5180	8:00 a.m4:30 p.m.	919-840-5544
Ronald Reagan Washington			
National, DC	718-995-5426	8:00 a.m4:30 p.m.	703-413-1535
Salt Lake City, UT	425–227–1389	7:30 a.m4:00 p.m.	801–325–9600
San Antonio Intl, TX	817-222-5006	8:00 a.m4:30 p.m.	210-805-5507
San Diego Lindbergh Intl, CA San Francisco Intl, CA	310–725–3300 310–643–3200	8:00 a.m4:30 p.m. 7:00 a.m3:30 p.m.	619–299–0677 650–876–2883
San Francisco Inti, CA San Juan Inti, PR	404–305–5180	7:30 a.m.–5:00 p.m.	809-253-8663
Seattle-Tacoma Intl, WA	425-227-1389	7:30 a.m4:00 p.m.	206-768-2900
St. Louis Lambert, MO	816-329-3000	7:30 a.m.–4:00 p.m.	314-890-1000
Tampa Intl, FL	404–305–5180	7:30 a.m.–4:00 p.m.	813-371-7700
Ted Stevens Anchorage Intl, AK	907-271-5936	7:30 a.m4:00 p.m.	907-271-2700
Teterboro, NJ	718-995-5426	8:00 a.m4:30 p.m.	201-288-1889
Washington Dulles Intl, DC	718-995-5426	8:00 a.m4:30 p.m.	703-661-6031
West Palm Beach, FL	404-305-5180	8:00 a.m4:30 p.m.	407-683-1867
Westchester Co, NY	718-995-5426	8:00 a.m4:30 p.m.	914-948-6520

SE, 22 OCT 2009 to 17 DEC 2009

Air Route Traffic Control Center frequencies and their remoted transmitter sites are listed below for the coverage of this volume. Bold face type indicates high altitude frequencies, light face type indicates low altitude frequencies. To insure unrestricted IFR operations within the high altitude enroute sectors, the use of 720 channel communications equipment (25 kHz channel spacing) is required.

#### (R)ATLANTA CENTER

H-6-9-10-12, L-18-22-24-25-26-36, A-1 (KZTL)

Albemarle - 133.15

Anniston - 134.95

Athens - 127.5 127.5 124.45 120.425

Atlanta A - 135.0

Augusta - 128.1

Birmingham - 134.05 128.725 Black Jack Mountain - 127.05

Chattanooga - 133.175 132.05 126.675 124.875

Columbus - 125.575 120.45

Crossville - 133.6 132.675 125.925 Foothills - 124.375

Gadsden - 133.8

Glade Springs - 127.85 Greensboro - 128.8 124.425

Hampton - 128.0 127.125 126.475 124.325

Hickory - 134.55 132.975 125.15

Huntsville - 126.825

Jonesville - 125.025 119.575

Macon - 134.5 126.425 123.95 119.575

Millen - 135.55

Monroeville - 118.55

Montgomery - 134.6 128.025 125.875 120.55

Mount Oglethorpe - 134.8 133.1 121.35

Newport - 134.075 127.55 Owing - 135.35 125.625 123.725

Statham - 132.475 132.475

Sugarloaf Mountain - 132.625

Tri City - 126.775 120.725 Uniontown - 133.25 132.25

#### (R)HOUSTON CENTER - 134.35

H-6-7-8-9, L-17-18-19-20-21-22

H-5-9-10-12, L-16-25-26-27-29

(KZHU)

(KZID)

Arr-Dep US - 135.77 134.95 133.75 133.4 132.65 132.4 128.3 127.8 125.75 120.35

Mobile - 127.65 125.775

RINDIANAPOLIS CENTER - 133.425 132.775 128.375 125.55

124.525 119.55 Evansville - 132.525 128.3

Livingston - 134.675 126.925

London 2 - 126.57 124.625 121.325

Lvnch - 126.575

New Hope - 124.625 121.175

Portsmouth - 124.225 120.275

Tri City - 124.575

Winchester - 128.22 126.375 123.775

#### R JACKSONVILLE CENTER

H-6-7-8-9-12, L-18-21-22-24-25-35-36, A-1 (KZJX)

Arr-Dep US-South Atlantic Control N of 31°30' - 135.05 S of 31°30'N 134.85

Albany - 134.45 125.75

Alma - 135.975 133.3 132.3

Charleston - 135.05 133.625 132.475 127.95 124.075

Columbia - 127.875 124.7

Crestview - 134.15 124.475 120.2

Davtona Beach - 134.0

Dothan - 134.3

Eglin - 132.1

Florence - 134.35 133.45

Gainesville - 135.65 134.4 124.75

Glynco - 126.75

Jacksonville - 134.85 126.35

Lake City - 125.375

Lowell - 135.75 133.325 125.175

Millen - 132.5

Myrtle Beach - 135.05 128.7

CONTINUED ON NEXT PAGE

#### AIR ROUTE TRAFFIC CONTROL CENTERS

#### CONTINUED FROM PRECEDING PAGE

Panama City - 119.1

Perry Foley - 127.8

St. Augustine - 134.575 132.825 127.475 126.35

Savannah - 132.425 126.125 120.85

Tallahassee - 135.325 128.625 128.075 125.05

Valdosta - 133.7 125.95

**R**MEMPHIS CENTER — 127.975 124.025

H-5-6-9, L-15-16-17-18-22-25-26

(KZME)

Columbus - 134.775 133.125 127.1 Graham - 125.85 124.275

Huntsville – 120.8

McKellar - 134.65 127.975 126.45 124.35

Memphis - 135.225 118.625

Nashville - 133.85 124.125 118.875

Nashville/Joelton 132.1 Paducah - 133.65 Shelbyville - 126.75 South Fulton - 128.05 Tupelo - 135.9 135.9 134.4

®MIAMI CENTER

H-8, L-21-22-23-24, A-1

(KZMA)

Avon Park - 134.55 127.2 126.525

Fort Myers - 134.75 133.275 Grand Bahama Island - 134.2

Grand Turk - 135.2 132.3

Key West - 133.5 132.2 132.2 124.7 124.7

Melbourne - 135.075 128.65 124.1 119.825

Miami - 132.95 133.85 133.2 133.95 132.4 127.7 126.325 124.7 124.7

Nassau - 134.8 125.7

Pahokee - 133.55 132.45

Sarasota - 133.9 132.35 128.225 Vero Beach - 135.7 132.25 125.075

West Palm Beach - 135.175 133.4 132.15

CENTER REMARKS: All northbound IFR flights entering Miami in vicinity of Grand Turk and Great Inagua must contact Miami Center on 132.3/307.2 at least 10 minutes prior to the Miami Center boundary for an air traffic clearance. Alternate communications are avbl thru ARINC or Miami Radio. This is due to heavy air traffic congestion in this area.

®SAN JUAN CENTER

H-2-3, L-5-6 (ZSU) (MJZS)

Borinquen - 135.7 135.7 124.35

El Yungue - 134.3 134.3 128.65 128.6 125.0 125.0 118.75 118.75 118.15 118.15

Pico Del Este - 134.3 134.3 128.65 128.65 125.0 125.0 118.15 118.15

CENTER REMARKS: All acft on an IFR flight plan in the San Juan CTA and within 200 NM of San Juan are requested to ctc San Juan Center on the following frequencies: Amber 300 clockwise thru Amber 523—134.3; East of Amber 523 clockwise to North of Blue 520—125.0; Blue 520 clockwise thru Amber 636—118.15; Red 763 clockwise thru Green 431—135.7. San Juan Cerap provides IFR clearances for St Croix Christiansted on freq 121.7 when St Croix twr closed. San Juan Cerap provides IFR clearances for St Thomas Charlotte Amalie-Harry S Truman on freq 121.9 when twr closed. San Juan Cerap provides IFR clearances for Ponce-Mercedita on freq 121.9. San Juan Cerap provides IFR clearances for Mayaguez-Eugenio Maria De Hostos on freq 121.7.

**RWASHINGTON CENTER** 

H-9-10-12, L-24-25-26-29-34-35-36

Arr-Dep US - 135.5 133.82 133.12 132.55 128.52 127.7 127.42 124.02 123.85 118.82

(KZDC)

Green Bay - 133.725 127.75 Johnsonville - 135.2 118.925

Manteo - 124.725

New Bern - 135.5 118.825

Rocky Mount - 118.475 132.225

Sampson - 135.3

Whaleyville - 133.825 128.525 127.425 123.85

Wilmington - 124.025

VHF frequencies available at Flight Service Stations and at their remote communication outlets (RCO's) are listed below for the coverage of this volume. Frequencies in bold type are available all altitudes but recommended for use FL180 and above, "T" indicates transmit only and "R" indicates receive only, RCO's available at NAVAIDS are listed after the NAVAID name. RCO's not at NAVAID's are listed by name.

#### ANDERSON AFSS

**AIKEN RCO 122.45** 

ALLENDALE VOR 116.7T 122.1R

ANDERSON RCO 122.2 123.6

CHARLESTON VORTAC 113.5T 122.1R 122.2 122.5

CHESTERFIELD VOR/DME 108.2T 122.05R

COLLIERS VORTAC 113.9T 122.1R

COLUMBIA VORTAC 114.7T 122.1R 122.65

FLORENCE VORTAC 115.2T 122.1R 122.6

FOOTHILLS VORTAC 113.4T 122.1R FORT MILL VORTAC 112.4T 122.1R

GRAND STRAND VORTAC 117.6T 122.1R 123.6

GREENWOOD VORTAC 115.5T 122.1R 122.625

GREER RCO 122 2 122 65

HILTON HEAD ISLAND RCO 122.55

SPARTANBURG VORTAC 115.7T 122.1R

VANCE VORTAC 110.4T 122.1R

#### ANNISTON AFSS

ANNISTON RCO 122.2 123.6

BIRMINGHAM RCO 122.2 123.65

BROOKLEY VORTAC 112.8T 122.1R CRIMSON VORTAC 117.8T 122.1R

DECATUR RCO 122.6

DOTHAN RCO 122.2 122.5

EUFAULA VORTAC 109.2T 122.1R

GADSDEN VOR/DME 112.3T 122.1R

HAMILTON RCO 122.3

**HUNTSVILLE RCO 122.2** 

MOBILE RCO 122.2 123.65 MONROEVILLE VORTAC 116.8T 122.1R

MONTGOMERY VORTAC 112.1T 122.1R 122.2 122.55

MUSCLE SHOALS RC0 122.2 122.4

SELMA RCO 122.4

TALLADEGA VOR/DME 108.8T 122.05R

TUSCALOOSA RCO 122.2

TUSKEGEE VOR/DME 117.3T 122.1R

VULCAN VORTAC 114.4T 122.1R

WIREGRASS VORTAC 111.6T 122.1R

#### GAINESVILLE AFSS 122.1R 122.2 122.5 123.65

CRAIG VORTAC 114.5T 122.1R 122.2 122.45

CRESTVIEW RCO 122.0 122.2 122.45

CROSS CITY VORTAC 112.0T 122.1R GATORS VORTAC 116.2T 122.1R

GREENVILLE VORTAC 109.0T 122.1R

LAKE CITY RCO 122.6

MARIANNA VORTAC 114.0T 122.1R

OCALA VORTAC 113.7T 122.1R

PALATKA RCO 122.25

PANAMA CITY VORTAC 114.3T 122.1R

PENSACOLA RCO 122.2 122.6

PERRY RCO 122.45

ST AUGUSTINE RCO 122.3

SAUFLEY VOR 108.8T 122.1R

SEMINOLE VORTAC 117.5T 122.1R 122.2 122.4

TAYLOR VORTAC 112.9T 122.1R

#### **JACKSON AFSS**

CLARKSVILLE VOR/DME 110.6T 122.1R
DYERSBURG RCO 122.2 122.45
GRAHAM VORTAC 111.6T 122.1R 122.25
JACKS CREEK VOR/DME 109.4T 122.1R
JACKSON RCO 122.2 122.65 127.15
MEMPHIS VORTAC 117.5T 122.1R 122.2 123.65

#### **LOUISVILLE AFSS**

BOWLING GREEN RCO 122.2 122.4 CENTRAL CITY VORTAC 109.8T 122.1R CINCINNATI VORTAC 117.3T 122.1R FALMOUTH VOR/DME 117.0T 122.1R FRANKFORT VOR 109.4T 122.1R HAZARD VOR/DME 111.2T 122.1R LEXINGTON VORTAC 112.6T 122.1R LONDON VORTAC 116.1T 122.1R 122.2 122.65 LOUISVILLE RCO 122.1R 122.2 122.45 MADISON RCO 122.3 NEW HOPE VOR/DME 110.8T 122.1R NEWCOMBE VORTAC 110.4T 122.1R OWENSBORO VOR/DME 108.6T 122.1R PADUCAH RCO 122.2 122.5 PIKEVILLE RCO 122.05 SOMERSET RCO 122.55

YORK VORTAC 112.8T 122.1R

#### MACON AFSS

ALBANY RCO 122.6

ALMA VORTAC 115.1T 122.1R 123.6

ATHENS VORTAC 109.6T 122.1R

ATLANTA VORTAC 116.9T 122.1R 122.2 122.6

BRUNSWICK VORTAC 109.8T 122.1R 122.2

CHOO CHOO VORTAC 115.8T 122.1R

COLUMBUS VORTAC 117.1T 122.1R 122.65

DANIEL RCO 122.3

DUBLIN VORTAC 113.1T 122.1R 122.6

GAINESVILLE RCO 122.55

HARRIS RCO 122.35

LAGRANGE VORTAC 115.6T 122.1R

MACON RCO 122.0 122.1R 122.2 122.4

MOULTRIE VOR/DME 108.8T 122.1R

PEACHTREE VOR/DME 116.6T 122.1R

**ROME RCO 122.3** 

SAVANNAH VORTAC 115.95T 122.1R 123.65

STATESBORO RCO 122.6

THOMASVILLE RCO 122.55

TIFT MYERS RCO 122.35

VALDOSTA VOR/DME 114.8T 122.1R 122.2

VIENNA VORTAC 116.5T 122.1R

WAYCROSS VORTAC 110.2T 122.1R

## MIAMI AFSS 122.2 122.3 122.55 123.65 MIAMI IFSS 127.9 126.9 126.7

DADE COLLIER RCO 122.3

DAVIE RCO 126.7

DOLPHIN VORTAC 113.9T 122.1R

FORT MYERS RCO 122.1R 122.2 122.65

FORT PIERCE RCO 122.55

KEY WEST VORTAC 113.5T 122.1R 122.2 123.65

LA BELLE VORTAC 110.4T 122.1R

MARATHON RCO 122.6

NAPLES RCO 123.6

PAHOKEE VORTAC 115.4T 122.1R 122.35

PALM BEACH VORTAC 115.7T 122.1R 122.4

VIRGINIA KEY VOR/DME 117.1T 122.1R

#### **NASHVILLE AFSS**

BRISTOL RCO 122.2

CHATTANOOGA RCO 122.2 123.65

CROSSVILLE RCO 122.2 122.5

HINCH MOUNTAIN VORTAC 117.6T 122.1R

HOLSTON MOUNTAIN VORTAC 114.6T 122.1R

LIVINGSTON VORTAC 108.4T 122.1R

MCGHEE TYSON RCO 122.2 122.3

NASHVILLE RCO 122.1R 122.2 122.55

SHELBYVILLE VOR/DME 109.0T 122.1R

VOLUNTEER VORTAC 116.4T 122.1R

#### **RALEIGH AFSS**

BARRETTS MOUNTAIN VOR/DME 110.8T 122.1R

CHARLOTTE RCO 122.4

COFIELD VORTAC 114.6T 122.1R

ELIZABETH CITY VOR/DME 112.5T 122.05R 122.2

FAYETTEVILLE VOR/DME 108.8T 122.1R

GREENSBORO VORTAC 116.2T 122.1R 122.2 123.65

HATTERAS RCO 122.3

HICKORY RCO 122.2 122.6

KINSTON VORTAC 109.6T 122.15R

LIBERTY VORTAC 113.0T 122.1R

NEW BERN VOR/DME 113.6T 122.1R 122.2 122.4

PITT-GREENVILLE RCO 122.35

RALEIGH RCO 122.2 122.45 122.65

**ROCKY MOUNT RCO 122.2 122.3** 

SANDHILLS VORTAC 111.8T 122.1R

SNOWBIRD VORTAC 108.8T 122.1R

SUGARLOAF MOUNTAIN VORTAC 112.2T 122.1R 122.2 122.3

TAR RIVER VORTAC 117.8T 122.1R

WILKESBORO RCO 122.4

WILMINGTON VORTAC 117.0T 122.1R 122.55

#### SAINT PETERSBURG AFSS

BROOKSVILLE RCO 122.3

FORT DRUM RCO 122.2

LAKELAND VORTAC 116.0T 122.1R

MELBOURNE VOR/DME 110.0T 122.1R 122.6

ORLANDO VORTAC 112.2T 122.1R 122.2 122.65 123.65

ORMOND BEACH VORTAC 112.6T 122.1R 122.4

PUNTA GORDA RCO 122.025

ST PETERSBURG VORTAC 116.4T 122.1R 122.2 122.45 123.6

SARASOTA VORTAC 115.2T 122.1R

SEBRING RCO 122.25

TITUSVILLE RCO 123.6

VERO BEACH VORTAC 117.3T 122.1R 122.2 122.5

#### **SAN JUAN AIFSS**

BORINQUEN VORTAC 113.5T 122.1R

MAYAGUEZ VOR/DME 110.6T 122.1R

PONCE VOR/DME 109.0T 122.1R

ST CROIX VOR/DME 108.2T 122.1R

ST THOMAS VOR/DME 108.6T 123.6R

SAN JUAN RCO 126.7 123.65 122.2

#### FSD0

### FLIGHT STANDARDS DISTRICT OFFICES (FSDO)

Below is a list of FSDO's in the area of coverage of this directory. These offices serve the aviation industry and the general public on matters relating to certification and operation of general aviation aircraft. Address letters to Manager, Flight Standards District Office–Federal Aviation Administration.

#### **ALABAMA**

Liberty Park Building 1500, Suite 250 1500 Urban Center Drive Vestavia Hills, AL 35242 Telephone: 205–731–1557

#### **FLORIDA**

Ft. Lauderdale Jet Center 1050 Lee Wagener Blvd. Ft. Lauderdale, FL 33315 Telephone: 954–635–1300

5950 Hazeltine National Drive Suite 500 Orlando, FL 32822-5023 Telephone: 407-812-7700 Fax: 407-812-7710

8600 NW 36th Street Miami, FL 33166 Telephone: 305-716-3400

5601 Mariner St, Suite 310 Tampa, FL 33609 Telephone: 813–287–4900 Fax: 813–639–1551

#### **GEORGIA**

Campus Building 1701 Columbia Ave. Suite 2–110 College Park, GA 30337–2748 Telephone: 404–305–7200 Fax: 404–305–7215

#### **KENTUCKY**

1930 Bishop Lane Waterson Towers, 11th Floor Louisville, KY 40218 Telephone: 502-753-4200

#### **NORTH CAROLINA**

6433 Bryan Blvd. Greensboro, NC 27409 Telephone: 336-662-1000

3800 Arco Corporate Drive, Suite 233

Charlotte, NC 28273 Telephone: 704-319-7020

#### **PUERTO RICO**

525 F.D. Roosevelt Ave. La Torre de Plaza, Suite 901 San Juan, PR 00918 Telephone: 787-764-2538

#### **SOUTH CAROLINA**

125-B Summer Lake Drive West Columbia, SC 29170 Telephone: 803-765-5931

#### **TENNESSEE**

2 International Plaza Drive, Suite 700 Nashville, TN 37217

Telephone: 615-324-1300

2842 Business Park Drive, Bldg G Memphis, TN 38118 Telephone: 901–322–8600

# ROUTES PREFERRED IFR ROUTES

A system of preferred routes has been established to guide pilots in planning their route of flight, to minimize route changes during the operational phase of flight, and to aid in the efficient orderly management of the air traffic using federal airways. The preferred IFR routes which follow are designed to serve the needs of airspace users and to provide for a systematic flow of air traffic in the major terminal and en route flight environments. Cooperation by all pilots in filing preferred routes will result in fewer traffic delays and will better provide for efficient departure, en route and arrival air traffic service.

The following lists contain preferred IFR routes for the low altitude stratum and the high altitude stratum. The high altitude list is in two sections; the first section showing terminal to terminal routes and the second section showing single direction route segments. Also, on some high altitude routes low altitude airways are included as transition routes.

The following will explain the terms/abbreviations used in the listing:

- 1. Preferred routes beginning/ending with an airway number indicate that the airway essentially overlies the airport and flight are normally cleared directly on the airway.
- 2. Preferred IFR routes beginning/ending with a fix indicate that aircraft may be routed to/from these fixes via a Standard Instrument Departure (SID) route, radar vectors (RV), or a Standard Terminal Arrival Route (STAR).
- 3. Preferred IFR routes for major terminals selected are listed alphabetically under the name of the departure airport. Where several airports are in proximity they are listed under the principal airport and categorized as a metropolitan area; e.g., New York Metro Area.
- 4. Preferred IFR routes used in one direction only for selected segments, irrespective of point of departure or destination, are listed numerically showing the segment fixes and the direction and times effective.
  - 5. Where more than one route is listed the routes have equal priority for use.
  - 6. Official location identifiers are used in the route description for VOR/VORTAC navaids.
  - 7. Intersection names are spelled out.
- 8. Navaid radial and distance fixes (e.g., ARD201113) have been used in the route description in an expediency and intersection names will be assigned as soon as routine processing can be accomplished. Navaid radial (no distance stated) may be used to describe a route to intercept a specified airway (e.g., MIV MIV101 V39); another navaid radial (e.g., UIM UIM255 GSW081); or an intersection (e.g., GSW081 FITCH).
- 9. Where two navaids, an intersection and a navaid, a navaid and a navaid radial and distance point, or any navigable combination of these route descriptions follow in succession, the route is direct.
- 10. The effective times for the routes are in UTC. During periods of daylight saving time effective times will be one hour earlier than indicated. All states observe daylight saving time except Arizona, Puerto Rico and the Virgin Islands. Pilots planning flight between the terminals or route segments listed should file for the appropriate preferred IFR route.
  - 11. (90-170 incl) altitude flight level assignment in hundred of feet.
- 12. The notations "pressurized" and "unpressurized" for certain low altitude preferred routes to Kennedy Airport indicate the preferred route based on aircraft performance.
  - 13. High Altitude Preferred IFR Routes are in effect during the following time periods unless otherwise noted.

Sun	ე0–2259 k	ocal time.
Mon thru Fri	01-2259 ld	ocal time.
Sat	01–1459 k	ocal time.

- 14. Use current SIDs and STARSs for flight planning.
- 15. For high altitude routes, the portion of the routes contained in brackets is suggested but optional. The portion of the route outside the brackets will likely be required by the facilities involved.

#### **LOW ALTITUDE**

Terminals	Route	Effective Times (UTC)
ATLANTA METRO AREA		
Chicago Midway (MDW)	(60-170 incl) V97 NELLO V311 HCH V51 CGT	1200-0300
Chicago O'Hare (ORD)	(60-170 incl) V97 NELLO V311 HCH V51 CGT V7	
	BEBEE	1200-0300
Cincinnati (CVG)	(80-170 incl) V97 VXV V115 AZQ V339 FLM	1200-0300
CINCINNATI METRO AREA (CVG, LUK)		
Detroit/Wayne (DTW)	DQN MIZAR-STAR	1100-0300
Detroit Satellites:		
Ann Arbor (ARB)	DQN CRUXX-STAR	1100-0300
Pontiac (PTK),		
Willow Run (YIP)	DQN CRUXX-STAR	
Windsor (CYQG),		
Young (DET)	V275 KLINE VWV VWV064 LYNTN	

Terminals	Route	Times (UTC)
From COVINGTON (CVG) only	Route	(010)
Atlanta (ATL)	V97 VWV V267 HRS V463 WOMAC	1100-0300
Chicago Midway (MDW)	V128 VHP BVT V97 CGT	1100-0300
Chicago O'Hare (ORD)	V128 VHP BVT V97 CGT V7 BEBEE	1100-0300
Indianapolis (IND)	V128 VHP HYK V97	1100-0300
Knoxville (TYS) Louisville (SDF) Pittsburgh (PIT)	CVG206 IIU055 IIU(60–170 incl) V128 YRK V44 JPU V117 WISKE	1100-0300
	WISKE-STAR	1100-0300
DAYTONA BEACH Miami (MIA)	(110 and below) V3 MLB V437 PHK V267 BRIKL	1300-0300
FT LAUDERDALE METRO AREA (FLL, FXE,		
PMP) Cross City (CTY)	(at or below 50) DHP V97 LBV V157 LAL V7	1030-0300
	or (60–170) V511 LAL V7	1030-0300
Daytona Beach (DAB)	(at or below 100) PBI V3 SMYRA	1030-0300
	(110-170) V159 TBIRD MLB V3	1030-0300
Ft. Myers (FMY)(RSW)	(at or below 50) DHP V521	1030-0300
Ft. Pierce (FPR)	(at or below 100) V3 or	1030-0300
	(110–170) V159 TBIRD	1030-0300
Gainesville (GNV)	(at or below 50) DHP V97 LBV V157 or	1030-0300
	(60–170) V511 LAL V157	1030-0300
Jacksonville (JAX)	(at or below 90) PBI V3 OMN V51 CRG or	1030-0300
	(130–170) ORL V267 CRG or	1030-0300
	V159 VRB V3 OMN V51 CRG	4000 0000
Lakeland (LAL)	(at or below 50) DHP V97 LBV110 V157 or	1030-0300
	(60–170) V511	1030-0300
Melbourne (MLB)	(at or below 100) V3or	1030-0300
	(110–170) FLL V159 TBIRD	1030-0300
Ocala (OCF)	(at or below 50) DHP V97 LBV V157 or	1030-0300
	(60–170) V511 LAL V157	1030-0300
Orlando (MCO)	(at or below 100) PBI V531 ORLor	1030-0300
	(110-170) V159 TBIRD V531 ORL	1030-0300
Sarasota/Bradenton (SRQ)	(60–170) LBV V97 ROGAN or	1030-0300
	(60–170) SRQ	1030–3000
	(at or below 50) DHP V97 ROGANor	1030-0300
	(60–170) ROGAN	1030-0300
Tallahassee (TLH)	(at or below 50) DHP V97 LBV V157 LAL V7 SZW. or	1030-0300
Tampa (TPA)	(60–170) V511 LAL V7 SZW (60–170) LBV BRDGE–STAR	1030-0300 1030-0300
	or (60–170) BRDGE BRDGE–STAR	1030-0300
	or (at or below 50) DHP V97 PIE	1030-0300
	or (60, 170, CBS or DME (DME IBH oquipped)	
	(60–170, GPS or DME/DME-IRU equipped)  DEAKK DEAKK (RNAV)-STAR  or	1030-0300
	(60–170, GPS or DME/DME-IRU equipped) LBV	
	DEAKK (RNAV)-STAR	1030-0300
Vero Beach (VRB)	(at or below 100) V3	1030-0300

Terminals	Route	Effective Times (UTC)
	or (110–170) V159 TBIRD	1030-0300
FORT MYERS METRO AREA (RSW, FMY, APF, MKY, PGD)	(110-170) \$100 1000	1030-0300
Daytona Beach (DAB)	ORL	1030-0300
Ft. Lauderdale (FLL)	(RSW/FMY/PGD-prop/turbo) RSW V599or	1030-0300
	(RSW/FMY/PGD-turbo/jets) FORTL JINGL (RNAV)-STARor	1030-0300
	(APF/MKY prop/turbo) DRCT	1030-0300
	FORTL JINGL (RNAV)- STAR	1030-0300
Ft. Pierce (FPR)	V225	1030-0300
Gainesville (GNV)	V7 LAL V157	1030-0300
Jacksonville (JAX)	ORL V267 CRG	1030-0300
Lakeland (LAL)	V7 LAL	1030-0300
Melbourne (MLB)	V225 VRB	1030-0300
Miami (MIA)	V35 CURVEor	1030-0300
	(all others) CYY CYY-STARor	1030-0300
	(Turbojets-GPS or DME/DME-IRU equipped) CYY	
Orlando (MCO)	SSCOT (RNAV)-STAR(Jets) LAL ORLor	1030-0300
	(Turbo/Props) ORL	1030-0300
	(Jets) LAL MINEE-STAR	1030-0300
	(Jets) DOWNN MINEE-STAR	1030-0300
Ocala (OCF)	(Turbo/Props) DOWNN MINEE-STAR V7 LAL V157	1030-0300 1030-0300
Tallahassee (TLH)	V7 SZW	1030-0300
Tampa (TPA)	(at or below 100) V35 PIEor	1030-0300
	or	1030-0300
	(GPS or DME/DME-IRU equipped) DEAKK (RNAV)-STAR	1030-0300
Vero Beach (VRB)	V225	1030-0300
GAINESVILLE (GNV)		
Ft. Lauderdale (FLL)	(100 and below) V157 NEWER	0000-2359
Ft. Myers (FMY)	(100 and below) V157 LAL V521	0000-2359
Miami (MIA)	(100 and below) V157 LBV V529 V35 CURVE	0000-2359
Orlando (ORL)	(100 and below) V157 OCF V159(100 and below) V157 LAL	1100-0400
Sarasota/Bradenton (SRQ) Tampa (TPA)	(100 and below) V157 LAL	0000-2359 0000-2359
JACKSONVILLE METRO AREA (JAX)	(100 and below) V137 OCT V361 DADE3	0000-2339
Miami (MIA)	(100 and below) V3 MLB V437 PHK V267 BRIKL	1300-0300
Tampa (TPA)	(100 and below) OCF V581 DADES or	0000–2359
	(100 and below, GPS or DME/DME-IRU	0000 0050
KEY WEST METRO AREA (NQX)	equipped) OCF V581 DADES (RNAV)-STAR	0000–2359
Daytona Beach (DAB)	RSW ORL	1030-0300
Ft Myers (RSW)	EYW V539 GOODY	1030-0300
Fort Lauderdale (FLL)	(props) EYW V157 DHP	
	(jets-all others) EYW DVALL-STAR or	1030-0300
	(jets-/E,/G,/R,/J,/L,/Q) EYW CURSO	1000
	(RNAV)-STAR	1030-0300

		Times
Terminals	Route	(UTC)
Melbourne (MLB)	EYW PHK	1030-0300
Miami (MIA)	(props) EYW V157	
	(Jets-all others) EYW DVALL-STAR	1030-0300
	(Jets-/E,/G,/R,/J,/L,/Q) EYW CURSO	
	(RNAV)-STAR	1030-0300
Orlando (MCO)	(props) EYW V225 RSW MINEE-STAR or	
D 1 D 1 (DD))	(Jets) EYW V225 RSW LAL MINEE-STAR	1030-0300
Palm Beach (PBI)	(at or below 100) EYW V225 RSW V35 MURDO	1030-0300 1030-0300
	or (110–170) EYW V225 RSW V7 ROGAN	
Tallahassee (TLH)	EYW V225 RSW V7 SZW	1030-0300
Tampa (TPA)	(at or below 100) EYW V225 RSW V35 PIE or	
	(110-170) EYW V225 RSW V7 ROGAN	
	BRDGE-STARor	1030-0300
	(110-170, GPS or DME/DME-IRU equipped) EYW	
	V225	
	RSW V7 ROGAN DEAKK (RNAV)-STAR	1030-0300
Vero Beach (VRB)	EYW PHK V51	1030-0300
LAKELAND METRO AREA (LAL, GIF, BOW,		
BKV, X16)		4000 0000
Ft Lauderdale (FLL)	(Jets only–all others) V7 RSW FORTL–STAR	1030-0300 1030-0300
Ft Pierce (FPR)	V521(at or below 140) V441 DEARY V159	1030-0300
1 (1 10100 (11 11)	or	1000 0000
	(150–170) VRB	1030-0300
Key West (EYW)	V7 RSW V225	1030-0300
Miami (MIA)	(100 and below) V157 LBV V529 V35 CURVE	
	or (all others) CYY CYY-STARor	1030-0300
	(Turbojets-GPS or DME/DME-IRU equipped) CYY	
	SSCOT (RNAV)-STAR	
Opa Locka (OPF)	(props/turbo) V511 NEWERor	
	(Turbojets-GPS or DME/DME-IRU equipped) RSW	
	CYY SSCOT (RNAV)-STAR	
Vero Beach (VRB)	(at or below 140) V441 DEARY V159 or	1030-0300
West Palm Beach (PBI)	(150–170) VRB PHK	1030-0300 1030-0300
LEXINGTON (LEX)	FIIN	1030-0300
Atlanta (ATL)	HYK V53 AZQ SOT WHINZ-STAR	
LOUISVILLE		
Kansas City (MKC)	V4 PXV V190 SGF TYGER–STAR	0000-2359
Wichita (ICT)  MEMPHIS	V4 PXV V190 SGF V132 CNU V350	0000–2359
Chicago Midway (MDW)	SPI MOTIF-STAR	0000-2359
Chicago O'Hare (ORD)	MAW V313 PNT V227 PLANO	1100-0300
	or PNT V227 PLANO	0000 2250
MIAMI METRO AREA (MIA, HWO, OPF,	FINI VZZI PLANU	0000–2359
TMB, HST, X51)		
Cross City (CTY)	V97 LBV V157 LAL V7	1030-0300
	or	
	LAL	1030-0300

Terminals Daytona Beach (DAB)	<b>Route</b> (at or below 100) PBI V3 SMYRA	Effective Times (UTC) 1030-0300
Daytona Beach (DAB)	or	1030-0300
Ft Pierce (FPR)	(110–170) V437 MLB V3	1030-0300 1030-0300
	(110–170) V267 PHK V51 VRBor	1030-0300
Gainesville (GNV)	FPR	1030-0300
Jacksonville (JAX)	(at or below 90) PBI V3 OMN V51 CRG	1030-0300 1030-0300
	(at 110) PHK V437 MLB V3 OMN V51 CRG or	1030-0300
	(130-170) V267 CRG	1030-0300
Lakeland (LAL)	V97 LBV V157 LALor	1030-0300
	LAL	1030-0300
Melbourne (MLB)	(at or below 100) V3or	1030-0300
	(120-170) PBI V531 TBIRD	1030-0300
New Orleans (MSY)	(below FL180) LBV SRQ AM	1100-0300
Ocala (OCF)	DHP V97 LBV V157or	1030-0300
Orlando (MCO)	LAL	1030-0300
Overwater Routes to the Northeast	(110–170) V267 PHK GOOFY–STAR PERMT ILM or PERMT DIW	1030-0300
Sarasota/Bradenton (SRQ)	V97 ROGAN	1030-0300
Tallahassee (TLH)	DHP V97 LBV V157 LAL V7 SZW	1030-0300
Tampa (TPA)	V97 LBV BRDGE-STARor	1030-0300
	(GPS or DME/DME-IRU equipped) V97 LBV	1020 0200
Vero Beach (VRB)	DEAKK(at or below 100) PBI V3	1030-0300 1030-0300
vero Deden (VID)	or	
	(110–170) V267 PHK V51or	1030-0300
NASHVILLE	(110–170) VRB	1030-0300
Tallahassee (TLH)	RQZ TDG TGE RRS	1100-2300
DRLANDO METRO AREA (MCO, ORL, ISM, LEE, SFB)	.,42 .32 .32	1100 2000
Ft Lauderdale (FLL)	(at or below 100) PHK V267 BRIKL or	1030-0300
	(110-170) PHK V267 BRIKL	1030-0300
Ft Pierce (FPR)	V159 VRB	1030-0300
Key West (EYW) Miami (MIA)	RSW V225(at or below 100) PHK V267 BRIKL	1030-0300 1030-0300
West Palm Beach (PBI)	(props/turbo props) V159 VRB V295 STOOP V492	1030-0300
	or (Jets only) PHK	1030-0300
	or (Turbojets-GPS or DME/DME-IRU equipped) DEARY VRB FRWAY (RNAV)-STAR	
PALM BEACH METRO AREA (PBI, BCT,		
LNA, UTX, SUA) Cross City (CTY)	(at or below 140) V531 BAIRN OCF V159	
	or (150–170) LAL V7	1030-0300

	_	Effective Times
Terminals	Route	(UTC)
Daytona Beach (DAB)	V3 SMYRA	1030-0300
	or V531 TBIRD MLB V3 SMYRA	1030-0300
Ft. Myers (RSW)	RSW	1030-0300
Jacksonville (JAX)	(at or below 110) V3 VRB V51 CRG or	
	(130-170) ORL V267 CRG	1030-0300
Lakeland (LAL)	LBV V157	1030-0300
	Or (SUA Dop) I AI	
Melbourne (MLB)	(SUA Dep) LAL	
Weibourie (WED)	or	
	(120–170) PBI V531 TBIRD	1030-0300
Ocala (OCF)	(at or below 140) V531 BAIRN OCF	
	or	
	(150-170) LAL OCF	
Orlando (ORL/MCO)	V531 BAIRN GOOFY-STAR	1030-0300
Overwater Routes to the Northeast	A699 STIFF AR7	
Sarasota/Bradenton (SRQ)	LBV V97 ROGANor	
	(SUA Dep) SRQ	
Tallahassee (TLH)	(at or below 140) V531 BAIRN OCF V159 CTY V7	
Tanana5555 (1211)	SZW	
	or	
	(150–170) LAL V7 SZW	1030-0300
Tampa (TPA)	LBV BRDGE-STAR	
	or	
	BRDGE BRDGE-STAR	1030-0300
	OF	
	(GPS or DME/DME-IRU equipped) DEAKK DEAKK	1000-0300
	(RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) LBV DEAKK	
	(RNAV)-STAR	1000-0300
Vero Beach (VRB)	(at or below 100) PBI V3	
	or	
	(110-170) V531 TBIRD	1030-0300
From STUART (SUA) only:		
Cross City (CTY)	(at or below 120) BAIRN OCF V159	
	or (130, 170) LAL V7	1030-0300
Lakeland (LAL)	(130–170) LAL V7 TBIRD V531 ODDEL V441 LAL	1030-0300
Ocala (OCF)	TBIRD V531 BAIRN	1030-0300
Tallahassee (TLH)	(at or below 120) BAIRN OCF V159 CTY V7 SZW	
	or	
	(130-170) LAL V7 SZW	1030-0300
SARASOTA/BRADENTON AREA (SRQ)		
Ft Lauderdale (FLL)	(at or below 100, below 210 kts) RSW V599	
,	NEWER	
	or	
	(110-170), below 210 kts) LBV V157 NEWER	
	or	
	(at or above 210 kts) V579 RSW V7 KUBIC	
	Or (all others) DSW FORTL STAR	1030-0300
	(all others) RSW FORTL–STAR	1030-0300
	(/E, /G, /R, /J, /L, /Q) RSW SWAGS	
	(RNAV)-STAR	
Ft Myers (RSW)	V579 RSW	1030-0300
Orlando (MCO)	LAL MINEE-STAR	1030-0300
West Palm Beach (PBI)	SABEE JOOOE WLACE (RNAV)-STAR	
TALLAHASSEE AND CROSS CITY AREA	/400	4400 05
Ft Myers (FMY)	(120 and below) CTY V7 LAL V521(170 and below) LAL V157 LBV V529 V35 CURVE	1100-0300 1300-0300
Miami (MIA)	(110 alla Delow) LAL VIST LDV VOZO VOO CURVE	1300-0300

Terminals TAMPA/ST PETERSBURG METRO AREA (TPA, SPG, PIE, TPF)	Route	Effective Times (UTC)
Ft Lauderdale (FLL)	(Jets only) RSW V7 KUBIC FLL	
rt Lauderdale (FLL)	or	
	(all others) RSW FORTL-STAR	
	(Turboprop-all others) RSW FORTL-STAR or	1030-0300
	(props only) V509 HALLR V511 NEWER or	1030-0300
	(GPS or DME/DME-IRU equipped) SABEE RXXAN JINGL (RNAV)-STAR	
Ft Myers (RSW)	PIE V579 RSW	
	(Turbojets-GPS or DME/DME-IRU equipped) SRQ	
	TYNEE (RNAV)-STAR	
Ft Pierce (FPR)	(at or below 140) V441 DEARY V159	
	or	
	(150-170) VRB	1030-0300
Key West (EYW)	PIE V35 RSW V225	
	or	
	V579 RSW V225	1030-0300
Miami (MIA)	RSW V35 CURVEor	1030-0300
	(all others) CYY CYY-STAR	1030-0300
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) CYY	
	SSCOT (RNAV)-STAR	
Opa Locka (OPF)	(props) V509 HALLR V511 NEWER or	
	(turbo) RSW V7 KUBICor	
	(turbo) V509 HALLR V511 NEWERor	1030-0300
	(jets) RSW CYY CYY-STAR	1030-0300
	(Turbojets-GPS or DME/DME-IRU equipped) RSW CYY SSCOT (RNAV)-STAR	
Orlando (MCO)	LAL MINEE-STAR (Max alt. 12,000 ft)	1030-0300
Vero Beach (VRB)	(at or below 140) V441 DEARY V159	
	(150–170) VRB	1030-0300
West Palm Beach (PBI)	RSW PHK	
• •	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	SABEE JOOOE WLACE (RNAV)-STAR	

NORTHEAST

Traffic entering ZTL airspace V97 and East to V66 file:

#### PREFERRED IFR ROUTES

#### SPECIAL LOW ALTITUDE ARRIVAL ROUTES FOR ATLANTA TERMINAL AREA (JETS AND TURBOPROPS)

VXV AWSON-STAR......SOT ODF AWSON-STAR.....

	SUG ODF AWSON-STAR	
	SPA ODF AWSON-STAR	
	ELW ODF AWSON-STAR	
SOUTHEAST		
Traffic entering ZTL airspace South of V66 to	East of a line from ATL to MGR file:	
	IRQ TRBOW-STAR	
	DBN TRBOW-STAR	
	MCN TRBOW-STAR	
SOUTHWEST		
Traffic entering ZTL airspace South of V278 to	West of a line from ATL to MGR file:	
	LDK V66 LGC MIKEE-STAR	
	MEI V56 MGM LGC MIKEE-STAR	
	MVC MGM LGC MIKEE-STAR	
	CEW MGM LGC MIKEE-STAR	
	SZW PZD CSG LGC MIKEE-STAR	
NORTHWEST		
Traffic entering ZTL airspace on V278 and No	rth to West of V97 file:	
	IGB V278 VUZ V417 MAYES V325 DALAS	
	HAB V159 VUZ V417 MAYES V325 DALAS	
	MSL V325 DALAS	
	DCU V541 GAD V325 DALAS	
	RQZ BUNNI-STAR	
	BNA V5 GQO BUNNI-STAR	
	SYI V67 GQO BUNNI–STAR	
	BWG V243 GQO BUNNI-STAR	
	LVT V51 HCH V333 GQO BUNNI-STAR	
	HYK V333 GQO BUNNI-STARALTITUDE DIRECTIONAL ROUTES	Effective
	HYK V333 GQO BUNNI-STARALTITUDE DIRECTIONAL ROUTES	Effective Times (UTC)
	HYK V333 GQO BUNNI-STAR  ALTITUDE DIRECTIONAL ROUTES  Route	
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th	HYK V333 GQO BUNNI-STAR  ALTITUDE DIRECTIONAL ROUTES  Route	Times (UTC)
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th	ALTITUDE DIRECTIONAL ROUTES  Route e Charlotte Metro Area:	Times (UTC) 1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th	Route e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only)	Times (UTC) 1100-0300 1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th	Route e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only)	Times (UTC) 1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying the	Route e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only)  ffic overflying Atlanta Metro Area:	Times (UTC)  1100-0300 1100-0300 1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra	Route e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only)  ffic overflying Atlanta Metro Area: RMG V154 MCN (70 MSL)	Times (UTC)  1100-0300 1100-0300 1100-0300 1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra	Route e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only)  ffic overflying Atlanta Metro Area:	Times (UTC)  1100-0300 1100-0300 1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th	Route e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only)  ffic overflying Atlanta Metro Area: RMG V154 MCN (70 MSL)	Times (UTC)  1100-0300 1100-0300 1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra	Route  e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only)  ffic overflying Atlanta Metro Area: RMG V154 MCN (70 MSL)	Times (UTC)  1100-0300 1100-0300 1100-0300 1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra	Route  e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only)  ffic overflying Atlanta Metro Area: RMG V154 MCN (70 MSL)	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying the state of the state	Route  e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only)  ffic overflying Atlanta Metro Area: RMG V154 MCN (70 MSL)	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound	Route  Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only)  ffic overflying Atlanta Metro Area: RMG V154 MCN (70 MSL)	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound  Northbound	Route  Charlotte Metro Area: PSK V37 CAE (90 and 100 only) GRD V66 SDZ (30–100 only)  MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound	Route e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL) MCN LOGEN NELLO (70 MSL, RNAV) HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-0300 1100-0300 1100-0300 1100-0300  Effective Times (UTC)
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound  Northbound  Terminals  ATLANTA (ATL)  Austin (AUS)  Baltimore (BWI)	Route e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK EAONE SPA J14 RIC OTT–STAR	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound	Route  Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)  1100-0300  1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound  Northbound  Terminals  ATLANTA (ATL)  Austin (AUS)  Baltimore (BWI)  Boca Raton (BCT)	Route  Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-0300 1100-0300 1100-0300 1100-0300  Effective Times (UTC)
SPECIAL LOW  Low Altitude IFR routes for traffic overflying the state of the state	Route  e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MICO Verflying Atlanta Metro Area: RMG V154 MCN (70 MSL) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)  1100-0300  1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound  Northbound  Terminals  ATLANTA (ATL)  Austin (AUS)  Baltimore (BWI)  Boca Raton (BCT)  Boston (BOS)	Route  e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)  1100-0300  1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound	Route  e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MICO Verflying Atlanta Metro Area: RMG V154 MCN (70 MSL) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)  1100-0300  1100-0300  1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound  Northbound  Terminals  ATLANTA (ATL)  Austin (AUS)  Baltimore (BWI)  Boca Raton (BCT)  Boston (BOS)	Route  e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)  1100-0300  1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound  Northbound  Terminals  ATLANTA (ATL)  Austin (AUS)  Baltimore (BWI)  Boca Raton (BCT)  Boston (BOS)	Route  Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK EAONE SPA J14 RIC OTT–STAR (GPS or DME/DME-IRU equipped) BRAVS (RNAV)-DP WALET OTK PRRIE (RNAV)—STAR EATWO GRD J209 RDU J207 FKN J79 JFK ORW–STAR (/E/G/R/S/L/Q only) NOONE J89 IIU OKK FISSK	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)  1100-0300  1100-0300  1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound  Northbound  Terminals  ATLANTA (ATL)  Austin (AUS)  Baltimore (BWI)  Boca Raton (BCT)  Boston (BOS)	Route  Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)  1100-0300  1100-0300  1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound  Northbound  Terminals  ATLANTA (ATL)  Austin (AUS)  Baltimore (BWI)  Boca Raton (BCT)  Boston (BOS)	Route  e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)  1100-0300  1100-0300
SPECIAL LOW  SPECIAL LOW  Low Altitude IFR routes for traffic overflying the second se	Route  Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)  1100-0300  1100-0300  1100-0300
SPECIAL LOW  SPECIAL LOW  Low Altitude IFR routes for traffic overflying the second se	Route  e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-0300  1100-0300  1100-0300  1100-0300  Effective Times (UTC)  1100-0300  1100-0300  1100-0300
SPECIAL LOW  Low Altitude IFR routes for traffic overflying th  Low Altitude IFR single-direction routes for tra  Southbound  Northbound  Terminals  ATLANTA (ATL)  Austin (AUS)  Baltimore (BWI)  Boca Raton (BCT)  Boston (BOS)	Route  e Charlotte Metro Area: PSK V37 CAE (90 and 100 only) SPA V54 LOCAS (90 and 100 only) GRD V66 SDZ (30–100 only) MCN LOGEN NELLO (70 MSL) MCN LOGEN NELLO (70 MSL, RNAV)  HIGH ALTITUDE  Route  WEONE J239 MEI AEX LFK	Times (UTC)  1100-030  1100-030  1100-030  1100-030  Effective Times (UTC)  1100-030  1100-030  1100-030

Terminals Chicago O'Hare (ORD)	<b>Route</b> (non-Advanced RNAV only) CADIT GLAZR HOPAP	Effective Times (UTC)
	VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR	1100-0300
	or (/E/G/R/J/L/Q only) CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR or	1100-0300
Cincinnati (CVG)	J89 IIU MZZ OXI	1100-0300 1100-0300
Columbus (CMH)	NOTWO J43 VXV J91 HNN BREMN-STAR WETWO VUZ J41 MEM RZC PER GCK J154 RYLIE	1100-0300
Detroit/Wayne (DTW)Fort Lauderdale (FLL)	DANDD-STARSUMMT (RNAV)-DP VXV J91 HNN WEEDA-STAR SOONE J89 HITTR PIE FORTL-STAR	1100-0300 1100-0300
Fort Myers (FMY and RSW)	or (GPS or DME/DME-IRU equipped) BRAVS (RNAV)-DP WALET OTK JINGL (RNAV)-STAR (Turbojets-GPS or DME/DME-IRU equipped)	1100-0300
Gainesville (GNV)	THRSR (RNAV)-DP LUCKK SZW TYNEE (RNAV)-STARSOONE J89 OTK	1100-0300 1100-0300
Houston (HOU)	(DME/DME-IRU or GPS-equipped) JAMMR AEX ROKIT (RNAV)-STAR or (Non-advanced NAV only) JAMMR MEI AEX DAS-STAR	
Houston (IAH)	(Turbojets-DME/DME-IRU or GPS-equipped)  JAMMR AEX TXMEX (RNAV)-STAR	
Kennedy (JFK) La Guardia (LGA) Louisville (SDF) Marco Island (MKY)	EATWO GRD J209 ORF J121 SIE CAMRN-STAR EAONE AHN J208 HPW J191 PXT KORRY-STAR NOONE HCH DARBY-STAR SOTWO J43 SZW PIKKR (RNAV)-STAR or	1100-0300 1100-0300 1100-0300
Miami (MIA)	SOONE J89 J75 TEPEE ZEILR-STAR	1100-0300
Minneapolis (MSP)	(RNAV)-DP LUCKK SZW SSCOT (RNAV)-STAR NOONE J89 IIU J89 BAE EAU-STAR SOTWO J43 SZW PIKKR (RNAV)-STAR	1100-0300 1100-0300
Newark (EWR)	GSO J14 J51 FAK DYLIN-STARor  (GPS or DME/DME-IRU equipped) GSO J14 J51	1100-0200
Orlando (MCO)	FAK PHLBO (RNAV)-STAR SOONE J89 OTK LEESE-STAR or	1100-0200 1100-0300
Orlando (ORL)	(GPS or DME/DME-IRU equipped) SOONE J89 OTK PIGLT (RNAV)-STAR(GPS or DME/DME-IRU equipped) SOONE J89	1100-0400
Philadelphia (PHL) Raleigh-Durham (RDU) Sarasota/Bradenton (SRQ) Tampa (TPA)	OTK PIGLT (RNAV)-STAR  EAONE SPA J14 J51 FAK DPNT-STAR  EATWO IRQ CAE BUZZY-STAR  J43 SZW CLAMP-STAR  SOTWO J43 SZW DARBS-STAR	1100-0400 1100-0300 1100-0300 1100-0300 1100-0300
Teterboro (TEB)	(GPS or DME/DME-IRU equipped) SOTWO J43 SZW FOXXX (RNAV)-STAR(Advanced Nav Only) EAONE SPA J14 J51 FAK	1100-0300
	JAIKE-STAR or (Non-Advanced Nav Only) EAONE SPA J14 J51 FAK BRV AML J227 J49 J70 LVZ LVZ-STAR	1100-0300

Terminals Washington Natl (DCA)	<b>Route</b> (GPS or DME/DME-IRU equipped) EAONE SPA	Times (UTC)
naomigion nati (507)	J14 RIC OJAAY (RNAV)–STAR	1100-0300
West Palm Beach (PBI)	EAONE SPA J14 RIC IRONS-STAR(Turbojets-GPS or DME/DME-IRU equipped) BRAVS (RNAV)-DP WALET OTK WLACE	4400 0000
Windsor Locks (BDL)	(RNAV)-STAR EATWO GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR	1100-0300 1100-0300
AUGUSTA (AGS) Kennedy (JFK)BIRMINGHAM (BHM)	GRD J209 ORF J121 SIE CAMRN-STAR	1100-0300
Baltimore (BWI)	OT (CRS or DMF (DMF IRIL oppinged) ATL 144 RIG	
Chicago Midway (MDW)	(GPS or DME/DME-IRU equipped) ATL J14 RIC RAVNN (RNAV)-STAR(/E/G/R/J/L/Q only) VUZ IIU OKK FISSK (RNAV)-STAR	1100-0300
	or (non-advanced RNAV only) VUZ IIU OKK V285	
Chicago O'Hare (ORD)	CLEFT OXI CGT	1100-0300 0000-2359
Houston (HOU)	BNA CCT VHP FWA MIZAR-STAR(DME/DME-IRU or GPS-equipped) MEI AEX ROKIT (RNAV)-STAR	
Houston (IAH)	(Non-advanced NAV only) MEI AEX DAS-STAR (Turbojets-DME/DME-IRU or GPS-equipped) MEI AEX TXMEX (RNAV)-STAR	
Washington Dulles (IAD)	(Non-advanced NAV only) MEI AEX DAS-STAR ATL J14 J51 FAK COATT-STAR ATL J14 RIC IRONS-STAR	
CHARLESTON (CHS)	(GPS or DME/DME-IRU equipped) ATL J014 RIC OJAAY (RNAV)-STAR	
Baltimore (BWI)	J79 TYI J40 RIC OTT-STAR or	1100-0400
Detroit/Wayne (DTW)Houston (HOU)	(GPS or DME/DME-IRU equipped) J79 TYI J40 RIC RAVNN (RNAV)-STAR BKW GEMNI-STAR (GPS or DME/DME-IRU equiped) MGM J37 SJI	1100-0400
	or (Non-advanced NAV only) MGM J37 SJI AEX	
Houston (IAH)	DAS-STAR(DME/DME-IRU or GPS-equipped) MGM 137 SJI WOLDE (RNAV)-STAR	
	or (Non-advanced NAV only) MGM J37 SJI AEX DAS-STAR	
Philadelphia (PHL)	J121 SWL SWL034 RADDS VCN-STAR J55 FLO J207 RDU FAK COATT-STAR or	1100-0400
OUADI OTTE (OLT)	(GPS or DME/DME-IRU equipped) J55 FLO J207 RDU FAK BARIN-STAR	
CHARLOTTE (CLT) Baltimore (BWI)	MERIL RDU J52 RIC OTT-STAR	1100-0300
Poston (POS)	(GPS or DME/DME-IRU equipped) MERIL RDU  J52 RIC RAVNN (RNAV)-STAR  MERIL RDU J207 FKN J79 JFK ORW-STAR	1100-0300
Boston (BOS) Chicago Midway (MDW)	SADIE HNN FWA GOSHEN-STAR	1100-0300

Terminals	Route	Effective Times (UTC)
Torrinials	or	(0.0)
Chicago O'Hare (ORD)	SADIE HVQ APE J178 FWA GOSHEN-STAR (/E/G/R/J/L/Q only) SADIE FLM HEVAN MZZ	1100-0300
emeage e naie (enz)	ROYKO (RNAV)-STAR	1100-0300
Cincinnati (CVG)	or (non-advanced RNAV only) SADIE FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR(RNAV only) HMV JAKIE (RNAV)-STAR	1100-0300
Denver (DEN)	(all others) HMV HARDU-STARHARAY SPA SPA270 VXV125 VXV BNA FAM J112	
Detroit/Wayne (DTW)	BUM J110 GCK J154 RYLIE DANDD-STAR HUGO-DP ROBAY BKW GEMNI-STAR(DME/DME-IRU or GPS-equipped) AHN MGM J37 SJI WOLDE (RNAV)-STAR	1100-0300
	(DME/DME-IRU or GPS-equipped) AHN ATL J14 VUZ AEX ROKIT (RNAV)-STARor	
	(Non-advanced NAV only) AHN ATL J14 VUZ AEX DAS-STAR or	
	(DME/DME-IRU or GPS equipped) AHN MGM J37 SJI Columbia (RNAV)-STAR	
Houston (IAH)	(Turbojets-DME/DME-IRU or GPS-equipped) AHN ATL J14 VUZ AEX TXMEX (RNAV)-STAR	
	(Non-advanced NAV only) AHN ATL J14 VUZ AEX DAS-STAR	
Kennedy (JFK)	MERIL RDU J209 ORF J121 SIE CAMRN-STAR	4400 0300
La Guardia (LGA) Louisville (LOU)	MERIL RDU J55 HPW J191 PXT KORRY-STAR SADIE LOZ V310 IIU	1100-0300 1100-0300
Newark (EWR)	RDU FAK DYLIN-STARor	1100-0300
	(GPS or DME/DME-IRU equipped) RDU FAK PHLBO (RNAV)-STAR	1100-0300
Norfolk (ORF)	MERIL RDU TYI CVI V1 DRONE	1100-0300
Philadelphia (PHL)	MERIL RDU248 J51 FAK DPNT-STAR	1100-0400
Richmond (RIC)	MERIL RDU LVL (Advanced Nav Only) MERIL RDU FAK JAIKE-STAR or	1100-0300
	(Non-Advanced Nav Only) MERIL RDU FAK BRV	
Washington Dulles (IAD)	AML J227 J49 J70 LVZ LVZ-STAR MERIL RDU248 J51 FAK COATT-STAR	1100-0300 1100-0300
Washington Natl (DCA)	MERIL RDU J52 RIC IRONS-STAR	1100-0300
	(GPS or DME/DME-IRU equipped) MERIL RDU J52 OJAAY (RNAV)-STAR	
Windsor Locks (BDL)	MERIL RDU J207 FKN J79 JFK DPK DPK-STAR	
CHATTANOOGA (CHA)		
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)—STAR or	0000–2359
	(non-advanced RNAV only) GLAZR HOPAP VOSTK	0000 0050
CINCINNATI (CVG)	HEVAN MZZ MZZ344/33 OXI KNOX-STAR	0000–2359
Albany (ALB)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB	
Allentown (ABE)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY JST HAR	
Atlanta (ATL)	(RNAV only) BLUEGRASS-DP BWG ERLIN (RNAV)-STAR	
Baltimore (BWI)	or (all others) BLUEGRASS-DP BWG ROME-STAR V128 YRK HVQ J8 CSN OTT-STAR	
	or	

Terminals	Route	Times (UTC)
	(GPS or DME/DME-IRU equipped) V128 YRK HVQ	(/
	J8 CSN RAVNN (RNAV)-STAR	
Birmingham (BHM) Boca Raton (BCT)	BLUEGRASS-DP TRFWA LVT SYI VUZ(GPS or DME/DME-IRU equipped)	
Boca Raton (BCT)	BLUEGRASS-DP TRFWA NOTWO WALET HITTR	
	LATHY PRRIE (RNAV)-STAR	
	or	
	(GPS or DME/DME-IRU equiped) BLUEGRASS-DP	
Boston (BOS)	HYK VXV J43 ATL J89 OTK PRRIE (RNAV)-STAR.	
Boston (BOS)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB HNK ALB GDM GARDNER-STAR	
Chicago O'Hare (ORD)	(Advanced NAV only) MIE MZZR ROYKO	
	(RNAV)-STAR	
	Or	
	(Non-Advance Nav only) DQN FWA KNOX-STAR or	
	DQN FWA WATSN (RNAV)-STAR	
Dallas/Ft. Worth (DFW)	IIU PXV J131 LIT BYP	
Fort Lauderdale (FLL)	(GPS or DME/DME-IRU equipped)	
	BLUEGRASS-DP TRFWA NOTWO OTK JINGL (RNAV)-STAR	
	or	
	(all others) BLUEGRASS-DP HYK VXV J43 ATL J89	
5	HITTR J75 FORTL-STAR	
Fort Myers (FMY)	(Turbojets-GPS or DME/DME-IRU equipped) HYK VXV J43 SZW TYNEE (RNAV)-STAR	
Fort Myers (RSW)	(GPS or DME/DME–IRU equipped) HYK VXV J43	
, , , , ,	SZW TYNEE (RNAV)-STAR	1100-0300
Harrisburg (MDT)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
Houston (HOII)	AHTIY JST HAR	
Houston (HOU)	(GPS or DME/DME-IRU equiped) LIT J180 SWB ROKIT (RNAV)-STAR	
	or	
	(Non-advanced NAV only) LIT J180 SWB	
Haveten (IAH)	DAS-STAR	
Houston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) LIT J180 SWB TXMEX (RNAV)-STAR	
	or	
	(Non-advanced NAV only) LIT J180 SWB	
Landan and CLAND	DAS-STAR	
Jackson (JAN) La Guardia (LGA)	BLUEGRASS-DP TRFWA LVT SYI VUZ JAN (RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
24 444.41 (24.1)	AHTIY PSB MILTON-STAR	1000-1800
Manchester (MHT)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
Maran Jaland (MI/O/)	AHTIY PSB ALB EEN	
Marco Island (MKY) Miami (MIA)	HYK VXV J43 SZW PIKKR (RNAV)-STAR (Turbojets-GPS or DME/DME-IRU equipped)	
	BLUEGRASS-DP TRFWA NOTWO SZW SSCOT	
	(RNAV)-STAR	
	Or	
	(all others) BLUEGRASS-DP HYK VXV J43 ATL SZW J43 PIE CYY-STAR	
Mobile (MOB)	BLUEGRASS-DP TRFWA LVT SYI VUZ SJI	
Naples (APF)	HYK VXV J43 SZW PIKKR (RNAV)-STAR	
Newark (EWR) Newburgh (SWF)	ROD J29 J584 SLT FQM-STAR(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
Hombulgii (SWI )	AHTIY PSB J49 HNK DNY V483 FILPS	
New Orleans (MSY)	BLUEGRASS-DP TRFWA LVT SYI VUZ J22 MEI	
	RYTHM-STAR	4406
Orlando Executive (ORL)	HYK VXV J99 IRQ J85 AMG LEESE-STAR	1100-0300
	(GPS or DME/DME-IRU equipped) HYK VXV J99	
	IRQ J85 AMG SHEMP MTATA PIGLT	
	(RNAV)-STAR	1100-0400
Orlando Intl (MCO)	HYK VXV J99 IRQ J85 AMG LEESE-STAR	1100-0300

or

		Effective
Terminals	Pouto	Times
Terminais	Route  (GBS or DME /DME IBIL oquipped) HVK VVV 100	(UTC)
	(GPS or DME/DME-IRU equipped) HYK VXV J99 IRQ J85 AMG BUGGZ (RNAV)-STAR	1100-0400
Philadelphia (PHL)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY JST BUNTS-STAR	1100-0400
Phoenix (PHX)	FAM J78 ABQ J18	
	FAM J78 IRW J74 SJN J18	
Portland (PWM)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 ALB ENE	
Providence (PVD)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 HNK TEDDY-STAR	
Sarasota/Bradenton (SRQ)	HYK VXV J43 SZW CLAMP-STAR	
Tampa (TPA)	HYK VXV J43 SZW DARBS-STAR or	
	(GPS or DME/DME-IRU equipped) HYK VXV J43	
Washington Dulles (IAD)	SZW FOXXX (RNAV)-STAR V128 YRK HVQ ROYIL-STAR	
	or V128 YRK HVQ SHANON (RNAV)-STAR	
Washington Natl (DCA)	V128 YRK HVQ WZRRD-STAR	
	V128 YRK HVQ ELDEE (RNAV)-STAR	
West Palm Beach (PBI)	(GPS or DME/DME-IRU equipped)	
	BLUEGRASS-DP TRFWA NOTWO OTK WLACE or	
	(GPS or DME/DME-IRU equipped)	
	BLUEGRASS-DP HYK VXV J43 ATL J89 OTK	
Miller Berne (Occupation (AVD)	WLACE	
Wilkes Barre/Scranton (AVP)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
Windsor Locks (BDL)	ANTIY PSB LVZ(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
	AHTIY PSB RKA SWEDE SWEDE-STAR	
DAYTONA BEACH (DAB)		
Charlotte (CLT)	CRG J51 SAV J207 FLO CTF-STARor	
	(Turbojets-GPS or DME/DME-IRU equipped) CRG	
FORT LAUDERDALE METRO AREA	J51 SAV HUSTN (RNAV)-STAR	
(FLL, FXE, PMP)		
Albany (ALB)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE	
	V487 CANAN V130	
Atlanta (ATL)	J20 ORL J81 CHESN SINCA-STARor	1000-0300
	(RNAV only) J20 ORL J81 CHESN CANUK (RNAV) -STAR	1000-0300
Baltimore (BWI)	(at or below 310) J20 ORL J53 CRG J51 SAV J55	1000 0000
	CHS J165 RIC OTT-STAR	1000-0300
	(Water-Turbojets) ZAPPA PERMT AR16 ILM J40 RIC OTT-STAR	1000-0300
	Or (at an above 220) 1442 ODC 154 CAV 155 OUC	
	(at or above 330) J113 CRG J51 SAV J55 CHS J165 RIC OTT-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) (at or below	
	310) J20 ORL J53 CRG J51 SAV J55 CHS J165	
	RIC RAVNN (RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) (at or above	
	330) J113 CRG J151 SAV J55 CHS J165 RIC	
	RAVNN (RNAV)-STARor	1000-0300
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) ZAPPA PERMT AR16 ILM J40 RIC	4000
	RAVNN (RNAV)-STAR	1000-0300

414

		Effective
Terminals	Route	Times (UTC)
Bedford (BED)	(Water–Turbojets) ZAPPA PERMT AR16 ILM	(010)
Bedioid (BEB)	KEMPR SBY J79 JFK DPK MAD HFD	
	GRAYM-STAR	
	or	
	(Water-Turbojets) (Alternate) ZAPPA WOLFO AR18	
	DIW WETRO CEBEE SWL J174 HTO ORW	
	GRAYM-STAR	
Beverly (BVY)	(Water-Turbojets) ZAPPA PERMT AR16 ILM	
	KEMPR SBY J79 JFK DPK MAD HFD	
	GRAYM-STAR	
	(Water-Turbojets) (Alternate) ZAPPA WOLFO AR18	
	DIW WETRO CEBEE SWL J174 HTO ORW	
	GRAYM-STAR	
Boston (BOS)	(Water-Turbojets) ZAPPA PERMT AR16 ILM	
	KEMPR SBY J79 JFK ORW-STAR	1000-0300
	or	
	(at or below 290) J20 ORL J53 CRG J51 SAV J55	4000 0000
	CHS J79 JFK ORW-STAR	1000-0300
	(at or above 330) J113 CRG J51 SAV J55 CHS	
	J79 JFK ORW-STAR	1000-0300
Bridgeport (BDR)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW	
	WETRO CEBEE SWL J121 SIE V139 RICED	
	MAD193 KEYED	
Charlotte (CLT)	(at or below 290) J20 ORL J53 CRG J51 SAV	
	J207 FLO CTF-STAR	1000-0300
	(at or above 330) J113 CRG J51 SAV J207 FL0	
	CTF-STAR	1000-0300
	or	
	(at or above 330-Turbojets-GPS or	
	DME/DME-IRU equipped) J113 CRG J51 SAV	
	HUSTN (RNAV)-STAR	1000-0300
	or (at or below 290-Turbojets-GPS or	
	DME/DME-IRU equipped) J20 ORL J53 CRG	
	J51 SAV HUSTN (RNAV)-STAR	1000-0300
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK	
	FISSK (RNAV)-STAR	1000-0300
	or	
	(non-advanced RNAV only) CTY J91 ATL J89 IIU	4000 0000
Chicago O'Hare (ORD)	OKK V285 CLEFT OXI CGT	1000-0300
Cilicago o Tiare (OND)	(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	
	(RNAV)-STAR	1000-0300
	or	
	(non-advanced RNAV only) LAL CTY J91 ATL	
	CADIT GLAZR HOPAP VOSTK HEVAN MZZ	
	MZZ344/33 OXI KNOX-STAR	1000-0300
Cincinnati (CVG)	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR (all others) CTY J91 VXV HARDU-STAR	1000-0300
Circiniati (CVG)	or	1000-0300
	(RNAV) only) CTY J91 VXV JAKIE (RNAV)-STAR	
Cleveland (CLE)	J20 ORL J53 IRQ J85 HVQ J85 TVT040 KEATN	
	KEATN-STAR	1000-0300
Columbus (CMH)	J20 ORL J81 IRQ J53 SPA J85 HVQ HNN	4000 0000
Cross City (CTV)	BREMN-STAR	1000-0300 1030-0300
Cross City (CTY)	or	1030-0300
	CTY	
Dallas/Fort Worth (DFW)	LAL J73 SZW J2 CEW J50 AEX CQY	1000-0300
	or	4000 005
	SRQ Q100 REDFN Q105 HRV J58 AEX CQY	1000-0300

Terminals	Route	Effective Times (UTC)
Danbury (DXR)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR	(0.0)
Daytona Beach (DAB) Denver (DEN)	J20 LLNCH MLB V3 LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE	1030-0300
	DANDD-STARor or SRQ Q100 REDFN Q105 HRV J58 SPS J168 LAA	1030-0300
Detroit/Wayne (DTW)	QUAIL-STAR J20 ORL J53 SPA HNN WEEDA-STAR	1030-0300
Ann Arbor (ARB)	J20 ORL J81 IRQ J99 VXV J43 FLM DQN CRUXX-STAR	
Pontiac (PTK), Windsor (CYQG) Willow Run (YIP)	J20 ORL J81 IRQ J85 DJB LLEEO-STAR J20 ORL J81 IRQ J99 VXV J43 FLM DQN	
V (755)	CRUXX-STAR	1000-0300
Young (DET) East Hampton (HTO)	J20 ORL J81 IRQ J85 DJB LLEEO-STAR(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121	1000-0300
Farmingdale (FRG)	(Water) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR	
Gainesville (GNV)	J85 LLAKE LAL GNV or LAL GNV (Water–Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 HTO	1030-0300
Hartford (HFD)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD V1	
Houston (IAH)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV WOLDE (RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR or	1000-0300
Houston (HOU)	(Non-advanced NAV only) LAL J73 SZW J2 CEW-030 J50 AEX DAS-STAR(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	1000-0300
Houston (Hoo)	COLUMBIA (RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI COLUMBIA (RNAV)-STAR or	1000-0300
	(Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR	
Indianapolis (IND)	CTY J91 ATL J89 IIU DECEE–STAR(Water–Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SARDI CCC	1000-0300
Jacksonville (CRG) Kennedy (JFK)	J20 ORL J53(Water–Turbojets) ZAPPA WOLFO AR18 WETRO	1030-0300
	CEBEE SWL J121 SIE CAMRN-STAR	1000-0300
	(at or below 290) J20 ORL J53 CRG J51 SAV J55 CHS J121 SIE CAMRN-STARor	1000-0300
	(at or above 330) J113 CRG J51 SAV J55 CHS J121 SIE CAMRN-STAR	1000-0300
La Guardia (LGA)	(Water-Turbojets) ZAPPA PERMT AR16 ILM J40 TYI HPW J191 PXT KORRY-STAR or	1000-0300
	(at or below 290) J20 ORL J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT KORRY-STAR or	1000-0300
Lawrence (LWM)	(at or above 330) J113 CRG J51 SAV J207 RDU J55 HPW J191 PXT KORRY-STAR(Water-Turbojets) (Alternate) ZAPPA WOLFO AR18	1000-0300
	DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	

Terminals	Route	Effective Times (UTC)
Terminas	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	(010)
Louisville (SDF)	GRAYM-STAR CTY J91 ATL HCH DARBY-STAR	1000-0300
Manchester (MHT)	(Water–Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK ALB EEN	1000 0000
Melbourne (MLB)	J20 LLNCH MLB	1030-0300
Minneapolis (MSP) Montreal (CYUL)	CTY J91 ATL J89 BAE EAU-STAR (Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR	1000-0300
Nantucket (ACK)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO V46	
Nashville (BNA)	CTY J91 ATL GQO VOLLS-STAR(Water-Turbojets) ZAPPA PERMT AR16 ILM J109	1000-0300
	FAK DYLIN-STAR	1000-0300
	(at or below 310) J20 ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK DYLIN-STAR	1000-0300
	(at or above 330) J113 CRG J51 SAV J207 FL0	
	J55 J51 FAK DYLIN-STAR	1000-0300
	(GPS or DME/DME-IRU equipped-at or above 330) J113 CRG J51 SAV J207 FLO J55 J51 FAK	
	PHLBO (RNAV)-STAR	1000-0300
	or (GPS or DME/DME–IRU equipped–at or below	
	310) J20 ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR or	1000-0300
	(GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J109 FAK PHLBO (RNAV)-STAR	1000-0300
Newburgh (SWF)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	
New Haven (HVN)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED	
New Orleans (MSY)	MAD193 KEYED SRQ Q100 REDFN Q105 HRV	1000-0300
Ocala (OCF)	LAL J73 SZW J2	1000-0300 1030-0300
ocaia (oor)	or	
Orlando (MCO)	LAL J20 LLNCH GOOFY-STAR	1030-0300 1030-0300
Overwater Routes to the Northeast	(Water–Turbojets) ZAPPA WOLFO AR18 DIW	1030-0300
Overwater Routes to the Northwest	LBV J616	1030-0300
Philadelphia (PHL)	LBV J616 SRQ Q100 REDFN Q105 HRV J58 J20 ORL J53 CRG J51 SAV J55 CHS J121 SWL	1030-0300
	SWL034 RADDS CEDAR LAKE-STAR or	1000-0300
	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL RADDS CEDAR LAKE-STAR	1000-0300
Pittsburgh (PIT)	(at or below 290) J20 ORL J53 CRG J51 CAE PSK EKN IHD NESTO-STAR	1000-0300
	or (at or above 330) J113 CRG J51 CAE PSK EKN IHD NESTO-STAR	1000-0300
Poughkeepsie (POU)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	
Providence (PVD)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO JORDN	
Raleigh-Durham (RDU)	(RNAV)-STAR (at or below 290) J20 ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR	1000-0300

Terminals	Route	Effective Times (UTC)
	or	
	(at or above 330) J113 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR	1000-0300
	(Water-Turbojets) ZAPPA PERMT AR16 ILM	
St Louis (STL)	BRADE-STAR THNDR CTY J151 VISQA QBALL-STARor	1000-0300
	(/E, /G, /R, /J, /L, /Q) THNDR KPASA Q110	
	FEONA VUZ J151 VISQA QBALL-STAR	
Sarasota/Bradenton (SRQ)	LBV J43 ROGAN	1030-0300
	Or	4000 0000
Springfield/Chicopee (CEF)	ROGAN(Water-Turbojets) ZAPPA PERMT AR16 ILM	1030-0300
Springheid/Chicopee (CEF)	KEMPR SBY J79 VILLS DPK DEER PARK-STAR	
Tallahassee (TLH)	J85 LLAKE LAL SZW	1030-0300
rananassee (TEII)	or	1030-0300
	LAL	1030-0300
Tampa (TPA)	J85 THNDR LBV BRDGE-STAR	1030-0300
	or	
	BRDGE BRDGE-STARor	1030-0300
	(GPS or DME/DME-IRU equipped) DEAKK DEAKK	
	(RNAV)-STAR	1030-0300
	Or	
	(GPS or DME/DME-IRU equipped) J85 THNDR	4000 0000
Toronto (CYYZ)	LBV DEAKK (RNAV)-STAR(Water-Turbojets) ZAPPA PERMT AR16 ILM J109	1030-0300
	BUF YOUTH-STAR	
Vero Beach (VRB)	J20 ARKES VRB	1030-0300
Washington Dulles (IAD)	(at or below 310) J20 ORL J53 CRG J51 SAV	
	J207 RDU FAK COATT-STAR	1000-0300
	or	
	(at or below 310–GPS or DME/DME–IRU	
	equipped) J20 ORL J53 CRG J51 SAV J207	1000 0000
	RDU FAK BARIN-STAR(at or above 330-GPS or DME/DME-IRU	1000-0300
	equipped) J113 CRG J51 SAV J207 RDU FAK	
	BARIN-STAR	1000-0300
	or	1000-0300
	(at or above 330) J113 CRG J51 SAV J207 RDU	
	FAK COATT-STAR	1000-0300
	or	
	(Water) ZAPPA PERMT AR16 ILM J109 FAK	
	COATT-STAR	1000-0300
	or	
	(Water-GPS or DME/DME-IRU equipped) ZAPPA	4000 0000
Machineton Notl (DOA)	PERMT AR16 ILM J109 FAK BARIN-STAR	1000-0300
Washington Natl (DCA)	(at or below 310) J20 ORL J53 CRG J51 SAV J55	1000 0200
	CHS J165 RIC IRONS-STAR	1000-0300
	(at or above 330) J113 CRG J51 SAV J55 CHS	
	J165 RIC IRONS-STAR	1000-0300
	or	
	(Water-Turbojets) ZAPPA PERMT AR16 ILM J40	
	RIC IRONS-STAR	1000-0300
	or	
	(GPS or DME/DME–IRU equipped–at or below	
	310) J20 ORL J53 CRG J51 SAV J55 CHS J165	4000 00
	RIC OJAAY (RNAV)-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped-at or above	
	330) J113 CRG J51 SAV J55 CHS J165 RIC	
	OJAAY (RNAV)-STAR	1000-0300
	or	

Terminals	Route	Times (UTC)
	(Water-Turbojets-GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J40 RIC OJAAY (RNAV)-STAR	1000-0300
Westfield (BAF)	(Water-Turbojets) ZAPPA PERMIT AR16 ILM KEMPR SBY J79 VILLS DPK DEER PARK-STAR	1000-0300
Westhampton Beach (FOK)	(Water-Turbojets) ZAPPA WOLFO AR18 WETRO CEBEE SWL J121 HTO	
White Plains (HPN)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR or	
	(Water-Turboprops) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR	
Wilmington (ILM)	(Water-Turbojets-Overwater Routes to the NE) ZAPPA PERMT AR16	
Windsor Locks (BDL)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DEER PARK-STAR	
Worcester (ORH)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	
FORT MYERS METRO AREA (RSW, FMY, APF, MKY, PGD)		
Daytona Beach (DAB)	ORL	1030-0300
Gainesville (GNV)	LAL(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	1030-0300
nouston (nou)	COLUMBIA (RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI COLUMBIA (RNAV)-STAR	
	(Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR	
Houston (IAH)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV WOLDE (RNAV)-STAR or	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR	1000-0300
	(Non-advanced NAV only) LAL J73 SZW J2 CEW	
	J50 AEX DAS-STAR	1000-0300
Jacksonville (CRG)	ORL J53(all others) CYY CYY-STAR	1030-0300 1030-0300
WIGHT (WIA)	or (/E, /G, /R, /J, /L, /Q) CYY DEEDS	1030-0300
	(RNAV)-STAR	1030-0300
Ocala (OCF) Orlando (MCO)	LAL  LAL MINEE-STAR  or	1030-0300 1030-0300
	DOWNN MINEE-STARor	1030-0300
	LALor	1030-0300
	(Turbojets) ORLor	1030-0300
Tallahassee (TLH)	(Turbojets) DOWNN MINEE-STARLAL	1030-0300 1030-0300
Tampa (TPA)	RSW BRDGE-STAR	1030-0300
	V7 ROGAN J43 PIEor	1030-0300
	(GPS or DME/DME-IRU equipped) DEAKK (RNAV)-STAR	1030-0300
Westbound destinations	SRQ Q100 LEV J86	
	BAGGS Q102 LEV J86or	

Terminals	Route	Effective Times (UTC)
	SRQ 100 REDFN Q105 HRV J58	
From PAGE FLD (FMY) only: Cincinnati (CVG)	(RNAV only) LAL CTY J91 VXV JAKIE (RNAV)-STAR	
Cleveland Metro (CLE)	(all others) LAL CTY J91 ATL VXV HARDU-STAR LAL CTY J91 HNN TVT KEATN-STAR LAL CTY J91 HNN BREMN-STAR LAL CTY J91 VXV J43 FLM DQN MIZAR-STAR	
Ann Arbor (ARB), Willow Run (YIP) Pontiac (PTK), Windsor (CYQG), Young	LAL CTY J91 VXV J43 FLM DQN CRUXX-STAR	
(DET) La Guardia (LGA)	LAL J73 J119 TAY J85 DJB LLEEO-STAR ORL J53 CRG J51 SAV J207 J55 HPW J191 PXT KORRY-STAR	1100-0300
Miami (MIA)	(Turbojets-GPS or DME/DME-IRU equipped) CYY	1100-0300
Newark (EWR)	SSCOT (RNAV)-STAR ORL J53 CRG J51 FAK DYLIN-STAR or	1100-0400
Washington Natl (DCA)	(GPS or DME/DME-IRU equipped) ORL J53 CRG J51 FAK PHLBO(RNAV)-STAR ORL J53 CRG J51 SAV J55 CHS J165 RIC	1100-0400
	IRONS-STAR	1000-0300
From SW FLORIDA INTL (RSW) only: Atlanta (ATL)	RSW LAL J73 SZW LGC-STARor	1000-0300
Chicago Midway (MDW)	(RNAV only) RSW LAL J73 SZW HONIE (RNAV)-STAR(/E/G/R/J/L/Q only) RSW LAL CTY J91 ATL J89	1000-0300
Cilicago Miluway (MDW)	IIU OKK FISSK (RNAV)-STAR	1000-0300
Chicago O'Hare (ORD)	(non-advanced RNAV only) RSW LAL CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	1000-0300
	(RNAV)-STAR	1000-0300
Cleveland (CLE)	MZZ344/33 KNOX-STARRSW LAL J73 J119 TAY J85 IRQ J85 HVQ J85	1000-0300
Columbus (CMH)	RSW LAL J73 J119 TAY J85 HVQ HNN BREMN-STAR	1000-0300
Dallas/Ft. Worth (DFW)	RSW SRQ Q100 REDFN Q105 HRV J58 AEX CQY or	
Denver (DEN)	RSW LAL J73 SZW J2 CEW J50 AEX CQY	1000-0300
Detroit/Wayne (DTW)	RSW LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR JOCKS ORL J53 SPA HNN WEEDA-STAR	
Detroit Satellites: Ann Arbor (ARB), Willow Run (YIP)	LAL CTY J91 VXV J43 FLM DQN CRUXX-STAR	
Pontiac (PTK), Windsor (CYQG), Young (DET)	LAL J73 J119 TAY J85 DJB LLEEO-STAR RSW LAL CTY J91 ATL J89 IIU DECEE-STAR	
Louisville (SDF)	RSW LAL CTY J91 ATL HCH DARBY-STAR	
Minneapolia (MSD)	(Turbojets–GPS or DME/DME–IRU equipped) CYY SSCOT (RNAV)–STAR	1000 0200
Minneapolis (MSP) Nashville (BNA) Pittsburgh (PIT)	RSW LAL CTY J91 ATL J89 BAE EAU-STARRSW LAL CTY J91 ATL GQO VOLLS-STARRSW ORL J53 CRG J51 CAE PSK EKN IHD	1000-0300
Raleigh–Durham (RDU)	NESTO-STAR RSW ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR	1000-0300

Terminals	Route	Effective Times (UTC)
St Louis (STL)	LAL J73 SZW J41 VUZ STL RSW ORL J53 CRG J51 SAV J207 RDU FAK	1100-0300
nacington saide (i.s.)	COATT-STAR	1000-0300
Wahington Natl (DCA)	CRG J51 SAV J207 RDU FAK BARIN-STAR RSW ORL J53 CRG J51 SAV J55 CHS J165 RIC	1000-0300
	IRONS-STARor  (GPS or DME/DME-IRU equipped) RSW ORL J53	1000-0300
00	CRG J51 SAV J55 CHS J165 RIC OJAAY (RNAV)-STAR	1000-0300
GREENSBORO (GSO)		
Chicago Midway (MDW)	PSK HNN FWA GOSHEN-STARor	1100-0300
Chicago O'Hare (ORD)	PSK HVQ APE J178 FWA GOSHEN-STAR (/E/G/R/J/L/Q only) BOTTM FLM HEVAN MZZ	1100-0300
	ROYKO (RNAV)-STAR or	1100-0300
	(non-advanced RNAV only) BOTTM FLM HEVAN	
•	MZZ MZZ344/33 OXI KNOX-STAR	1100-0300
Cincinnati (LUK)	PSK HVQ FLM	0700–2300
Detroit/Wayne (DTW)	BOTTM BKW GEMNI-STAR	
La Guardia (LGA)	J14 PXT KORRY-STAR VXV J99 GHATS EWO IIU	0700-2300
Louisville (SDF) Newark (EWR)	J14 J51 FAK DYLIN–STAR	0700-2300
	(GPS or DME/DME-IRU equipped) J14 J51 FAK PHLBO (RNAV)-STAR	
GREER (GSP) Detroit/Wayne (DTW)	SPA HMV HNN WEEDA-STAR	
HUNTSVILLE (HSV) Chicago O'Hare (ORD) Detroit/Wayne (DTW)	MEM FTZ BDF BDF-STAR(RNAV only) BNA IMPEL VHP FWA MIZAR-STAR	0000-2359
, , , , , , , , , , , , , , , , , , , ,	or BNA CCT VHP FWA MIZAR-STAR	
IAOKOONIKI E METDO ADEA ( IAV)		
JACKSONVILLE METRO AREA (JAX) Baltimore (BWI)	J51 SAV J55 CHS J79 TYI J40 RIC OTT-STAR	1100-0400
	(GPS or DME/DME-IRU equipped) J51 SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)-STAR	1100-0400
Charlotte (CLT)	J53 IRQ UNARM-STARor	
	J51 SAV J207 FLO CTF-STAR or	
	(Turbojets-GPS or DME/DME-IRU equipped) J51 SAV HUSTN (RNAV)-STAR	
	or (Turbojets-GPS or DME/DME-IRU equipped) J53	
	IRQ ADENA (RNAV)-STAR	
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) SAV CAE HMV FLM HEVAN MZZ ROYKO (RNAV)-STAR	0000-2359
	(non-advanced RNAV only) SAV CAE HMV FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR	0000-2359
Detroit/Wayne (DTW) Houston (HOU)	NOWAY J53 SPA HNN WEEDA-STAR(GPS or DME/DME-IRU equipped) TAY J2 SJI	0000-2333
	COLUMBIA (RNAV)-STARor	
	(Non-advanced NAV only) TAY J2 CEW J50 AEX DAS-STAR	
Houston (IAH)	(GPS or DME/DME-IRU equipped) TAY J2 SJI WOLDE (RNAV)-STAR or	

Terminals	Route	Effective Times
reminals	(Non-advanced NAV only) TAY J2 CEW J50 AEX	(UTC)
La Guardia (LGA)	DAS-STAR J51 SAV J207 RDU J55 HPW J191 PXT	
Newark (EWR)	KORRY-STARCRG J51 FAK DYLIN-STAR	1100-0400
	or (GPS or DME/DME-IRU equipped) CRG J51 FAK	
Philadelphia (PHL)	PHLBO (RNAV)-STAR J51 SAV J55 CHS J121 SWL SWL034 RADDS	
Tampa (TPA)	VCN-STAR TAY LZARD-STAR	1100-0400
	or (GPS or DME/DME-IRU equipped) TAY DADES	
Washington Dulles (IAD)	(RNAV)-STARSAV CHS J165 J109 FAK COATT-STARor	1100-0400
	(GPS or DME/DME-IRU equipped) SAV J207 RDU	
	FAK BARIN-STAR	1100-0400
Washington Natl (DCA)	J51 SAV J55 CHS J165 RIC IRONS-STAR or	1100-0400
	(GPS or DME/DME-IRU euipped) J51 SAV J55 CHS J165 RIC OJAAY (RNAV)-STAR	1100-0400
KEY WEST METRO AREA (NQX)		
Daytona Beach (DAB)	J41 RSW ORL	1030-0300
Fort Lauderdale (FLL)	(all others) EYW DVALL-STARor	1030-0300
	(/E, /G, /R, /J, /L, /Q) EYW CURSO	
Fort Marrie (DOM)	(RNAV)-STAR	1030-0300
Fort Myers (RSW)	J41 PHK	1030-0300 1030-0300
Miami (MIA)	(all others) EYW DVALL-STAR	1030-0300
	(/E, G, /R, /J, /L, /Q) EYW CURSO (RNAV)-STAR.	1030-0300
Orlando (MCO)	J41 RSW MINEE-STAR	1030-0300
Palm Beach (PBI)	PHK	1030-0300
Sarasota/Bradenton (SRQ)	J41 RSW V7 ROGAN	1030-0300
Tallahassee (TLH)	J41 RSW LALor	1030-0300
Tamas (TDA)	(at or above FL360) J41 RSW TEPEE SZW	1030-0300
Tampa (TPA)	J41 RSW ROGAN BRDGE BRDGE-STAR	1030-0300
	(GPS or DME/DME-IRU equipped) J41 RSW ROGAN DEAKK DEAKK (RNAV)-STAR	1000-0300
Vero Beach (VRB)	PHK	1030-0300
KNOXVILLE (TYS)		
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) VXV HEVAN MZZ ROYKO	
	(RNAV)-STARor	0000–2359
	(non-advanced RNAV only) VXV HEVAN MZZ	
Cleveland Metro (CLE)	MZZ344/33 OXI KNOX-STAR	0000–2359
Detroit/Wayne (DTW)	VXV J91 BULEY J91 HNN TVT KEATN-STAR VXV J91 HNN WEEDA-STAR	
La Guardia (LGA)	BKW J42 GVE KORRY-STAR	
LAKELAND METRO AREA (LAL, GIF, BOW, BKV, X16)		
Fort Lauderdale (FLL)	(Jets only-all others) RSW FORTL-STAR	
Key West Intl (EYW)	RSW J41	1030-0300
Miami (MIA)	(Turbojets-GPS or DME/DME-IRU equipped) CYY	
West Palm Beach (PBI)	SSCOT (RNAV)-STAR(Turbojets-GPS or DME/DME-IRU equipped)	
WOSE FAIIII DEAGH (FDI)	WLACE (RANV)-STAR	1030-0300
LEXINGTON (LEX)		
Atlanta (ATL)	(RNAV only) AZQ SOT FLCON (RNAV)-STAR	
Cleveland (CLE)	CVG ABERZ-STAR	

ffective
Times
(UTC)

Terminals	Route	Times (UTC)
LOUISVILLE METRO AREA (LOU, SDF) From BOWMAN FIELD (LOU) only		
Dallas/Ft Worth (DFW)	PXV J131 LIT BYP	
Phoenix (PHX)	FAM J78 ABQ J18or	
	FAM J78 IRW J74 SJN J18	
From LOUISVILLE INTL (SDF) only		
Atlanta (ATL)	MYS BWG ROME-STAR or	
Claveland Matra (CLE)	(RNAV only) MYS BWG RMG ERLIN (RNAV)-STAR	
Cleveland Metro (CLE)	CVG ABERZ-STAR(GPS or DME/DME-IRU equipped) SWB ROKIT (RNAV)-STAR	
	or	
Houston (IAH)	(Non-advanced NAV only) SWB DAS-STAR (Turbojets-GPS or DME/DME-IRU equipped) SWB TXMEX (RNAV)-STAR	
	or	
MEMPHIS (MEM)	(Non-advanced NAV only) SWB DAS-STAR	
Baltimore (BWI)	J42 BKW J147 CSN OTT-STAR	
	or (GPS or DME/DME-IRU equipped) J42 BKW J147	
Boca Raton (BCT)	CSN RAVNN (RNAV)-STAR(GPS or DME/DME-IRU equipped) MGM SZW	
Boston (BOS)	PRRIE (RNAV)-STAR	
	FKN J79 JFK ORW-STARor	
	J118 SPA SPA100 J209 RDU J207 FKN J79 JFK	
Cincinnati (CVG)	ORW-STAR(RNAV only) J29 PXV SARGO (RNAV)-STAR	
Cleveland (CLE)	(all others) J29 PXV MOSEY-STARPXV ABERZ-STAR	
Denver (DEN)	RZC PER GCK J154 RYLIE DANDD-STAR	
Detroit/Wayne (DTW) Houston (HOU)	J29 PXV VHP FWA MIZAR-STAR(DME/DME-IRU or GPS-equipped) LIT J180 SWB	
Trouston (1100)	ROKIT (RNAV)–STAR	
	(Non-advanced NAV only) LIT J180 SWB DAS-STAR	
Houston (IAH)	(Turbojets-DME/DME-IRU or GPS-equipped) LIT J180 SWB TXMEX (RNAV)-STAR	
	or	
V 1 (1 <del>-1</del> 0)	(Non-advanced NAV only) LIT J180 SWB DAS-STAR	
Kennedy (JFK)	J118 SPA SPA100 J209 ORF J121 SIE CAMRN-STAR	
La Guardia (LGA)	J42 GVE KORRY-STAR	
Louisville (SDF)	BNA BNAO37 BARRY EWOor	
Minneanelia (MSD)	Q29 SIDAE CHERI CHERI-STAR	1300-0300
Minneapolis (MSP) Newark (EWR)	J42 GVE DYLIN-STAR	1300-0300
	(GPS or DME/DME-IRU equipped) J42 GVE PHLBO (RNAV)-STAR	
Orlando (ORL/MCO)	MGM SZW J43 PIE LAL	1100-0400
	GPS or DME/DME-IRU equipped) MGM SZW J43	
	PIE COSTR (RNAV)-STAR	1100-0400
Philadelphia (PHL)	J41 MGM S2W J43 PIE LAL	
Pittsburgh (PIT)	J29 PXV IIU HNN WISKE-STAR	

Terminals	Route	Effective Times (UTC)
Sarasota/Bradenton (SRQ)	MGM SZW CLAMP-STARMGM SZW DARBS-STAR	1100-0400
Tampa (TPA)	or (GPS or DME/DME-IRU equipped) MEM SZW	1100-0400
	FOXX (RNAV)-STAR	1100-0400
Washington Dulles (IAD)	J42 BKW ROYIL-STAR	1100-1830
	PXV IIU J8 HVQ SHNON (RNAV)-STAR or	1830–2230
	J42 BKW SHNON (RNAV)-STAR	2230-0300
Washington Natl (DCA)	PXV IIU J8 HVQ ROYIL-STAR	1830–2230
West Palm Beach (PBI)	ELDEE (RNAV)-STAR MGM SZW WLACE (RNAV)-STAR J42 BNA J46 VXV SPA SPA100 J209 RDU J207	
MIAMI METRO AREA	FKN J79 JFK DPK DPK-STAR	
(MIA, HWO, OPF, TMB, HST, X51)		
Albany (ALB)	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE	
Atlanta (ATL)	V487 CANAN V130 J81 CHESN SINCA-STAR	1000-0300
Baltimore (BWI)	or (RNAV only) J81 CHESN CANUK (RNAV)-STAR J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC	1000-0300
	OTT-STAR	1000-0300
	(Water-Turbojets) VALLY PERMT AR16 ILM J40 RIC OTT-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped) J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC RAVNN	
	(RNAV)-STARor	1000-0300
	(GPS or DME/DME-IRU equipped) VALLEY PERMT AR16 ILM J40 RIC RAVNN (RNAV)-STAR	1000-0300
Bedford (BED)	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR	1000-0300
	or (Water–Turbojets) VALLY WOLFO AR18 DIW	
	WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
Beverly (BVY)	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	
	GRAYM-STARor	
	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
Boston (BOS)	J53 CRG J51 SAV J55 CHS J79 JFK ORW-STAR or	1000-0300
	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK ORW-STAR	
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STARor	1000-0300
	(non-advanced RNAV only) CTY J91 ATL J89 IIU	4000 0000
Chicago O'Hare (ORD)	OKK V285 CLEFT OXI CGT (/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	1000-0300
	(RNAV)-STAR	1000-0300

erminals	Route	Effective Times (UTC)	
	Or		
	(non-advanced RNAV only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ		
	MZZ344/33 OXI KNOX-STAR	1000-0300	
Cincinnati (CVG)	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR		
	Of	1000 0300	
Columbus (CMH)	(all others) CTY J91 VXV HARDU-STAR J81 IRQ J53 SPA J85 HVQ HNN BREMN-STAR	1000-0300	
Cross City (CTY)	LAL CTY	1030-0300	
Dallas/Fort Worth (DFW)	J616 SRQ Q100 REDFN Q105 HRV J58 AEX CQY .	1000-0300	
	or LAL J73 SZW J2 CEW J50 AEX CQY	1000-0300	
Danbury (DXR)	(Water-Turbojets) VALLY WOLFO AR18 DIW	1000 0000	
	WETRO CEBEE SWL J121 SIE V139 RICED		
	RICED-STAR		
Daytona Beach (DAB)	J53 HEDLY MLB V3 or MLB V3	1030-0300	
Denver (DEN)	LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE		
Detroit/Wayne (DTW)	DANDD-STAR		
Detroit Satellites:			
Ann Arbor (ARB),	J81 IRQ J99 VXV J43 FLM DQN CRUXX-STAR		
Detroit (DET),			
Pontiac (PTK),			
Windsor (CYQG)			
Willow Run (YIP) Ann Arbor (ARB)	J81 IRQ J85 DJB LLEEO-STAR		
Fort Pierce (FPR)	J53 HEDLY or FPR	1030-0300	
Farmingdale (FRG)	(Water-Turbojets) VALLY WOLFO AR18 DIW	1000 0000	
,	WETRO CEBEE SWL J121 SIE CAMRN-STAR		
Gainesville (GNV)	Direct	1030-0300	
Hampton (HTO)	(Water-Turbojets) VALLY WOLFO AR18 DIW		
lostford (HED)	WETRO CEBEE SWL J121		
Hartford (HFD)	(Water–Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD V1		
Houston Intenti (IAH)	(DME/DME-IRU or GPS-equipped) LAL J73 SZW		
, ,	J2 SJI WOLDE (RNAV)-STAR	1000-0300	
	or		
	(Non-advanced NAV only) LAL J73 SZW J2 CEW		
	J50 AEX DAS-STAR	1000-0300	
	J616 SRQ Q100 LEV WOLDE (RNAV)-STAR	1000-0300	
Houston Hobby (HOU)	(DME/DME-IRU or GPS-equipped) LAL J73 SZW		
	J2 SJI COLUMBIA (RNAV)-STAR	1000-0300	
	or		
	(GPS or DME/DME-IRU equipped) J616 SRQ		
	Q100 LEV COLUMBIA (RNAV)-STAR	1000-0300	
	or (Non-advanced NAV only) LAL J73 SZW J2 CEW		
	J50 AEX DAS-STAR	1000-0300	
ndianapolis (IND)	LAL CTY J91 ATL J89 IIU DECEE-STAR	1000-0300	1000-0300
slip (ISP)	(Water-Turbojets) VALLY WOLFO AR18 DIW		
Landa and May (IAV)	WETRO CEBEE SWL J121 SARDI CCC	4000 0000	
lacksonville (JAX)	J53(Water–Turbojets) VALLY WOLFO AR18 DIW	1030-0300	
Kennedy (JFK)	WETRO CEBEE SWL J121 SIE CAMRN-STAR	1000-0300	
	or	2000 0000	
	J53 CRG J51 SAV J55 CHS J121 SIE		
	CAMRN-STAR	1000-0300	
a Guardia (LGA)	(Water) VALLY PERMT AR16 ILM J40 TYI HPW	4000 0000	
	J191 PXT KORRY-STAR	1000-0300	
	or J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT		
	KORRY-STAR	1000-0300	
Lawrence (LWM)	(Water-Turbojets) VALLY PERMT AR16 ILM		
	KEMPR SBY J79 JFK DPK MAD HFD		
	GRAYM-STAR		
	or		

Towningle	Bouto	Effective Times
Terminals	Route (Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW	(UTC)
	GRAYM-STAR	4000 0000
Louisville (SDF) Manchester (MHT)	CTY J91 ATL HCH DARBY-STAR(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK ALB EEN	1000-0300
Melbourne (MLB)	J53 HEDLY or DRCT	1030-0300
Minneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STAR	1000-0300
Montreal (CYUL)	VALLY PERMT AR16 ILM KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR	
Nantucket (ACK)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO V46	
Nashville (BNA) Newark (EWR)	CTY J91 ATL GQO VOLLS-STAR(Water) VALLY PERMT AR16 ILM J109 FAK DYLIN-STAR	1000-0300
	J53 CRG J51 SAV J207 FLO J55 J51 FAK DYLIN-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped) J53 CRG J51	
	SAV J207 FLO J55 J51 FAK PHLBO	4000 0000
	(RNAV)-STARor	1000-0300
	(GPS or DME/DME-IRU equipped) VALLY PERMT	
	AR16 ILM J109 FAK PHLBO (RNAV)-STAR	1000-0300
Newburgh (SWF)	(Water-Turbojets) VALLY PERMT AR16 ILM	
New Herry (IDA)	KEMPR SBY J79 JFK DPK HUDSON–STAR	
New Haven (HVN)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED	
New London/Groton (GON)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 HTO	
New Orleans (MSY)	LAL J73 SZW J2	1000-0300
	(Water) J616 SRQ Q100 REDFN Q105 HRV	1000-0300
Ocala (OCF)	J73 LAL or DRCT	1030-0300
Orlando (MCO)	J53 PHK GOOFY-STARor	1030-0300
Overwater Routes to the Northeast	(PHK GOOFY-STAR (Water-Turbojets) VALLY PERMT AR16 ILM or	
	(Water-Turbojets) VALLY WOLFO AR18 DIW	
Overwater Routes to the Northwest	J616 SRQ Q100 LEV J86	1030-0300
Philadelphia (PHL)	J616 SRQ Q100 REDFN Q105 HRV J58 J53 CRG J51 SAV J55 CHS J121 SWL SWL034	1030-0300
	RADDS VCN-STARor	1000-0300
	(Water-Turbojets) VALLY WOLFO AR18 DIW	
Division of (DIT)	WETRO CEBEE SWL RADDS VCN-STAR	1000-0300
Pittsburgh (PIT)	J53 CRG J51 CAE PSK EKN IHD NESTO-STAR	1000-0300
Poughkeepsie (POU)	(Water–Turbojets) VALLY PERMT AR16 ILM	
Providence (PVD)	KEMPR SBY J79 JFK DPK HUDSON-STAR (Water-Turbojets) VALLY WOLFO AR18 DIW	
Flovidelice (FVD)	WETRO CEBEE SWL J174 HTO JORDAN (RNAV)-STAR	
Raleigh-Durham (RDU)	(Water-Turbojets) VALLY PERMT AR16 ILM	
	BRADE-STAR	1000-0300
	J53 CRG J51 SAV J55 CHS J174 ILM	
	BRADE-STAR	1000-0300
St Louis (STL)	Or	1000-0300
	(/E, /G, /R, /J, /L, /Q) WINCO KPASA Q110	
Sarasota/Bradenton (SRQ)	FEONA VUZ J151 VISQA QBALL-STAR J616	1030-0300
Garasota/ Diadentoli (SNQ)	7010	1030-0300

Terminals Tallahassee (TLH)	<b>Route</b> J73	Times (UTC)
	Or	1020 0200
Tampa (TPA)	LAL J43 BRDGE BRDGE–STAR or	1030-0300 1030-0300
Toronto (CYYZ)	(GPS or DME/DME-IRU equipped) J43 DEAKK DEAKK (RNAV)-STAR (Water-Turbojets) VALLY PERMT AR16 ILM J109	1030-0300
	BUF YOUTH-STAR	
Vero Beach (VRB)	DRCT	1030-0300
Washington Dulles (IAD)	J53 HEDLY J53 CRG J51 SAV J207 RDU FAK COATT-STAR or	1000-0300
	(GPS or DME/DME-IRU equipped) J53 CRG J51 SAV J207 RDU FAK BARIN-STAR	1000-0300
	(Water) VALLEY PERMT AR16 ILM J109 FAK COATT-STAR	1000-0300
	Or (Motor CDS or DME /DME IDII oguinned) VALLY	
Washington Natl (DCA)	(Water-GPS or DME/DME-IRU equipped) VALLY PERMT AR16 ILM J109 FAK BARIN-STAR (Turbojets) J53 CRG J51 SAV J55 CHS J165 RIC	1000-0300
	IRONS-STARor	1000-0300
	(Water-Turbojets) VALLY PERMT AR16 ILM J40 RIC IRONS-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) J53 CRG J51 SAV J55 CHS J165 RIC OJAAY (RNAV)-STAR	1000-0300
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) VALLY PERMT ILM J40 RIC OJAAY (RNAV)-STAR	1000-0300
Westhampton (FOK)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 HTO	1000 0000
White Plains (HPN)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR or	
	(Water–Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED–STAR	
Wilmington (ILM)	(Water-Turbojets) VALLY PERMT AR16 (Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR	
Worcester (ORH)	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SYB J79 JFK DPK MAD HFD	
MOBILE (MOB)		
Houston (HOU)	(DME/DME-IRU or GPS-equipped) SJI COLUMBIA (RNAV)-STAR	
	or (Non-advanced NAV only) SJI J50 AEX DAS-STAR.	
Houston (IAH)	(DME/DME-IRU or GPS-equipped) SJI WOLDE (RNAV)-STAR or	
MAVETI E DEACH /MAVE	(Non-advanced NAV only) SJI J50 AEX DAS-STAR.	
MYRTLE BEACH (MYR) Detroit/ Wayne (DTW)	BKW GEMNI-STAR	
NASHVILLE	IAO DIAW IA 47 OCNI OTT OTAD	
Baltimore (BWI)	J42 BKW J147 CSN OTT-STARor (GPS or DME/DME-IRU equipped) J42 BKW J147	
Boca Raton (BCT)	CSN OTT-STAR	
	PRRIE (RNAV)-STAR	

Township	Posts.	Effective Times
Terminals Boston (BOS)	<b>Route</b> J46 VXV SPA SPA100 J209 RDU J207 FKN J79	(UTC)
Boston (Bos)	JFK ORW-STAR	
Chicago/Midway (MDW)	(/E/G/R/J/L/Q only) IIU OKK FISSK	
, , , , , , , , , , , , , , , , , , , ,	(RNAV)-STAR	0000-2359
	or	
	(non-advanced RNAV only) IIU OKK V285 CLEFT	
	OXI CGT	0000–2359
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) IIU HEVAN MZZ ROYKO	0000 0050
	(RNAV)–STAR	0000–2359
	(non-advanced RNAV only) IIU HEVAN MZZ	
	MZZ344/33 OXI KNOX-STAR	0000-2359
	or	
	IIU MZZ OXI KNOX-STAR	
Cincinnati (CVG)	BWG V49 ABB V47 CVG	
Cleveland (CLE) Columbus (CMH)	IIU ABERZ-STAR LVT V493 YRK YRK035 APE168 NIKLS	
Denver (DEN)	FAM J112 BUM J110 GCK J154 RYLIE	
	DANDD-STAR	
Detroit/Wayne (DTW)	(RNAV only) IMPEL VHP FWA MIZAR-STAR	
	or	
Fort Lauderdale (FLL)	CCT VHP FWA MIZAR-STAR(all others) J39 MGM SZW J41 PIE FORTL-STAR	
Fort Myers (FMY, RSW)	(Turbojets–GPS or DME/DME–IRU equipped) J39	
r ore inject (r in r) recorption	MGM J41 SZW SSCOT (RNAV)-STAR	1100-0300
Houston (HOU)	(GPS or DME/DME-IRU equipped) LIT J180 SWB	
	ROKIT (RNAV)-STAR	
	or	
	(Non-advanced NAV only) LIT J180 SWB DAS-STAR	
Houston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) LIT	
	J180 SWB TXMEX (RNAV)-STAR	
	or	
	(Non-advanced NAV only) LIT J180 SWB	
Indianapolis (IND)	DAS-STAR	
Kennedy (JFK)	J46 VXV SPA SPA100 J209 ORF J121 SIE	
	CAMRN-STAR	
La Guardia (LGA)	J42 GVE KORRY-STAR	
Miami (MIA)	(all others) J39 MGM SZW J41 PIE CYY-STAR	
	or (Turbojets-GPS or DME/DME-IRU equipped) J39	
	MGM SZW SSCOT (RNAV)-STAR	
Minneapolis (MSP)	IIU J89 BAE EAU-STAR	
Newark (EWR)	SPA J14 J51 FAK DYLIN-STAR	1100-0400
	Or	
	(GPS or DME/DME-IRU equipped) SPA J14 J51 FAK PHLBO (RNAV)-STAR	1100-0400
Orlando (MCO, ORL)	J39 MGM SZW J43 PIE LAL	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) J39 MGM SZW	
Philadelphia (PHL)	J43 PIE COSTR (RNAV)-STAR J42 OTT DPNT-STAR	1100-0400
Pittsburgh (PIT)	IIU HNN WISKE-STAR	
St. Louis (STL)	QBALL-STAR	
Toronto (CYYZ)	J39 ROD J43 CRL J586 YXU V98 YWT V216	
Washington Dulles (IAD)	J42 BKW ROYIL-STAR	
	or J42 BKW SHNON (RNAV)-STAR	
Washington Natl (DCA)	J42 BKW WZRRD-STAR	
. , , ,	or	
	(GPS or DME/DME-IRU equipped) J42 BKW	
West Dalm Beech (DDI)	ELDEE (RNAV)-STAR	
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped) MGM SZW WLACE (RNAV)-STAR	
	MIGHT DEW WEADE (MINAY)-STAR	

Terminals	Route	Effective Times (UTC)
Windsor Locks (BDL)	J46 VXV SPA SPA100 J209 RDU J207 FKN J79 JFK DPK DPK-STAR	
ORLANDO METRO AREA (MCO, ORL, ISM, LEE, SFB)		
Baltimore (BWI)	(Water-Turbojets-GPS or DME/DME-IRU equipped) MLB LENDS AR16 ILM J40 RIC RAVNN (RNAV)-STAR	1100-0400
	or (GPS or DME/DME–IRU equipped) J53 CRG J51	1100-0400
Detroit/Wayne (DTW)	SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)-STAR  JAGUAR-DP IRQ J53 SPA HNN WEEDA-STAR	1100-0400
Fort Pierce (FPR)	VRB(GPS or DME/DME-IRU equipped) PIE REMIS	1030-0300
	Q100 LEV COLUMBIA (RNAV)-STAR or	1000-0300
	(GPS or DME/DME-IRU equipped) SZW J2 SJI COLUMBIA (RNAV)-STAR or	1000-0300
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	1000-0300
Houston (IAH)	(GPS or DME/DME-IRU equipped) PIE REMIS Q100 LEV WOLDE (RNAV)-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped) SZW J2 SJI WOLDE (RNAV)-STAR	
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	1000-0300
Key West (EYW) Overwater Routes to the Northeast	RSW J41(Water-Turbojets) MLB LENDS AR16 ILM	1030-0300
Wilmington (ILM)	(Water-Turbojets) MLB ETECK AR18 DIW (Water-Turbojets) MLB LENDS AR16	
From ORLANDO EXECUTIVE (ORL) only Albany (ALB)	(Water–Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE V487	
Atlanta (ATL)	J53 CRG DBN SINCA-STAR	
Baltimore (BWI)	or (RNAV only) J53 CRG DBN CANUK RNAV-STAR (Water-Turbojets) MLB LENDS AR16 ILM J40 RIC OTT-STAR	1100-0400
	or J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC OTT-STAR	1100-0400
Bedford (BED)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR or	
	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
Beverly (BVY)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR or	
Bridgeport (BDR)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR (Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193	
Charlotte (CLT)	KEYED	
Cincinnati (CVG)	(Turbojets-GPS or DME/DME-IRU equipped) J53 CRG J51 SAV HUSTN (RNAV)-STAR (RNAV only) J53 CRG J45 ATL J43 VXV JAKIE (RNAV)-STAR	

		Effective
Terminals	Route	Times (UTC)
Terminais	or	(010)
	(all others) J53 CRG J45 ATL J43 VXV	
Cleveland (CLE)	HARDU-STAR J53 SPA J85 TVTO40 KEATN KEATN-STAR	
Columbus (CMH)	J53 SPA J85 HVQ HNN BREMN-STAR	
Dallas/Ft. Worth (DFW)	PIE REMIS Q100 REDFN Q105 HRV J58 AEX CQY.	
Danbury (DXR)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE V139 RICED RICED-STAR	
Denver (DEN)	CTY SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR	
Detroit/Wayne (DTW)	VXV J91 HNN WEEDA-STAR	
Detroit Satellites:  Detroit (DET), Windsor (CYQG), Pontiac		
(PTK), Willow Run (YIP), Ann Arbor	J53 CRG J45 ATL J91 VXV J43 FLM DQN	
(ARB)	CRUXX-STAR	1100-0400
	J53 IRQ J85 DJB LLEEO-STAR	
East Hampton (HTO)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 HTO	
Farmingdale (FRG)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR	
Hartford (HFD)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD V1	
Indianapolis (IND)	J53 CRG J45 ATL J89 IIU DECEE-STAR	
Islip (ISP)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SARDI CCC	
Kennedy (JFK)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE CAMRN-STAR	0700-0000
	J53 CRG J51 SAV J55 CHS J121 SIE	
	CAMRN-STAR	
La Guardia (LGA)	(Water-Turbojets) MLB LENDS AR16 ILM J40 TYI	
	HPW J191 PXT KORRY-STAR	1100-0300
	or J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT	
	KORRY-STAR	1100-0300
Lawrence (LWM)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	1100-0500
	SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or	
	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J174 HTO ORW GRAYM-STAR	
Louisville (SDF)	CTY J91 ATL HCH DARBY-STAR	
Manchester (MHT)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
Mississa II. (MOD)	SBY J79 JFK ALB EEN	4400 0400
Minneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STAR	1100-0400
Montreal (CYUL)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR	
Nantucket (ACK)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO	
Hamadilat (Harly	CEBEE SWL J174 HTO V46	
Nashville (BNA)	CTY J91 ATL VOLLS-STAR	1100-0400
Newark (EWR)	(GPS or DME/DME-IRU equipped-WATER) MLB	
	LENDS AR16 ILM J109 FAK PHLBO	
	(RNAV)-STAR	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) J53 CRG J51	
	SAV J207 FLO J55 J51 FAK PHLBO	
New towards (OWE)	(RNAV)-STAR	1100-0400
Newburgh (SWF)	(Water–Turbojets) MLB LENDS AR16 ILM KEMPR	
New Heree (HVN)	SBY J79 JFK DPK HUDSON-STAR	
New Haven (HVN)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE V139 RICED MAD193	
New London (GON)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
New London (GON)	CEBEE SWL J121 HTO	
	OLDEL OWL J121 IIIO	

		Effective Times
Terminals	Route	(UTC)
Philadelphia (PHL)	(Water-Turbojets) J53 CRG J55 CHS J121 SWL	
Pittsburgh (PIT)	SWL034 RADDS VCN-STARCRG J51 CAE PSK EKN IHD NESTO-STAR	1100-0400 1100-0400
Poughkeepsie (POU)	(Water–Turbojets) MLB LENDS AR16 ILM KEMPR	1100 0.00
	SBY J79 JFK DPK HUDSON-STAR	
Providence (PVD)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
Springfield (CEF)	CEBEE SWL J174 HTO JORDN (RNAV)-STAR (Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR	
St. Louis (STL)	CTY SZW J41 VUZ J151 VISQA QBALL-STAR	1100-0400
Toronto (CYYZ)	(Water-Turbojets) MLB LENDS AR16 ILM J109 BUF YOUTH-STAR	
Washington Natl (DCA)	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) MLB LENDS AR16 ILM J40 RIC	
	OJAAY (RNAV)-STAR	
	or (Water–Turbojets) MLB LENDS AR16 ILM J40 RIC	
	IRONS-STAR	
Washington Dulles (IAD)	(Water-GPS or DME/DME-IRU equipped) MLB	
	LENDS AR16 ILM J109 FAK BARLIN -STAR	
	or (Water) MLB LENDS AR16 ILM J109 FAK	
	COATT-STAR	
Westfield (BAF)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
Washamatan Basah (FOK)	SBY J79 VILLS DPK DPK-STAR	
Westhampton Beach (FOK)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 HTO	
White Plains (HPN)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE BOUNO-STAR	
	Or	
	(Water-Turboprops) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED	
	RICED-STAR	
Windsor Locks (BDL)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
Warranter (ODII)	SBY J79 VILLS DPK DPK-STAR	
Worcester (ORH)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	
From ORLANDO INTL (MCO) only		
Atlanta (ATL)	MCOY-DP AMG SINCA-STAR	1100-0400
	or (RNAV only) JAGUAR-DP DBN CANUK	
	(RNAV)-STAR	1100-0400
Baltimore (BWI)	MCOY-DP SAV J55 CHS J79 TYI J40 RIC	
	OTT-STAR	1100-0400
	or (Water–Turbojets) MLB LENDS AR16 ILM J40 RIC	
	OTT-STAR	
Bedford (BED)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or (Water–Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J174 HTO ORW GRAYM-STAR	
Beverly (BVY)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or (Water–Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J174 HTO ORW GRAYM-STAR	
Boston (BOS)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK ORW-STAR	1100-0300
	or MCOY-DP SAV J55 CHS J79 JFK ORW-STAR	1100-0300
Bridgeport (BDR)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE V139 RICED MAD193	
Charlotte (CLT)	KEYED MCOY-DP SAV J207 FLO CTF-STAR	
Ondifotto (OLI)	MOOT DE SAVIZOT LO CIT-STAR	

Terminals	Route	Effective Times (UTC)
	or (Turbojets-GPS or DME/DME-IRU equipped) MCOY-DP SAV HUSTN (RNAV)-STAR	
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR	1100-0400
Chicago O'Hare (ORD)	or (non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT	1100-0400
	(RNAV)-STAR	1100-0400
Cincinnati (CVG)	(non-advanced RNAV only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR	1100-0400
	or (all others) MCOY-DP AMG J45 ATL J43 VXV HARDU-STAR	1100-0400
Columbus (CMH)	MCOY-DP IRQ J53 SPA J85 HVQ HNN BREMN-STAR	1100-0400
Danbury (DXR)	(WATER-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED	
Detroit/Wayne (DTW)  Detroit Satellites: Detriot (DET), Windsor (CYQG), Pontiac (PTK), Willow Run (YIP), Ann Arbor	RICED-STAR JAGUAR-DP IRQ J53 SPA HNN WEEDA-STAR	
(ARB)	JAGUAR-DP IRQ J85 DJB LLEEO-STAR LBV	
Indianapolis (IND)	SBY J79 JFK DPK MAD V1 CTY J91 ATL J89 IIU DECEE-STAR (Water-Turbojets) MLB ETECK AR18 DIW WETRO	1100-0400
Kennedy (JFK)	CEBEE SWL J121 SARDI CCC. (Water) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR	
La Guardia (LGA)	MCOY-DP SAV J55 CHS J121 SIE CAMRN-STAR MCOY-DP SAV J207 RDU J55 HPW J191 PXT ENO-STAR	1100-0300
Lawrence (LWM)	(Water-Turbojets) MLB LENDS AR16 ILM J40 TYI HPW J191 PXT ENO-STAR (Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR	
Louisville (SDF) Minneapolis (MSP)	or (Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR CTY J91 ATL HCH DARBY-STAR (all others) CTY VUZ ALO KASPR-STAR or	1100-0400
Montreal (CYUL)	(/E, /G, /R, /J, /L, /Q) WEBSS BRUTS Q110 FEONA VUZ ALO KASPR-STAR(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
Nantucket (ACK)	SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR (Water-Turbojets) MLB ETECK AR18 DIW WETRO	
Nashville (BNA) Newark (EWR)	CEBEE SWL J174 HTO V46	1100-0400
	or MCOY-DP SAV J207 FLO J55 J51 FAK DYLIN-STAR or	

Terminals	Route	Effective Times (UTC)
Terminals	J53 CRG J51 SAV J207 FLO J55 J51 FAK	(010)
	DYLIN-STAR	1100-0400
	(Turbojets-WATER) MLB LENDS AR16 ILM J109 FAK DYLIN-STAR or	1100-0400
	(GPS or DME/DME-IRU equipped) MCCOY SAV	
	J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR or	1100-0400
	(GPS or DME/DME-IRU equipped-WATER) MLB LENDS AR16 ILM J109 FAK PHLBO (RNAV)-STAR	1100-0400
Newburgh (SWF)	(Water-Turbojets)-MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	
New Haven (HVN)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED	
New London (GON)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 HTO	
Philadelphia (PHL)	(Turbojets) MCOY-DP SAV J55 CHS J121 SWL SWL034 RADDS VCN-STAR	1100-0400
	or	1100 0 100
	(Water–Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL RADDS VCN–STAR	
Pittsburgh (PIT)	MCOY-DP SAV J51 CAE PSK EKN IHD	
5 . ,	NESTO-STAR	1100-0400
Poughkeepsie (POU)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	
Providence (PVD)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO JORDN (RNAV)-STAR	
Springfield (CEF)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR	
St. Louis (STL)	CTY J151 VISQA QBALL-STARor	
	(/E, /G, /R, /J, /L, /Q) WEBBS BRUTS Q110	
Toronto (CYYZ)	FEONA VUZ J151 VISQA QBALL-STAR (Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK CFB J95 BUF YOUTH-STAR	
Washington Dulles (IAD)	MCOY-DP SAV J55 CHS J165 J109 FAK	4400 0000
Westfield (BAF)	COATT-STAR	1100-0300
West Palm Beach (PBI)	SBY J79 VILLS DPK DPK-STAR (Turbojets-GPS or DME/DME-IRU equipped)	
	DEARY VRB FRWAY (RNAV)—STAR or DEARY VRB TUXXI—STAR	
PALM BEACH METRO AREA	DEART VRB TOXXI-STAR	
(PBI, BCT, LNA, UTX, SUA)		
Albany (ALB)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE V487 CANAN V130	
Atlanta (ATL)	(RNAV only) ORL J81 CHESN CANUK	
	(RNAV)-STAR	1100-0300
Baltimore (BWI)	ORL J81 CHESN SINCA-STAR	1100-0300
	ORL CRG J51 SAV J55 CHS J79 TYI J40 RIC OTT-STAR	1100-0300
	(Water-Turbojets-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J40 RIC RAVNN (RNAV)-STAR or	

Terminals	<b>Route</b> (GPS or DME/DME-IRU equipped) ORL CRG J51	Effective Times (UTC)
Bedford (BED)	SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)-STAR (Water-ALT-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	1100-0300
Beverly (BVY)	or (Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR (Water-ALT-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
Boston (BOS)	or (Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR (Water-Turbojets) A699 PERMT AR16 KEMPR SBY J79 JFK ORW-STAR	1100-0300
Bridgeport (BDR)	or ORL J53 CRG J51 SAV J55 CHS J79 JFK ORW-STAR(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED	1100-0400
Charlotte (CLT)	ORL J53 CRG J51 SAV J207 FLO CTF-STAR	
Chicago Midway (MDW)	(Turbojets-GPS or DME/DME IRU equipped) ORL J53 CRG J51 SAV HUSTN (RNAV)-STAR (/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR	1100-0300
Chicago O'Hare (ORD)	or (non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	1100-0400
Cincipacti (CVC)	(RNAV)-STAR	1100-0300
Cincinnati (CVG)	(All Others) CTY J91 VXV HARDU-STAR or (RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR	1100-0300
Cleveland (CLE)	ORL J53 SPA J85 TVTO40 KEATN KEATN-STAR ORL J81 IRQ J53 SPA J85 HVQ HNN	1100-0300
Cross City (CTY)  Dallas/Ft Worth (DFW)  Danbury (DXR)	BREMN-STAR.  LAL.  SRQ Q100 REDFN Q105 HRV J58 AEX CQY  (Water-Turbojets) A699 RAMJT AR18 DIW WETRO  CEBEE SWL J121 SIE V139 RICED	1100–0300 1030–0300
Daytona Beach (DAB)	RICED-STAR	1030-0300
Detroit/Wayne (DTW) Dixon (DIW) East Hampton (HTO)	CTY SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR ORL J53 SPA HNN WEEDA-STAR (Water-Turbojets) WOLFO AR18 (Water-Turbojets) A699 RAMJT AR18 DIW WETRO	
Farmingdale (FRG)	CEBEE SWL J121 HTO	
Fort Myers (RSW)	CEBEE SWL J121 SIE CAMRN-STAR	1030-0300

Terminals	Pouto	Times (UTC)
Hartford (HFD)	<b>Route</b> (Water–Turbojets) A699 PERMT AR16 ILM KEMPR	(010)
	SBY J79 JFK DPK MAD V1	
Houston (HOU)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	1000 0200
	COLUMBIA (RNAV)-STARor	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW	
	J2 SJI COLUMBIA (RNAV)-STAR	1000-0300
	Or (Non-advanced NAV only) LAL 172 S7W 12 CEW	
	(Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR	1000-0300
Houston (IAH)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	
	WOLDE (RNAV)-STAR	1000-0300
	Or (CDS or DME /DME IBIL oquipped) LAL 172 S7W	
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR	1000-0300
	or	1000 0000
	(Non-advanced NAV only) LAL J73 SZW J2 CEW	
Indianandia (IMID)	J50 AEX DAS-STAR	1000-0300
Indianapolis (IND)Islip (ISP)	CTY J91 ATL J89 IIU DECEE-STAR(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	1100-0300
ionp (ion)	CEBEE SWL J121 SARDI CCC	
Jacksonville (JAX)	ORL J53	1030-0300
Kennedy (JFK)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	
	CEBEE J121 SIE CAMRN-STAR	1100-0300
	ORL J53 CRG J51 SAV J55 CHS J121 SIE	
	CAMRN-STAR	1000-0300
La Guardia (LGA)	(Water-Turbojets) A699 PERMT AR16 ILM J40 TYI	
	HPW J191 PXT KORRY-STAR	
	ORL J53 CRG J51 SAV J207 RDU J55 HPW J191	
	PXT KORRY-STAR	1100-0400
Lawrence (LWM)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or (Water-ALT-Turbojets) A699 RAMJT AR18 DIW	
	WETRO CEBEE SWL J174 HTO ORW	
	GRAYM-STAR	
Louisville (LOU)	CTY J91 ATL HCH DARBY-STAR	1100-0300
Manchester (MHT)	(Water–Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK ALB EEN	
Minneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STAR	1100-0300
Montreal (CYUL)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR	
	SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR	
Nashville (BNA) Nantucket (ACK)	CTY J91 ATL GQO VOLLS-STAR(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	1100-0300
Nantuoket (Aori)	CEBEE SWL J174 HTO V46	
Newark (EWR)	(Water-GPS or DME/DME-IRU equipped) A699	
	PERMT AR16 ILM J109 FAK PHLBO (RNAV)-STAR	
	or	
	ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK	
	DYLIN-STAR	1100-0300
	or (WATER) A699 PERMT AR16 ILM J109 FAK	
	DYLIN-STAR	
	or	
	(GPS or DME/DME-IRU equipped) ORL J53 CRG	
	J51 SAV J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR	1100-0300
Newburgh (SWF)	(Water–Turbojets) A699 PERMT AR16 ILM KEMPR	1100 0000
- ' '	SBY J79 JFK DPK HUDSON-STAR	
New Haven (HVN)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	
	CEBEE SWL J121 SIE V139 RICED MAD193 KEYED	
Ocala (OCF)	LAL	1030-0300

Terminals	Route	Effective Times (UTC)
Orlando (MCO)	BAIRN GOOFY-STAR	1030-0300
Overwater Routes to the Northeast	(Water) A699 PERMT AR16 ILM or WOLFO AR18 DIW	1030-0300
Philadelphia (PHL)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL RADDS VCN-STAR or	
	ORL J53 CRG J51 SAV J55 CHS J121 SWL	1100 0200
Pittsburgh (PIT)	SWL034 RADDS VCN-STAR ORL J53 CRG J51 CAE PSK EKN IHD NESTO-STAR	1100-0300
Poughkeepsie (POU)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	
Providence (PVD)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO JORDN (RNAV)-STAR	
Raleigh/Durham (RDU)	(Water-Turbojets) A699 PERMT AR16 ILM BRADE-STAR	
St. Louis (STL)	ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR TBIRD CTY J151 VISQA QBALL-STAR or	1100-0400
Springfield (CEF)	(/E,/G,/R,/J,/L,/O) TBIRD KPASA Q110 FEONA VUZ J151 VISQA QBALL—STAR (Water-Turbojets) A699 PERMT AR16 ILM KEMPR	
Tallahassee (TLH)	SBY J79 VILLS DPK DPK-STARLAL	1030-0300
Tampa (TPA)	LBV BRDGE-STAR	1030-0300
	BRDGE BRDGE-STAR	1030-0300
Toronto (CVV7)	(GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STARor (GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STAR	1000-0300
Toronto (CYYZ)	(Water–Turbojets) A699 PERMT AR16 ILM J109 BUF YOUTH–STAR	
Washington Dulles (IAD)	(Water-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J109 FAK BARIN-STAR or	
	(Water) A699 PERMT AR16 ILM J109 FAK COATT-STAR	
	or (GPS or DME/DME-IRU equipped) ORL J53 CRG J51 SAV J207 RDU FAK BARIN-STAR	
Washington Netl (DCA)	ORL J53 CRG J51 SAV J207 RDU FAK COATT-STAR	
Washington Natl (DCA)	(Water) A699 PERMT AR16 ILM J40 RIC IRONS-STARor	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J40 RIC OJAAY (RNAV)-STAR	
Westfield (BAF)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR	
Westhampton Beach (FOK)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 HTO	
White Plains (HPN)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR or	
	(Water-Turboprops) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED	
Wilmington (ILM)	RICED-STAR(Water-Turbojets) A699 PERMT AR16	

Terminals	Route	Effective Times (UTC)
Windsor Locks (BDL)	(Water-Turbojets) PERMT A699 AR16 ILM KEMPR SBY J179 VILLS DPK DPK-STAR	(0.0)
Worcester (ORH)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	
PENSACOLA (PNS)		
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) MGM RESPE GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR	0000–2359
	or (non-advanced RNAV only) MGM RESPE GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI	
Houston (HOU)	KNOX-STAR(GPS or DME/DME-IRU equipped) ROMMY HRV	0000-2359
	COLUMBIA (RNAV)-STARor	1000-0300
Houston (IAH)	(Non-advanced NAV only) SJI AEX DAS-STAR (GPS or DME/DME-IRU equipped) ROMMY HRV	1000-0300
, ,	WOLDE (RNAV)-STAR	1000-0300
1	or (Non-advanced NAV only) SJI AEX DAS-STAR	1000-0300
PORT AU PRINCE (MTPP)		
Atlanta (ATL)	(if unable FL370 by CVIKK) JOSES A315 ZIN FLL ORL CRG SINCA-STAR or	
	ALBBE A636 ZIN FLL ORL CRG CANUK (RNAV)-STAR	
	or (if unable FL370 by CVIKK) ALBBE A636 ZIN FLL ORL CRG SINCA-STAR	
	or (if unable FL370 by CVIKK) JOSES A315 ZIN FLL	
	ORL CRG CANUK (RNAV)-STAR	
Kennedy (JFK)	BOTES G444 GTK M594 CERDA LUCTI L454 OWENZ CAMRN	
	or BOTES G444 GTK M594 CERDA L453 AZEZU	
	BERGH L454 OWENZ CAMRN	
	or BOTES G444 GTK L452 OXANA AR8 ECG ORF	
	J121 SIE CAMRN-STAR	
	or	
	JOSES A315 ZIN A756 DUKKY A555 ZQA AR3 PANAL DIW WETRO CEBEE SWL J121 SIE	
	CAMRN-STAR	
Newark (EWR)	ALBBE M594 CERDA LUCTI L454 BERGH L454	
	OWENZ CYN GXU RBV V249 METRO or	
	ALBBE M594 GTK L452 OXANA AR8 ECG FAK DYLIN-STAR	
	ALBBE M594 GTK L452 OXANA AR8 ECG FAK PHLBO (RNAV)-STAR	
RALEIGH-DURHAM (RDU)		
Albany (ALB)	TYI J79 SBY J79 JOANI LGA LGA055 V487 V130	1100-0400
Atlanta (ATL)	PACKK-DP AZELL CAE J4 IRQ SINCA-STAR or	1100-0400
	(RNAV only) PACKK-DP AZELL CAE J4 IRQ CANUK RNAV-STAR	1100-0400
Boston (BOS)	TYI J79 JFK ORW-STAR	4400 0400
Chicago Midway (MDW) Chicago O'Hare (ORD)	PACKK-DP AZELL PSK HVQ FWA GOSHEN-STAR	1100–0400
Unicago o Haie (UND)	(/E/G/R/J/L/Q only) PACKK-DP AZELL HMV FLM HEVAN MZZ ROYKO (RNAV)-STAR	1100-0400
	or (non-advanced RNAV only) PACKK-DP AZELL HMV	
	FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR .	1100-0400

ı

Terminals	Route	Times (UTC)
Cincinnati (CVG)	(RNAV only) HMV JAKIE (RNAV)-STAR	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Columbia (CAE)	(all others) HMV HARDU-STAR	1100-0400 1100-0400
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) TARL-DP CLB BAHAA AR21 CRANS FISEL (RNAV)-STAR	
	(Turbojets) TARL-DP CHS J79 OMN GISSH-STAR . or	
	(Water–Turbojets) TARL–DP CLB BAHAA AR21 CRANS HIILL FATHR GISSH–STAR or	
	(Turboprops) TARL-DP CHS J79 OMN MLB BLUFI-STARor	
	(Water-Turboprops-GPS or DME/DME-IRU equipped) TARL-DP CLB BAHAA AR21 CRANS FISEL (RNAV)-STAR	
Houston (HOU)	(Water-Turboprops) TARL-DP CLB BAHAA AR21 CRANS HIILL FATHR GISSH-STAR(GPS or DME/DME-IRU equipped) VUZ JAN AEX ROKIT (RNAV)-STAR	
Houston (IAH)	(Non-advanced NAV only) VUZ JAN AEX DAS-STAR(Turbojets-GPS or DME/DME-IRU equipped) VUZ	
,	JAN AEX TXMEX (RNAV)-STAR	
Kennedy (JFK) La Guardia (LGA) Miami (MIA)	(Non-advanced NAV only) VUZ JAN AEX DAS-STAR TYI ORF J121 SIE CAMRN-STAR LVL HPW J191 PXT KORRY-STAR (Turbojets-GPS or DME/DME-IRU equipped) TARL-DP CHS J79 OMN HILEY (RNAV)-STAR or	1100-0400
	(Water-Turbojets-GPS or DME/DME-IRU equipped) TARL-DP CLB SEELO AR22 JORAY HILEY (RNAV)-STARor (Turbojets) TARL-DP CHS J79 OMN ANNEY-STAR.	
	or (Water-Turbojets) TARL-DP CLB SEELO AR22 JORAY OSOGY ENVOY YOSSI MILSY BOYUR HILEY KAINS	
Newark (EWR)	(Turboprops) TARL-DP CHS J79 OMN ANNEY-STAR LVL FAK DYLIN-STAR	1100-0300
	or (GPS or DME/DME-IRU equipped) LVL FAK PHLBO (RNAV)-STAR	1100-0300
Newburgh (SWF) Orlando (MCO)	TYI J79 JFK BDR V91 STUBY(Turbojets) TARL-DP CHS J79 OMN BITHO-STAR	1100-0300 1100-0400
Orlando (ORL) Palm Beach (PBI)	(GPS or DME/DME-IRU equipped) TARHEEL-DP CHS J79 OMN CWRLD (RNAV)-STAR (Turbojets) TARL-DP CHS J79 OMN CORLL-STAR. (Turbojets-GPS or DME/DME-IRU equipped) TARL-DP CHS J79 OMN FRWAY (RNAV)-STAR	1100-0400 1100-0400

Terminals	Route	Effective Times (UTC)
	or (Turbojets) TARL-DP CHS J79 OMN TUXXI-STAR	
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) TARL-DP CLB SEELO AR19 AYBID CAYSL (RNAV)-STAR	
Philadelphia (PHL)	or (Water-Turbojets) TARL-DP CLB SEELO AR19 AYBID MIMMI NEUBE SWOMP SANZZ CAYSL V3 FAK DPNT-STAR	1100-0400 1100-0400
Pittsburgh (PIT) Sarasota (SRQ) Savannah (SAV) Tampa (TPA)	PACK-DP ROA EKN IHD NESTO-STAR  FAY-DP FAY CAE J75 TAY J85 GNV LAL  TARL-DP CHS  FAY-DP FAY CAE J75 TAY LZARD-STAR	1100-0400 1100-0400 1100-0400 1100-0400
Window Looke (PDL)	or (GPS or DME/DME-IRU equipped) FAY-DP FAY CAE J75 TAY DADES (RNAV)-STAR	1100-0400
Windsor Locks (BDL)	TYI J79 SBY J79 JFK DPK-STAR  HARDE A555 ZQA FLL ORL CRG CANUK	1100-0400
	(RNAV)-STAR or HARDE A555 ZQA FLL ORL CRG SINCA-STAR or	
Atlantic City (ACY)	CONCH R507  ELMUC L451 LETON L451 OLDEY AR3 PANAL DIW  WETRO CEBEE SWL J121 SIE	
Baltimore (BWI)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC NOTTINGHAM-STAR	
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC RAVNN (RNAV)-STAR or ELMUC L451 OLDEY AR3 CLB ILM J40 RIC	
	NOTTINGHAM-STARor	
Bedford (BED)	ELMUC L451 OLDEY AR3 CLB ILM J40 RIC RAVNN (RNAV)-STAR ELMUC L454 LUCTI OWENZ HTO ORW	
	GRAYM-STAR or ELMUC L451 CERDA L453 AZEZU BERGH OWENZ HTO ORW GRAYM-STAR	
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
	or ELMUC L451 LETON L451 OLDEY AR3 CLB DIW WETRO CEBEE SWL J174 HTO ORW GRAYM—STAR	
Charlotte (CLT)	ELMUC L451 OLDEY CHS CHESTERFIELD-STAR or	
Cincinnati (CVG)	ELMUC L451 OLDEY CHS HUSTN (RNAV)-STAR ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG VXV JAKIE (RNAV)-STAR	
Cleveland (CLE)	ELMUC L451 OLDEY METTA CHS SPA CAE VXV  JAKIE (RNAV)-STAR  ELMUC L451 CERDA LNHOM L452 OXANA AR8  ECG HVQ TVT KEATN-STAR	
Dayton (DAY)	ELMUC L451 OLDEY METTA CHS CAE HVQ TVT KEATN-STAR ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG VXV J43 FLM KEKEE-STAR	

Terminals	Route
	ELMUC L451 OLDEY METTA CHS CAE VXV J43 FLM KEKEE-STAR
Detroit (DTW)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG HNN WEEDA-STAR
	or ELMUC L451 OLDEY METTA CHS SPA HNN
Indianapolis (IND)	WEEDA-STAR ELMUC L451 CERDA LNHOM L452 OXANA AR8
	or ELMUC L451 OLDEY METTA CHS SPA CAE VXV
Kennedy (JFK)	J89 IIU V51 DECEE DECEE-STAR ELMUC L454 LUCTI L454 OWENZ CAMRN
	or ELMUC L453 LAMER L453 AZEZU BERGH L454
	OWENZ CAMRN  or  ELMUC L451 OLDEY AR3 PANAL DIW WETRO
	CEBEE SWL J121 SIE CAMRN-STAR
Louisville (SDF)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG HCH DARBY-STAR
	or ELMUC L451 OLDEY METTA CHS SPA HCH DARBY-STAR
Newark (EWR)	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK DYLIN-STAR
	or
	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK PHLBO (RNAV)-STAR
	ELMUC L454 LUCTI L454 BERGH L454 OWENZ CYN GXU RBV V249 METRO
	ELMUC L451 CERDA L453 AZEZU BERGH L454
Ottawa (CYOW)	OWENZ CYN GXU RBV V249 METRO ELMUC L454 LUCTI L454 JFK SYR J599
	or ELMUC L451 CERDA L453 AZEZU BERGH L454 JFK SYR J599
	or
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG SYR J599
	ELMUC L451 OLDEY AR3 CLB ILM SYR J599
Providence (PVD)	ELMUC L454 LUCTI L454 BERGH OWENZ HTO JORDN
	or ELMUC L451 CERDA L453 AZEZU BERGH OWENZ
	HTO JORDN
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG SWL J174 HTO JORDN
	or ELMUC L451 OLDEY AR3 PANAL DIW SWL J174
Quebec (CYQB)	HTO JORDN ELMUC L454 LUCTI L454 JFK PLB J560 or
	ELMUC L451 CERDA L453 AZEZU BERGH L454 JFK PLB J560
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG ORF SBY J209 VILLS SAX J6 PLB J560 or
	ELMUC L451 OLDEY AR3 PANAL DIW J174 ORF SBY J209 VILLS SAX J6 PLB J560

Terminals Raleigh–Durham (RDU) Teterboro (TEB)	Route ELMUC L451 OLDEY ILM BRADE-STARELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG FAK JAIKE (RNAV)-STARor ELMUC L451 CERDA L453 AZEZU BERGH L454
	OWENZor
	ELMUC L454 LUCTI L454 OWENZor
	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR
Washington (DCA)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC IRONS-STARor
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC OJAAY (RNAV)-STAR
	ELMUC L451 OLDEY AR3 CLB ILM J40 RIC IRONS-STAR
	ELMUC L451 OLDEY AR3 CLB ILM J40 RIC OJAAY (RNAV)-STAR
Washington (IAD)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG FAK BARIN (RNAV)-STAR
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG FAK COATT-STAR
	or ELMUC L451 OLDEY AR3 CLB ILM J109 FAK BARIN (RNAV)-STAR
	or ELMUC L451 OLDEY AR3 CLB ILM J109 FAK
White Plains (HPN)	COATT-STAR ELMUC L454 LUCTI L454 OWENZ
	or ELMUC L451 CERDA L453 AZEZU BERGH L454 OWENZ
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG ORF J121 SIE BOUNO-STAR
	ELMUC L451 OLDEY ECG ORF J121 SIE BOUNO-STAR
Winsor Locks (BDL)	ELMUC L454 LUCTI L454 JFK DBK DEER PARK-STAR
	or ELMUC L451 LETON L451 OLDEY AR3 CLB ILM KEMPR SBY J79 JFK DPK DEER PARK-STAR
	Or ELMUC L451 CERDA LNHOM L452 OXANA AR8
Winnipeg (CYWG)	ECG SBY J79 JFK DPK DEER PARK-STAR ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG IIU J99 BAE MSP
	or ELMUC L451 OLDEY METTA CHS VXV J89 IIU J99 BAE MSP
ANTO DOMINGO (MDSD)	
Altantic City (ACY)	BESAS L464 CERDA L451 OLDEY AR3 CLB DIW WETRO CEBEE SWL J121 SIE
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SWL J121 SIE
	JUELE L463 NUCAR AR3 CLB DIW WETRO CEBEE SWL J121 SIE

## PREFERRED IFR ROUTES

Terminals	Route
Baltimore (BWI)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC NOTTINGHAM-STAR
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC RAVNN (RNAV)-STAR
	BESAS L464 CERDA L451 OLDEY AR3 CBL ILM J40 RIC NOTTINGHAM-STAR
	or BESAS L464 CERDA L451 OLDEY AR3 CBL ILM J40 RIC RAVNN (RNAV)-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J40 RIC NOTTINGHAM-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J40 RIC RAVNN (RNAV)-STAR
Bangor (BGR)	BESAS L464 CERDA LUCTI L454 BERGH HTO LFV J79
	BESAS L464 LAMER L453 AZEZU BERGH OWENZ HTO LFV J79
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK HTO LFV
Bedford (BED)	BESAS L464 CERDA L451 OLDEY AR3 CLB DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR
	or BESAS L464 LAMER L453 AZEZU BERGH OWENZ HTO ORW GRAYM-STAR
	or BESAS L464 CERDA LUCTI L454 BERGH OWENZ HTO ORW GRAYM-STAR
	or JUELE L463 NUCAR AR3 CLB DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR
Boston (BOS)	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM KEMPR SBY J79 JFK NORWICH-STAR
	or BESAS L464 CERDA L451 OLDEY AR3 CLB ILM KEMPR SBY J49 JFK INNDY (RNAV)-STAR
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK INNDY (RNAV)-STAR
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK NORWICH-STAR
	or BESAS L464 LAMER L453 AZEZU BERGH L454 JFK NORWICH-STAR
	or BESAS L464 LAMER L453 AZEZU BERGH L454 JFK INNDY (RNAV)-STAR
	or JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY J79 JFK NORWICH-STAR
Charlotte (CLT)	BESAS L464 CERDA L451 OLDEY CHS CHESTERFIELD-STAR
	or BESAS L464 CERDA L451 OLDEY CHS HUSTN (RNAV)-STAR

Terminals	Route
	or JUELE L463 NUCAR AR3 OLDEY CHS CHESTERFIELD-STAR
	JUELE L463 NUCAR AR3 OLDEY CHS HUSTN
Chicago O'Hare (ORD)	(RNAV)-STAR  JUELE L463 NUCAR AR3 OLDEY AR4 CH SPA HMV FLM J24 BIGXX ROYKO (RNAV)-STAR
Cincinnati (CVG)	BESAS L464 CERDA L451 OLDEY METTA CHS SPA HMV JAKIE (RNAV)-STAR
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK J24 HVQ HNN JAVIT-STAR
	JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA
Cleveland (CLE)	HMV JAKIE (RNAV)-STAR BESAS L464 CERDA L451 OLDEY METTA CHS
,	CAE HVQ TVT KEATN-STAR
	or BESAS L464 CERDA LNHOM L452 OXANA AR8
	ECG HVQ TVT KEATN-STAR
	or JUELE L463 NUCAR AR3 OLDEY METTA CHS CAE
Davidson (DAV)	HVQ TVT KEATN-STAR
Dayton (DAY)	BESAS L464 CERDA L451 OLDEY METTA CHS CAE SPA HMV FLM KEKEE-STAR
	or BESAS L464 CERDA LNHOM L452 OXANA AR8
	ecg fak J24 HVQ HNN
	JUELE L463 NUCAR AR3 OLDEY METTA CHS CAE
Detroit (DTW)	SPA HMV FLM KEKEE-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8
Bedon (B111)	ECG HNN WEEDA-STAR
	BESAS L464 CERDA L451 OLDEY METTA CHS SPA HNN WEEDA-STAR
	or JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA
Indianapolis (IND)	HNN WEEDA-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8
	ecg IIU V51 DECEE DECEE-STAR
	BESAS L464 CERDA L451 OLDEY METTA CHS SPA CAE VXV J89 IIU V51 DECEE DECEE-STAR.
	or JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA
Kannady (IEK)	CAE VXV J89 IIU V51 DECEE DECEE-STAR
Kennedy (JFK)	BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ CAMRNor
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG ORF J121 SIE CAMRN-STAR
	BESAS L464 CERDA LUCTI L454 OWENZ CAMRN .
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR or
	JUELE L463 NUCAR AR3 PANAL DIW WETRO
La Guardia (LGA)	CEBEE SWL J121 SIE CAMRN-STAR BESAS L464 LAMER L453 AZEZU BERGH L454
	OWENZ CAMRN
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG HPW J191 PXT KORRY-STAR

Route
or BESAS L464 CERDA LUCTI L454 OWENZ CAMRN .
BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J40 TYI HPW J191 PXT KORRY-STAR
or JUELE L463 NUCAR AR3 CLB ILM J40 TYI HPW J191 PXT KORRY-STAR
BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG HCH DARBY-STAR
BESAS L464 CERDA L451 OLDEY METTA CHS SPA HCH DARBY-STAR
JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA HCH DARBY-STAR
BESAS L464 LAMER L453 AZEZU BERGH L454 JFK J37 ALB J6 PLB PLATTSBURGH-STAR
or JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY
J79 JFK J37 ALB J6 PLB PLATTSBURGH-STAR
BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK JAIKE (RNAV)-STAR
or BESAS L464 LAMER L453 AZEZU BERGH L454
OWENZor
BESAS L464 CERDA LUCTI L454 OWENZor
BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR
or JUELE L463 NUCAR AR3 CLB ILM J109 FAK JAIKE
(RNAV)-STARBESAS L464 CERDA LNHOM L452 OXANA AR8
ECG FAK DYLIN-STARor
BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK PHLBO (RNAV)-STAR
or
BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ CYN GXU RBV V249 METRO
BESAS L464 CERDA LUCTI L454 BERGH L454 OWENZ CYN GXU RBV V249 METRO
or
BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK DYLIN-STAR
or BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK PHLBO (RNAV)–STAR
JUELE L463 NUCAR AR3 CLB ILM J109 FAK DYLIN-STAR
or JUELE L463 NUCAR AR3 CLB ILM J109 FAK PHLBO (RNAV)-STAR
BESAS L464 CERDA LUCTI L454 JFK SYR J599
or BESAS L464 LAMER L453 AZEZU BERGH L454 JFK SYR J599
or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SYR J599or

Terminals	Route
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM SYR J599
Philadelphia (PHL)	or JUELE L463 NUCAR AR3 CLB ILM SYR J599 BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SWL RADDS CEDAR LAKE-STAR
	or BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW WETRO CEBEE SWL RADDS CEDAR LAKE-STAR
Providence (PVD)	BESAS L464 LAMER L453 AZEZU B24 SIE BESAS L464 CERDA LUCTI L454 BERGH OWENZ HTO JORDN
	BESAS L464 LAMER L453 AZEZU BERGH OWENZ HTO JORDN
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SWL J174 HTO JORDN
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW SWL J174 HTO JORDN
	or JUELE L463 NUCAR AR3 PANAL DIW SWL J174 HTO JORDN
Quebec (CYQB)	BESAS L464 CERDA LUCTI L454 JFK PLB J560 or
	BESAS L464 LAMER L453 AZEZU BERGH L454 JFK PLB J560
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG ORF SBY J209 VILLS SAX J6 PLB J560
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW J174 ORF SBY J209 VILLS SAX J6 PLB J560 or
	JUELE L463 NUCAR AR3 PANAL DIW J174 ORF SBY J209 VILLS SAX J6 PLB J560
Raleigh/Durham (RDU)	BESAS L464 CERDA L451 OLDEY ILM BRADE-STAR
Teterboro (TEB)	or JUELE L463 NUCAR ILM BRADE-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK JAIKE (RNAV)-STAR
	or BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ
	or BESAS L464 CERDA LUCTI L454 OWENZ
	or BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR
Toronto (CYYZ)	BESAS L464 LAMER L453 AZEZU BERGH L454 JFK J63 HUO CFB J95 BUF YOUTH
	(RNAV)-STAR
	JUELE L463 NUCAR AR3 CLB ILM J109 BUF YOUTH (RNAV)-STAR
Washington (DCA)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC IRONS-STAR

Terminals	Route	Effective Times (UTC)
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC OJAAY (RNAV)-STAR	
	OF BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J40 RIC IRONS-STAR	
	OF BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J40 RIC OJAAY (RNAV)-STAR	
	or JUELE L463 NUCAR AR3 CLB ILM J40 RIC IRONS-STAR	
Wachington (IAD)	UI JUELE L463 NUCAR AR3 CLB ILM J40 RIC OJAAY (RNAV)-STAR	
Washington (IAD)	FAK BARIN (RNAV)-STAR	
	BESAS L464 CERDA LNHOM L452 OXANA ECG FAK COATT-STAR	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK BARIN (RNAV)-STAR	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK COATT-STAR	
	or JUELE L463 NUCAR AR3 CLB ILM J109 FAK BARIN (RNAV)-STAR	
	or JUELE L463 NUCAR AR3 CLB ILM J109 FAK COATT-STAR	
White Plains (HPN)	BESAS L464 CERDA L451 OLDEY ECG ORF J121 SIE BOUNO-STAR	
	or JUELE L463 NUCAR AR3 PANAL DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR	
	BESAS L464 CERDA LUCTI L454 OWENZor	
	BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ	
Windsor Locks (BDL)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG ORF J121 SIE BOUNO-STAR BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	KEMPR SBY J79 JFK DPK DPK-STARor	
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK DPK DPK-STAR or	
Winnipeg (CYWG)	JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY J79 JFK DPK DPK-STAR	
	BESAS L464 CERDA L451 OLDEY METTA CHS VXV J89 IIU J99 BAE MSP	
CADACOTA DDADENTON ADEA (ODO)	JUELE L463 NUCAR AR3 OLDEY METTA CHS VXV J89 IIU J99 BAE MSP	
SARASOTA-BRADENTON AREA (SRQ) Baltimore (BWI)	TAY J75 CAE J52 RIC OTT-STAR	1100-0300
	(GPS or DME/DME-IRU equipped) TAY J75 CAE J52 RIC RAVNN (RNAV)-STAR	1100-0300

erminals Charlotte (CLT)	Route TAY J85 IRQ UNARM-STAR	Times (UTC)
Sharlotte (SE1)	or	
	(Turbojets-GPS or DME/DME IRU equipped) TAY J85 IRQ ADENA (RNAV)-STAR	
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK	
,	FISSK (RNAV)-STAR	1100-0300
	(non-advanced RNAV only) CTY J91 ATL J89 IIU	
Objects O'llers (ODD)	OKK V285 CLEFT OXI CGT	1100-0300
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	
	(RNAV)-STARor	0000–2359
	(non-advanced RNAV only) CTY J91 ATL CADIT	
	GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33	0000 0050
Cincinnati (CVG)	OXI KNOX-STAR(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR	0000–2359
monnaci (ova)	or	
	(all others) CTY J91 VXV HARDU-STAR	
Cleveland (CLE)	PIE J119 TAY J85 TVT040 KEATN KEATN-STAR	
columbus (CMH) Pallas/Ft. Worth (DFW)	PIE J119 TAY J85 HVQ HNN BREMN-STAR (Water) SRQ Q100 REDFN Q105 HRV J58 AEX	
	CQY	
enver (DEN)	(Water) Q100 REDFN Q105 HRV J58 SPS J168 LAA QUAIL-STAR	
Petroit/Wayne (DTW)	PIE TAY J85 SPA HNN WEEDA-STAR	
etroit Satellites: Ann Arbor (ARB), Pontiac (PTK), Willow		
un (YIP)	PIE J119 TAY J85 IRQ J99 VXV J43 FLM DQN	
	CRUXX-STAR	
Young (DET)	PIE J119 TAY J85 DJB LLEEO-STAR	4000 0000
ort Lauderdale (FLL)	(all others) RSW FORTL–STAR	1030-0300
	(GPS or DME/DME-IRU equipped) RSW FORTL	
	JINGL (RNAV)-STAR	
ouston (HOU)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	
	COLUMBIA (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) SZW J2 SJI	
	COLUMBIA (RNAV)-STAR	
	or	
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	
louston (IAH)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	
. ,	WOLDE (RNAV)-STAR	
	Or	
	(GPS or DME/DME-IRU equipped) SZW J2 SJI WOLDE (RNAV)-STAR	
	or	
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	
ndianapolis (IND)	CTY J91 ATL J89 IIU DECEE-STAR	
a Guardia (LGA)	TAY J75 DUNKN J210 VAN FLO J207 RDU J55	
ouisville (LOU, SDF)	HPW J191 PXT KORRY-STAR CTY J91 ATL HCH DARBY-STAR	
finneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STAR	
lashville (BNA)	CTY J91 ATL GQO VOLLS-STAR	1100-0300
Newark (EWR)	TAY J75 CAE J51 FAK DYLIN-STAR	1100-0300
	or (GPS or DME/DME-IRU equipped) TAY J75 CAE	
	J51 FAK PHLBO (RNAV)-STAR	1100-0300
Philadelphia (PHL)	TAY J75 CAE J51 FAK DPNT-STAR	
Pittsburgh (PIT)	TAY J75 CAE PSK J53 EKN IHD NESTO-STAR	0700 0000
Windsor Locks (BDL)	TAY J75 DUNKN J210 J79 JFK DPK DPK-STAR	0700–0000
AVANNAH (SAV)	CHE 170 TVI 140 DIC OTT CTAD	1100 0400
Baltimore (BWI)	CHS J79 TYI J40 RIC OTT-STAR	1100-0400

Terminals Philadelphia (PHL) Washington Dulles (IAD)	Route  CHS J121 SWL SWL SWL034 RADDS VCN-STAR J207 RDU FAK COATT-STAR or (GPS or DME/DME-IRU equipped J207 RDU FAK BARIN-STAR	Effective Times (UTC) 1100-0400
TAMPA/ST PETERSBURG METRO AREA (TPA, SPG, PIE, TPF)		
Atlanta (ATL)	SZW LGC-STAR	
Baltimore (BWI)	(RNAV only) SZW HONIE (RNAV)-STAR TAY J75 CAE J52 RIC OTT-STAR	1100-0400
Boston (BOS)	(GPS or DME/DME-IRU equipped) TAY J75 CAE J52 RIC RAVNN (RNAV)-STAR TAY J75 DUNKN J210 J79 JFK ORW-STAR TAY J85 IRQ UNARM-STAR	1100-0400 1100-0400
Chicago Midway (MDW)	(Turbojets-GPS or DME/DME IRU equipped) TAY J85 IRQ ADENA (RNAV)-STAR (/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR	1100-0300
Chicago O'Hare (ORD)	or (non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT(/E/G/R/J/L/Q only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK MZZ ROYKO (RNAV)-STAR or	1100-0300 0000-2359
Cincinnati (CVG)	(non-advanced RNAV only) CTV J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR	0000-2359
Cleveland Metro (CLE)	PIE J119 TAY J85 TVT040 KEATN KEATN-STAR or	
Columbus (CMH)	CTY J91 HNN TVT KEATN-STAR PIE J119 TAY J85 HVQ HNN BREMN-STAR or	
Denver (DEN)	CTY J91 HNN BREMN-STARSZW J41 MEM RZC PER GCK J154 RYLIE  DANDD-STAR	
Detroit/Wayne (DTW) Detroit Satellites: Ann Arbor (ARB), Pontiac (PTK), Young	TAY J85 SPA HNN WEEDA-STAR	
(DET)	CTY J91 VXV J43 FLM DQN CRUXX-STAR CTY J91 VXV J43 FLM DQN V98 VQQ CRUXX PIE J119 TAY J85 DJB LLEEO-STAR	
(HWO), Opa Locka (OPF)	(all others) RSW FORTL-STARor  (GPS OR DME/DME-IRU equipped) SABEE RXXAN	1030-0300
Fort Myers (RSW), (FMY)	JINGL (RNAV)-STAR(Turbojets-GPS or DME/DME-IRU equipped) SRQ	
	TYNEE (RNAV)-STAR	1020 0200
Fort Pierce (FPR)	VRB(GPS or DME/DME-IRU equipped) SIMMR REMIS Q100 LEV COLUMBIA (RNAV)-STAR	1030-0300 1000-0300
	or (GPS or DME/DME-IRU equipped) SZW J2 SJI COLUMBIA (RNAV)-STAR	1000-0300
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	1000-0300

Terminals	Route	Effective Times (UTC)
Houston (IAH)	(GPS or DME/DME-IRU equipped) SIMMR REMIS Q100 LEV WOLDE (RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) SZW J2 SJI WOLDE (RNAV)-STAR	1000-0300
	or (Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	1000-0300
Indianapolis (IND)	CTY J91 ATL J89 IIU DECEE-STAR TAY J75 J210 J121 SIE CAMRN-STAR	4000 0000
Key West (EYW) La Guardia (LGA)	RSW J41	1030-0300
Louisville (SDF)	HPW J191 PXT KORRY-STAR	1100-0400
Miami (MIA)	(all others) RSW CYY CYY-STAR	1030-0300
Minneapolis (MSP)	(Turbojets-GPS or DME/DME-IRU equipped) RSW CYY SSCOT (RNAV)-STAR CTY J91 ATL J89 BAE EAU-STAR	
Nashville (BNA) Newark (EWR)	CTY J91 ATL J89 BAL LAU-STAR	1100-0400
HOWAIN (EMI)	or (GPS or DME/DME–IRU equipped) TAY J75 CAE	1100 0400
Philadelphia (PHL)	J51 FAK PHLBO (RNAV)-STAR	1100-0400 1100-0400
Pittsburgh (PIT) Raleigh–Durham (RDU)	TAY J75 CAE PSK EKN IHD NESTO-STAR TAY J75 CAE BUZZY-STAR	1100-0400
Washington Dulles (IAD)	TAY J75 CAE J51 FAK COATT-STAR	1100-0400 1100-0400
Washington Nati (2011)	or GPS or DME/DME-IRU equipped) TAY J75 CAE	1100 0400
West Palm Beach (PBI)	J52 RIC OJAAY (RNAV)-STAR(Turbojets-GPS or DME/DME-IRU equipped)	1100-0400
Windsor Locks (BDL)	SABEE JOOOE WLACE (RNAV)-STAR TAY J75 DUNKN J210 J79 JFK DPK DPK-STAR	0700-0000
From St Petersburg (PIE) only: Detroit/Wayne (DTW)	TAY J85 SPA HNN WEEDA-STAR	
Detroit Satellites: Ann Arbor (ARB), Pontiac (PTK) Willow		
Run (YIP) Windsor (CYQG), Young (DET)	CTY J91 VXV J43 FLM DQN CRUXX-STAR PIE J119 TAY J85 DJB LLEEO-STAR	

## PREFERRED IFR ROUTES

## SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR ATLANTA HARTSFIELD INTL ARPT (JETS AND TURBOPROPS)

NORTHEAST

Traffic originating North and East of J186 to No	orth of a line from ATL to RDU file:
	MOL WHINZ-STAR
	or
	MOL FLCON (RNAV)-STAR
	J145 ODF WHINZ-STAR
	Or
	J145 ODF FLCON (RNAV)-STARVXV WHINZ-STAR
	or
	VXV FLCON (RNAV)-STAR
	J186 ODF WHINZ-STAR
	or
	J186 ODF FLCON (RNAV)-STAR
	SPA ODF WHINZ-STAR
	or
	SPA ODF FLCON (RNAV)-STAR
SOUTHEAST	
Traffic originating South of a line from ATL to R	
	IRQ SINCA-STAR
	or
	IRQ CANUK (RNAV)-STAR DBN SINCA-STAR
	or DBN CANUK (RNAV)-STAR
SOUTHWEST	DBN CANON (RNAV)-STAR
Traffic originating West of J89 to South and We	est of J14 file:
	MEI LGC-STAR
	or
	MEI HONIE (RNAV)-STAR
	SZW LGC-STAR
	or
	SZW HONIE (RNAV)-STAR
	MGM LGG-STAR
	or
	MGM HONIE (RNAV)-STAR
NORTHWEST	
Traffic originating West and North of J43 to Nor	rth of J14 file: BWG RMG–STAR
	or
	Or BWG ERLIN (RNAV)-STAR
	BNA RMG-STAR
	or
	BNA ERLIN (RNAV)-STAR
	MEM RMG-STAR
	or
	MEM ERLIN (RNAV-STAR)

NORTHEAST

## PREFERRED IFR ROUTES

## SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR ATLANTA TERMINAL AREA AIRPORTS (SATELLITE AIRPORTS ONLY JETS AND TURBOPROPS)

HORTHEADT	
Traffic originating North and East of a line from	n ATL to VXV to North of a line from ATL to RDU file:
	J48 ODF AWSON-STAR
	J145 ODF AWSON-STAR
	VXV AWSON-STAR
	J186 ODF AWSON-STAR
	SPA ODF AWSON-STAR
SOUTHEAST	
Traffic originating South of a line from ATL to	
	IRQ TRBOW-STAR
	DBN TRBOW-STAR
SOUTHWEST	
Traffic originating West of J89 to South and W	
	MEI LGC MIKEE-STAR
	SZW LGC MIKEE-STAR
	MGM LGC MIKEE-STAR
NORTHWEST	
Traffic originating West and North of a line fro	
	GQO BUNNI-STAR
	RQZ BUNNI-STAR
SPECIAL HIG	H ALTITUDE ARRIVAL ROUTES
FUR CH	ARLOTTE TERMINAL AREA
NORTHEAST	
Traffic originating North and East of J53 to No	rth of a line from CLT to RDU file:
	LYH MAJIC-STAR
	RDU SUDSY (RNAV)-STAR
	ROA MAJIC-STAR
SOUTHEAST	
Traffic originating South of a line from CLT to	RDU to South and East of J51 file:
	FLO CTF-STAR
	FLO HUSTN (RNAV)-STAR
SOUTHWEST	
Traffic originating West of J51 to South of J11	.8 file:
	ATL ADENA (RNAV)-STAR
	ATL UNARM-STAR
	IRQ ADENA (RNAV)-STAR
	IRQ ADENA (RNAV)-STAR
	IRQ ADENA (RNAV)-STARIRQ UNARM-STAR
NORTHWEST	IRQ ADENA (RNAV)-STARIRQ UNARM-STAR

## PREFERRED IFR ROUTES

## SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR MEMPHIS TERMINAL AREA

NORTHEAST		
Traffic entering Memphis ARTCC north of J118	3:	
	BNA WILDER-STAR	
	BWG WILDER-STAR	
	PXV WILDER-STAR	
NORTHWEST		
Traffic entering Memphis ARTCC on or west of		
	FAM GQE-STAR	
	ARG GQE-STAR	
	SGF ARG GQE-STAR	
	RZC GQE-STAR	4400 0000
COUTUEACT	FSM GQE-STAR	1100–0200
SOUTHEAST	0.	
Traffic entering Memphis ARTCC south of J11		
	VUZ HLI-STAR (MONDAY-FRIDAY)	1100-0200
SOUTHWEST	GQU HLI-STAR	1100-0200
Traffic entering Memphis ARTCC on or south of	of 16:	
manic entering Memphis Acroc on or south	LIT MARVELL-STAR	
	TXK MARVELL-STAR	
	ELD MARVELL-STAR	
	SOS MARVELL-STAR	1100-0200
	OQO WATTELE OTAL	1100 0200
Terminals		Effective Times (UTC)
Troffic entering Miami Center (7MA) for porthhous	ad Caribbaan flights originating from Conta Daminga	LUD (MDCC) to
FLL	nd Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463	UIR (NIDCS) to:
1 LL	BTLER A555 ZQA 054V CAREY DEKAL	
	WAVUN (RNAV)-STAR	
	or	
	JUELE L463 BTLER A555 ZQA 054V CAREY	
	DEKAL DEKAL-STAR	
	or	
(Advanced RNAV equipped) RETAK A636 ZIN	01	
A315 HODGY ZQA 054V CAREY DEKAL		
-		
WAVIN(RNAV)_STAR		
WAVUN(RNAV)-STAR	or	
WAVUN(RNAV)-STAR	or RETAK A636 ZIN A315 HODGY ZOA 054V	
WAVUN(RNAV)-STAR	RETAK A636 ZIN A315 HODGY ZQA 054V	
	RETAK A636 ZIN A315 HODGY ZQA 054V CAREY DEKAL DEKAL-STAR	
MIA	RETAK A636 ZIN A315 HODGY ZQA 054V CAREY DEKAL DEKAL-STAR(Advanced RNAV equipped) JUELE L463	
	RETAK A636 ZIN A315 HODGY ZQA 054V CAREY DEKAL DEKAL-STAR	
	RETAK A636 ZIN A315 HODGY ZQA 054V CAREY DEKAL DEKAL-STAR (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA FLIPR (RNAV)-STAR or	
	RETAK A636 ZIN A315 HODGY ZQA 054V CAREY DEKAL DEKAL-STAR(Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA FLIPR (RNAV)-STAR	
	RETAK A636 ZIN A315 HODGY ZQA 054V CAREY DEKAL DEKAL-STAR (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA FLIPR (RNAV)-STAR or	
	RETAK A636 ZIN A315 HODGY ZQA 054V CAREY DEKAL DEKAL—STAR	
	RETAK A636 ZIN A315 HODGY ZQA 054V CAREY DEKAL DEKAL—STAR	
	RETAK A636 ZIN A315 HODGY ZQA 054V CAREY DEKAL DEKAL-STAR (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA FLIPR (RNAV)-STAR or JUELE L463 BTLER A555 ZQA FOWEE -STAR or (Advanced RNAV equipped) RETAK A636 ZIN A315 HODGY FLIPR(RNAV)- STAR	

RETAK A636 ZIN A315 HODGY ZQA 054V.....

	Route	Times (UTC)
Traffic overflying Atlanta Center originating north a	nd east of a line from TYS to LAL (except DAY and PSK CAE SAV OMN BITHO-STAR	d CVG) for ZTL to MCO: 1100-0400
	J83 SPA CAE SAV OMN BITHO-STAR	1100-0400
	(GPS or DME/DME-equipped) PSK CAE SAV OMN CWRLD (RNAV)-STARor	1100-0400
	(GPS or DME/DME-IRU equipped) J83 SPA CAE SAV OMN CWRLD (RNAV)-STAR	1100-0400
Traffic overflying Atlanta Center Eastbound origina	ting South of a line from DFW to JFK:	
BDL	GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR	
BOS	(Turbojet only) GRD J209 RDU J207 FKN J79 JFK ORW-STAR	
	(Turboprop only) SIE J121 HTO V308 ORW	
	V16 WOONS	
BWI	SPA J14 RIC OTT-STARor	
	(GPS or DME/DME.IRU equipped) SPA J14	
	RIC RAVNN (RNAV)-STAR	
DCA	SPA J14 RIC IRONS-STAR	
	Or	
	(GPS or DME/DME-IRU equipped) SPA J14	
EWR	RIC OJAAY (RNAV)-STARSPA J14 J15 FAK DYLIN-STAR	
LWIN	or	
	(GPS or DME/DME.IRU equipped) SPA J14	
	J51 FAK PHLBO (RNAV)-STAR	
IAD	SPA J14 J51 FAK COATT-STARR	
JFK	GRD J209 ORF J121 SIE CAMRN-STAR	
LGA	AHN J208 HPW J191 PXT KORRY-STAR	
PHL	SPA J14 J51 FAK DPNT-STAR	
Northbound from over VXV with destination of CMF		
	VXV J91 HNN BREMN-STAR	
Traffic overflying Atlanta Center Northbound from o		
Traffic everthing Atlanta Center Northbound from	SPA J85 HVQ HNN BREMN-STAR	
Traffic overflying Atlanta Center Northbound from	PSK HVQ HNN BREMN-STAR	
Traffic overflying Atlanta Center Southbound origin	-	
(except DAY and CVG) with destinations of FLL, FN		
	PSK CAE	1100-0300
	or	
	J83 SPA J85 AMG	1100-0300
Traffic overflying Atlanta Center Southbound origin (with DAY and CVG) with destinations of FLL, FMY,	=	
	VXV J91 ATL OTKor	1100-0300
	BNA J73 SZWor	1100-0300
	MGM J20 SZW	1100-0300
	BNA J73 SZW	1100-0300
	MGM J20 SZW	1100-0300

	Route	Effective Times (UTC)
Traffic originating South of Wilmington VORTAC (IL		(010)
EWR	ILM J109 FAK DYLIN-STARor or (GPS or DME/DME.IRU equipped) ILM J109	1100-0300
FRG	FAK PHLBO (RNAV)-STAR	1100-0300
LGA	CEBEE SWL J121 SIE CAMRN-STARILM TYI HPW J191 PXT KORRY-STAR	1100-0300 1100-0300
Traffic overflying Ormond Beach VORTAC (OMN) de	estined MIA:	
OMN	OMN J79 VRB HEATT-STAR	
Traffic entering Miami Center (ZMA) for southboun Nagua (MDCY):	d Caribbean flights on L452/L453/L454 to La Ro	omana (MDLR) and
ZMA	LETON L450 GTK ASIVO	
	or LNHOM L452 GTK ASIVO	
	LAMER L464 CERDA L453 ASIVO	
	or MLLER M594 CERDA L459 ASIVOor	
	NUCAR L463 RNDLY ASIVO	
Traffic entering Miami Center (ZMA) for southboun ZMA	d Caribbean flights on L452/L453/L454 to Puert LETON L450 SEKAR A554 PTAor	o Plata (MDPP):
	LNHOM L452 GTK A554 PTA	
	or LAMER L453 MACKI B891 PTA	
	LUCTI L454 MNDEZ M594 CERDA L453 MACKI B891 PTA	
	or MLLER M594 CERDA L453 MACKI B891	
	PTAor	
	NUCAR L463 RNDLY SEKAR A554 PTA or	
	WATRS M596 PTA	
Traffic entering Miami Center (ZMA) for southboun ZMA	LETON L450 SEKAR A554 CDO	Domingo (MDSD):
	or LNHOM L452 GTK L450 SEKAR A554 CDO or	
	LAMER L453 ASIVO CDO	
	or LUCTI L454 MNDEZ M594 CERDA L453 ASIVO CDO	
	or	
	MLLER M594 CERDA L453 ASIVO CDO or	
	NUCAR L463 RNDLY SEKAR A554 CDO	

	Route	Times (UTC)
Traffic entering Miami Center (ZMA) for southbound ZMA	d Caribbean flights on L452/L453/L454 to Port a	au Prince (MTPP):
<u> </u>	or	
	LNHOM L452 GTK G444 OBNor	
	LAMER L464 CERDA M594 GTK G444 OBN .	
Traffic entering Miami Center (ZMA) for southbound ZMA	d Caribbean flights on L452/L453/L454 to Saint LETON L451 ELMUC L451 ANUor	Johns Island (TAPA):
	LNHOM L452 JORGG L451 ELMUC L451	
	or	
	LAMER L453 CERDA L451 ELMUC L451 ANU	
	or	
	LUCTI L454 ELMUC L451 ANU	
Traffic entering Miami Center (ZMA) for southbound	d Caribbean flights on L452/L453/L454 to Bridge	etown (TBPB):
ZMA	LETON L451 ELMUC L454 ILURI A555 BGI or	
	LNHOM L452 JORGG L451 ELMUC L454	
	ILURI A555 BGIor	
	LAMER L453 CERDA L451 ELMUC L454	
	ILURI A555 BGI	
	LUCTI L454 ELMUC L454 ILURI A555 BGI	
Traffic entering Miami Center (ZMA) for southbound ZMA	LETON L451 ELMUC L454 ILURI A555 FOF	le France (TFFF):
	or LNHOM L452 JORGG L451 ELMUC L454 ILURI A555 FOF	
	or	
	LAMER L453 CERDA L451 ELMUC L454	
	ILURI A555 FOF	
	LUCTI L454 ELMUC L454 ILURI A555 FOF	
Traffic entering Miami Center (ZMA) for southbound Barthelemy (TFFJ) and Oranjestad–Roosevelt (TNC	E) and Sanit Maarten (TNCM) and The Valley (TQP	
ZMA	or	
	LNHOM L452 JORGG L451 ELMUC L451 PJM	
	or LAMER L453 CERDA L451 ELMUC L451 PJM	
	or LUCTI L454 ELMUC L451 PJM	
Traffic entering Miami Center (ZMA) for southbound		a Pitre (TFFR):
ZMA	R888 PPR	
	or LNHOM L452 JORGG L451 ELMUC L454	
	LEEOO MODUX R888 PPR	
	LAMER L453 CERDA L451 ELMUC L454	
	LEEOO MODUX R888 PPR	
	or	

R888 PPR .....

Effective Times

(UTC) Route Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Saint Thomas Virgin Islands (TIST): ZMA ..... LETON L451 ELMUC L454 PANMO JETSS..... or LNHOM L452 JORGG L451 ELMUC L454 PANMO JETSS ..... or LAMER L453 CERDA L451 ELMUC L454 PANMO JETSS ..... LUCTI L454 ELMUC L454 PANMO JETSS ..... Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Saint Croix Virgin Islands ZMA ..... LETON L451 ELMUC L454 PANMO COY...... LNHOM L452 JORGG L451 ELMUC L454 PANMO COY ..... LAMER L453 CERDA L451 ELMUC L454 PANMO COY ..... LUCTI L454 ELMUC L454 PANMO COY...... Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Aguadilla (TJBO): ZMA ..... LETON L451 ELMUC BQN..... or LNHOM L452 JORGG L451 ELMUC BQN ..... or LAMER L453 CERDA L451 ELMUC BON ...... LUCTI L454 ELMUC BQN ..... Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to San Juan (TJIG): ZMA ..... LETON L451 ELMUC IDAHO BEANO ..... LNHOM L452 JORGG L451 ELMUC IDAHO BEANO ..... or LAMER L453 CERDA L451 ELMUC IDAHO BEANO ..... LUCTI L454 ELMUC IDAHO BEANO...... Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Mayaguez (TJMZ): LETON L451 ELMUC MAZ ..... ZMA ..... or LNHOM L452 JORGG L451 ELMUC MAZ ..... or

LAMER L453 CERDA L451 ELMUC MAZ ...... or LUCTI L454 ELMUC MAZ .....

	Route	Times (UTC)
Traffic entering Miami Center (ZMA) for southbound	d Caribbean flights on L452/L453/L454 to Ponce LETON L451 ELMUC PSE	(TJPS):
	or LNHOM L452 JORGG L451 ELMUC PSE	
	or LAMER L453 CERDA L451 ELMUC PSE or	
	LUCTI L454 ELMUC PSE	
Traffic entering Miami Center (ZMA) for southbound ZMA	d Caribbean flights on L452/L453/L454 to San Ju LETON L451 ELMUC IDAHO R006or	uan (TJSJ):
	LNHOM L452 JORGG L451 ELMUC IDAHO R006	
	or LAMER L453 CERDA L451 ELMUC IDAHO	
	or	
	LUCTI L454 ELMUC IDAHO R006	
Traffic entering Miami Center (ZMA) for southbound Charlestown (TKPN):	d Caribbean flights on L452/L453/L454 to Golden	n Rock (TKPK) and
ZMA	LETON L451 ELMUC L454 LEEOO DANDE G633 SKB	
	or LNHOM L452 JORGG L451 ELMUC L454	
	or	
	LAMER L453 CERDA L451 ELMUC L454 LEEOO DANDE G633 SKB	
	or LUCTI L454 ELMUC L454 LEEOO DANDE G633 SKB	
Traffic entering Miami Center (ZMA) for southbound of Spain (TTPP):		Point (TTCP) and Port
ZMA	LETON L451 ELMUC G431 DDP G449 POS	
	LNHOM L452 JORGG L451 ELMUC G431 DDP G449 POS	
	or LAMER L453 CERDA L451 ELMUC G431 DDP G449 POS	
	or LUCTI L454 ELMUC G431 DDP G449 POS or	
	GTK I 452 ANADA G449 POS	

# PREFERRED IFR ROUTES HIGH ALTITUDE—SINGLE DIRECTION ROUTES

Airway	Segment Fixes	Direction Effective	Effective Times (UTC)
J14	Greensboro, NC to Richmond, VA	Northeast	1100-0300
J37	Coyle, NJ to Spartanburg, SC	Southwest	1100-0300
J40	Wilmington, NC to Richmond, VA	North	1100-0300
	3,		1100-0300
J48	Pottstown, PA to Foothills, GA	Southwest	
J51	Columbia, SC to Yardley, NJ	Northeast	1100-0300
J52	Columbia, SC to Richmond, VA	Northeast	1100-0300
J55	Florence, SC to HUBBS Int., VA	Northeast	1100-0300
J75	Modena, PA to Greensboro, NC	Southwest	1100-0300
J89	Atlanta, GA to HITTR Int, FL	South	1100-0300
J91	Cross City, FL to Atlanta, GA	North	1100-0300
J109	Wilmington, NC to Buffalo, NY	North	1100-0300
J165	Charleston, SC to Richmond, VA	North	1100-0300
J191	Wilmington, NC to Robbinsville, NJ	North	1100-0300
J193	HUBBS Int., VA to Wilmington, NC	South	1100-0300
J207	Florence, SC to Franklin, VA	Northeast	1100-0300
J208	Athens, GA to Hopewell, VA	Northeast	1100-0300
J209	Greenwood, SC to Norfolk, VA	Northeast	1100-0300

458 Q-ROUTES

## **GULF OF MEXICO "Q ROUTES"**

These area navigation routes extend more than 12 miles off shore in airspace controlled by the Federal Aviation Administration (FAA). Additional regulatory information for these routes can be found in the Notices to Airmen Publication, Part 3, International Notices to Airmen.

These routes have a Minimum Obstruction Clearance Altitude (MOCA) of 1500 feet (MSL). The Minimum Enroute Altitude (MEA) for these routes is 6000 feet (MSL).

#### Q100

LEV VORTAC

REDFN N28°52.98'/W088°42.11'
ROZZI N28°18.87'/W086°42.31'
REMIS N27°53.04'/W085°15.47'

SRQ VORTAC

#### 0102

LEZ VORTAC

BLVNS N28°22.94'/W088°02.05' BUNNZ N28°00.58'/W086°45.76' BACCA N27°35.51'/W085°20.66' CIGAR N27°29.61'/W084'46.99' BAGGS N27°08.06'/W082°50.45'

CYY VORTAC

### Q105

HRV VORTAC

FATSO N29°41.40'/W089°47.08'
REDFN N28°52.98'/W088°42.11'
BLVNS N28°22.94'/W088°02.05'

### **O-ROUTES REGULATORY**

## Q1, Q3, Q5, Q7, Q9 and Q11 are preferred single direction (Southbound) Q routes; flight planning Northbound not authorized.

Q routes are RNAV routes that require the use of GNSS or DME/DME/IRU RNAV, unless otherwise indicated. Please note that this section does not apply to Q routes in the Gulf of Mexico. Gulf of Mexico Q routes are explained in the Southeast and South Central A/FD volumes. Q routes listed in this AF/D volume have at least part of one of their leg segments within this volume's area of coverage.

GNSS and DME/DME/IRU RNAV operations are authorized along Q routes at FL 180 and above. GNSS and DME/DME/IRU RNAV MEAs will only be published if above FL 180.

DME facilities that have been assessed for RNAV operations are listed below. Q routes with no DME facilities listed are limited to GNSS RNAV operations only. Those routes will have an enroute chart note "GNSS REQUIRED".

Route Q1	Segment ELMAA-ERAVE	DME BTG, OLM, HQM, HUH, UBG
-	ERAVE-EASON	BTG, OLM, HQM, HUH, LTJ, CVO, DSD, OED, UBG, ONP, EUG
	EASON-EBINY	CVO, DSD, OED, BTG, UBG, ONP, EUG, LMT
	EBINY-ENVIE	CVO, OED, EUG, LMT, RBL, ENI, ONP, FJS
	ENVIE-ETCHY	OED, PYE, OAK, LIN, ECA, LMT, RBL, ENI, SAC, FJS
	ETCHY-POINT REYES	LIN, ECA, RBL, ENI, SAC, OAK
Q2	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-HOBOL	BZA, GBN, BLH, EED, PXR, IPL, TFD, DRK, TUS
	HOBOL-ITUCO	TFD, GBN, BLH, PXR, TUS, CIE, SSO
	ITUCO-NEWMAN	EWM, TFD, PXR, CIE, SSO, TUS, TCS
Q3	FEPOT-FAMUK	OLM, TOU, HQM, CVO, BTG, DSD, LTJ, UBG, ONP, EUG
	FAMUK-FRFLY	BTG, DSD, OED, CVO, EUG, ONP, UBG, RBL, LMT
	FRFLY-FINER	OED, EUG, RBL, LMT, ENI, CVO, FJS
	FINER-FOWND	OED, PYE, ECA, LIN, OAK, ENI, RBL, LMT, SAC, FJS
	FOWND-POINT REYES	LIN, ECA, PYE, RBL, SAC, ENI
Q4	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-SCOLE	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SCOLE-SPTFR	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SPTFR-ZEBOL	EED, IPL, BZA, GBN, TFD, PXR, BLH
	ZEBOL-SKTTR	PXR, BLH, BZA, GBN, TFD, TUS, SSO, CIE, SVC, TCS
	SKTTR-EL PASO	EWM, CUS, SVC, TCS, SSO, CIE, ELP, DMN, CME

	•	nur.
Route <b>Q5</b>	Segment HAROB-HISKU	OME OND CVO FUC HOW UPC PTC IT! DCD HILL
Q3	HISKU-HARPR	OLM, ONP, CVO, EUG, HQM, UBG, BTG, LTJ, DSD, HUH ONP, CVO, EUG, LTJ, DSD, UBG, BTG, RBL, OED, LMT, FJS, LKV
	HARPR-HOMEG	CVO, EUG, OED, RBL, LMT, ENI, FJS, LKV
	HOMEG-HUPTU	SAC, PYE, LIN, OAK, ECA, LMT, RBL, ENI, OED, FJS
	HUPTU-STIKM	OAK, ECA, PYE, LIN, SAC, ENI, RBL
Q7	JINMO-JOGEN	CVO, HQM, LTJ, UBG, BTG, ONP, IMB, EUG, OLM, DSD, YKM, PDT, SEA
_	JOGEN-JUNEJ	LTJ, IMB, UBG, EUG, CVO, RBL, LMT, FMG, DSD, LKV, OED, BTG
	JUNEJ-JAGWA	RBL, LMT, FMG, LIN, SAC, ECA, ENI, MOD, SWR, OAK, LKV, CZQ, AVE, SNS
	JAGWA-AVENAL	OAK, MOD, ECA, EHF, PRB, AVE, SNS, CZQ
Q9	SUMMA-SMIGE	OLM, UBG, SEA, YKM, BTG, ONP, IMB, HQM, PDT, EUG, LTJ, CVO, DSD, OED,
		EPH, MWH
	SMIGE-SUNBE	IMB, UBG, EUG, IMB, RBL, LMT, FMG, SAC, OED, CVO, LKV, DSD, BTG
	SUNBE-REBRG	RBL, LMT, FMG, SAC, ECA, MVA, CZQ, OAK, EHF, PMD, LKV, LIN, MOD, AVE, OED,
	DEBDC DEBBB	SWR
Q11	REBRG-DERBB PAAGE-PAWLI	CZQ, PMD, EHF, LAX, RZS, AVE, MOD, ECA EPH, UBG, CVO, EUG, HQM, YKM, OLM, PDT, BTG, ONP, IMB, LTJ, DSD, LKV,
Q11	FAAGL=FAWLI	0ED, SEA
	PAWLI-PITVE	EUG, FMG, SAC, IMB, LKV, OED, DSD, RBL, LMT, CVO, REO
	PITVE-PUSHH	FMG, SAC, LIN, SWR, MOD, OAL, RBL, LKV, LMT, MVA, CZQ
	PUSHH-LOS ANGELES	SAC, ECA, FMG, LIN, OAL, MOD, EHF, LAX, PMD, PDZ, HEC, OCN, CZQ, AVE, RZS
Q13	All segments	None; GNSS required
Q15	All segments	None; GNSS required
Q19	PLESS-NASHVILLE	ENL, GQO, PXV, BNA, IIU, FAM, BWG, CSX
Q20	CORONA-HONDS	CNX, ABQ, ACH, ONM, TXO, LVS, TCC, CME
	HONDS-UNNOS	CNX, INK, CME, TXO, TCC
	UNNOS-FUSCO	FST, ACH, INK, CME, SJT, TXO, TCC
Q21	FUSCO-JUNCTION JONEZ-RAZORBACK	ABI, CWK, CSI, INK, LZZ, JCT, SJT, STV, FST BYP, EOS, TUL, TXK, ADM, RZC, OKM
Q21 Q22	GUSTI-OYSTY	AEX, DAS, MCB, LLA, BTR, LCH, HRV, LFT, LEV
4	OYSTY-ACMES	RQR, GCV, MCB, BTR, PCU, GPT, HRV, LEV, SJI
	ACMES-CATLN	SJI, MGM, MCB, BFM, GPT, GCV, HRV, CEW, MVC, PCU, MEI
Q23	FORT SMITH-RAZORBACK	
Q24	LAKE CHARLES-BATON	AEX, DAS, LCH, MCB, LFT, BTR
	ROUGE	
	BATON ROUGE-IRUBE	AEX, LEV, MCB, LCH, RQR, HRV, BTR, GCV, MCB, PCU, SJI, LBY
	IRUBE-PAYTN	GCV, MCB, JYU, PCU, MEI, HRV, CEW, SJI
Q25	MEEOW-WALNUT RIDGE	ELD, MEM, LIT, FAM, RZC
	WALNUT RIDGE-WLSUN	MEM, STL, BWG, PXV, ENL, FAM, ARG, BNA, CSX, TTH
Q26	WLSUN-POCKET CITY WALNUT RIDGE-DEVAC	BWG, PXV, ENL, BNA, TTH LIT, JKS,GQO, MEM, BNA, FAM, ARG, DYR, VUZ, RMG
Q27	FORT SMITH-ZALDA	OKM, SGF, RZC, EOS, TUL
Q28	GRAZN-PYRMD	EIC, LIT, ELD, OKM, TXK
	PYRMD-HAKAT	ARG, LIT, FAM, ELD, SGF, RZC, MEM, TXK
	HAKAT-ESTEE	ARG, LIT, FAM, SGF, MEM
	ESTEE-POCKET CITY	ARG, CSX, FAM, PXV, ENL, MEM, STL, BWG, TTH, BNA
Q29	HARES-MEMPHIS	MEM, ARG, LIT, JAN, ELD, SQS
	MEMPHIS-SIDAE	MEM, PXV, BNA, BWG, ARG, ENL
000	SIDAE-POCKET CITY	PXV, TTH, BWG, ENL
Q30	SIDON-VULCAN	GLH, MEM, VUZ, JAN, JYU, MEI, MGM, SQS, RMG
Q31	DHART–JODOX JODOX–MARVELL	SQS, LIT, TXK SQS, LIT, ELD, MEM, ARG
	MARVELL-TIIDE	ARG, BWG, PXV, FAM, LIT, MEM, ENL, TTH
	TIIDE-POCKET CITY	BWG, PXV, ENL, TTH
Q32	EL DORADO-GAGLE	AEX, JAN, MEM, SQS, SWB, ELD, LIT, TXK
-	GAGLE-CRAMM	JAN, SQS, MEM, ARG, VUZ, BNA, LIT
	CRAMM-NASHVILLE	BWG, MEM, VUZ, BNA, GQO
	NASHVILLE-SWAPP	BWG, IIU, PXV, VXV, BNA, GQO
Q33	DHART-LITTLE ROCK	AEX, ELD, LIT, TXK, SWB, ARG, MEM, SQS
024	LITTLE ROCK-PROWL	ELD, SGF, FAM, LIT, ARG, MEM, RZC, CSX, STL
Q34	TEXARKANA-MATIE	LIT, SWB, TXK, BYP, EIC, ELD, SQS
	MATIE-MEMPHIS	LIT, ARG, MEM, ELD, SQS
Q35	MEMPHIS-SWAPP	BWG, ARG, MEM, MKL, SQS,PXV, BNA, GQO, IIU, VXV
Ų33	KIMBERLY-NEERO NEERO-WINEN	LTJ, PDT, DSD, IMB, LKV, BOI, REO, BAM, SDO BQU, SDO, BAM, REO, BVL, ILC, DTA, ELY, CDC, MLF, BCE
	WINEN-CORKR	CDC, BCE, BLD, ILC, MLF, TBC, PGS, INW, DRK
	CORKR-DRAKE	TBC, BCE, BLD, DRK, PGS, FLG, GCN, INW, TFD
		, ,,,

460 Q-ROUTES

Route	Segment	DME
Q36	RAZORBACK-TWITS	RZC, MEM, SGF, BUM, TUL, EOS, FAM, ARG, LIT
_	TWITS-DEPEC	MEM, GQO, BNA, BWG, FAM, ARG, PXV, IIU
	DEPEC-NASHVILLE	GQO, BWG, BNA, PXV, IIU
	NASHVILLE-SWAPP	VXV, BWG, BNA, GQO, PXV, IIU
Q38	ROKIT-INCIN	DAS, LCH, SWB, IAH, LFK, HUB, AEX
	INCIN-LAREY	JAN, MCB, SWB, AEX
040	LAREY-BESOM ALEXANDRIA-DOOMS	JAN, JYU, MEI, SQS, VUZ AEX, SWB, LCH, JAN, HEZ, MCB
Q40	DOOMS-WINAP	JAN, SQS, MEI, MCB
	WINAP-MISLE	MEI, VUZ, JYU
042	KIRKSVILLE-STRUK	CID, IOW, UIN, LMN, IRK, BDF, STL, DEC, ENL, CSX
-	STRUK-DANVILLE	ENL, IOW, UIN, BDF, DEC, STL, CSX, SPI, TTH, BVT, JOT, VHP, OXI, ENL, OKK,
		OBK, GIJ, FWA, GSH, IRK
	DANVILLE-MUNCIE	GIJ, SPI, BDF, OBK, OKK, VHP, BVT, DEC, GSH, FWA, JOT, TTH, OXI, ROD, FLM
	MUNCIE-HIDON	FLM, VHP, GSH, TTH, GIJ, OKK, FWA, ROD, OXI, CRL, GSH, APE, DJB, DXO, HNN,
		AIR, HVQ, CXR, EWC
	HIDON-BUBAA	AIR, APE, HNN, CXR, HVQ, EWC, DJB
	BUBAA-PSYKO	AIR, APE, DJB, CXR, HNN, EWC, SLT, CSN, JHW, ETG, PSB
	PSYKO-BRNAN BRNAN-MAALS	PSB, JHW, EWC, AIR, ETG, CSN, EMI, SLT EMI, SLT, CSN, EWC, PSB, ETG, SAX, RBV, HNK, HUO, SIE
	MAALS-SUZIE	ETG, EMI, CSN, HUO, SIE, JFK, PSB, SLT, HNK
	SUZIE-EAST TEXAS	JFK, EMI, PSB, SLT, HNK, SIE, RBV, SAX, HUO, CYN
	EAST TEXAS-ELIOT	HUO, RBV, EMI, CYN, SAX, JFK, PSB, HNK
Q104	DEFUN-HEVVN	PIE, PZD, CRG, SZW, TAY, JYU, CEW, MGM, OTK, CRG
	HEVVN-PLYER	PIE, ORL, OMN, SRQ, TAY, LAL, CRG, SZW, PZD
	PLYER-SWABE	PIE, ORL, OMN, SRQ, TAY
	SWABE-ST PETERSBURG	LAL, ORL, OMN, SRQ, PHK, PIE
	ST PETERSBURG-	PHK, PBI, SRQ, PIE, VRB, ORL, FLL, LAL, OMN
0106	CYPRESS SMELZ-BULZI	TAL OPE OWN BHK DIE CDC VPR TAY OTK DZD AMC SZW
Q100	BULZI-DRABK	LAL, ORL, OMN, PHK, PIE, CRG, VRB, TAY, OTK, PZD, AMG, SZW AMG, PZD, TAY, CRG, SZW, MGM, OTK, JYU, CEW, SJI
	DRABK-GADAY	MGM, PZD, OTK, JYU, SZW, CEW, SJI
Q108	GADAY-CLAWZ	MGM, SJI, CEW, JYU, PZD, OTK, MCN, SZW, LGC, TAY, AMG
Q110	THNOR-JAYMC	SRQ, VRB, PHK, PIE, LAL, VKZ, ORL, PBI
	JAYMC-RVERO	VKZ, VRB, PHK, PIE, LAL, SRQ, ORL, OMN, PBI, DHP
	RVERO-KPASA	OMN, PIE, PBI, SRQ, ORL, LAL
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, SZW, PIE, TAY, PZD, OTK
0112	GULFR-FEONA	TAY, MCN, PZD, CRG, OTK, SZW, AMG, MCN, ATL, MGM
Q112	DEFUN-HEVVN HEVVN-INPIN	PIE, OTK, CRG, OMN, LAL, SZW, SRQ, ORL, VRB JYU, PZD, CEW, SZW, MGM, OTK, TAY, AMG, PIE, CRG
Q116	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
<b>C</b>	BRUTS-GULFR	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK
	GULFR-CEEYA	MCN, AMG, PZD, OTK, SZW, TAY
Q118	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-LENIE	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK, MCN
Q501	VIXIS-GOPHER	ECK, FNT, APN, SSM, GRR, MBL, SAW, BAE, MNM, DLL, AUW, ODI, STE, FGT, EAU,
	CODUED CODINE	DLH, GEP, BRD, MCW, MSP, ASP, TVC, GRB, RWF
Q502	GOPHER-SOBME	FGT, BRD, MCW, GEP, ABR, FAR, DLH, ODI, RWF, FSD
Q302	KENPA-GOPHER	SSM, FNT, ECK, APN, SAW, GRB, BAE, DLL, AUW, ODI, FGT, DLH, EAU, MCW, MSP, MNM, ASP, TVC, GEP, RWF, BRD
	GOPHER-SOBME	FGT, DLH, ODI, MCW, ABR, FAR, MSP, GEP, RWF, FSD, BRD
Q504	NOTAP-CESNA	SSM, ECK, APN, GLR, PLN, ISQ, MNM, DLL, RHI, DLH, GEP, FGT, ODI, ASP, TVC,
•		SAW, GRB, BRD
	CESNA-HEMDI	ODI, GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, DLL, BRD
Q505	OMAGA-RIMBE	SSM, TVC, ASP, SAW, GRB
	RIMBE-CESNA	SSM, RHI, DLL, DLH, GEP, FGT, TVC, SAW, GRB, BRD, ODI
	CESNA-HEMDI	GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, BRD, ODI, GRB
*Denotes Cri	tical DME Facility	

### HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

#### **RNAV Routing Pitch and Catch Points**

The purpose of this section of the Special High Altitude Routes is to present user routing options for flight within the initial HAR Phase I expansion airspace. Users are able to fly user-preferred routes, referred to as non-restrictive routing (NRR), between specific fixes described by pitch (entry into) and catch (exit out of) fixes in the HAR airspace. Pitch points indicate an end of departure procedures, preferred IFR routings, or other established routing programs where a flight can begin a segment of NRR. The catch point indicates where a flight ends a segment of NRR and joins published arrival procedures, preferred IFR routing, or other established routing programs.

The HAR Phase I expansion airspace is defined as that airspace at and above FL 350 in fourteen of the western and southern Air Route Traffic Control Centers (ARTCCs). The airspace includes Minneapolis (ZMP), Chicago (ZAU), Kansas City (ZKC), Denver (ZDV), Salt Lake City (ZLC), Oakland (ZOA), Seattle Centers (ZSE), Los Angeles (ZLA), Albuquerque (ZAB), Fort Worth (ZFW), Memphis (ZME), and Houston (ZHU). Jacksonville (ZJX) and Miami (ZMA) are included for east-west routes only.

To develop a flight plan, select pitch and catch points based upon your desired route across the Phase I airspace. Filing requirements to pitch points, and from catch points, remain unchanged from current procedures. For the portion of the route between the pitch and catch points, non-restrictive routing is permitted.


Where pitch points for a specific airport are not identified, aircraft should file an appropriate departure procedure (DP), or any other user preferred routing prior to the NRR portion of their routing. Where catch points for a specific airport are not identified aircraft should file, after the NRR portion of their routing, an appropriate arrival procedure or other user preferred routing to their destination.

Additionally, information concerning the location and schedule of Special Use Airspace (SUA) and Air Traffic Control Assigned Airspace (ATCAA) can be found on the Web Site: http://sua.faa.gov/sua/Welcome.do. ATCAA refers to airspace in the high altitude structure supporting military and other special operations. Users are encouraged to file around these areas when they are scheduled to be active, thereby avoiding unplanned reroutes around them.

In conjunction with the HAR program RNAV routes have been established to provide for a systematic flow of air traffic in specific portions of the enroute flight environment. The designator for these RNAV routes begin with the letter Q, for example, Q-501. Where those routes aid in the efficient orderly management of air traffic they will be published as preferred IFR routes.

High Altitude Redesign (HAR) Phase One Expansion Airspace

Except as noted, flights entering HAR expansion airspace may pitch



## HAR Special High Altitude Pitch (entry) Points for Nonrestrictive Routing for Airports Located Outside HAR Phase I Expansion Airspace

Westbound traffic originating outside of HAR airspace entering ZMP, ZAU, ZKC and ZME can begin non-restrictive routing over any of the following pitch points (listed from north to south):

DLH, CESNA, GEP, BAE, MKG, GRR, PMM, GSH, CADIZ, FWA, VHP, FLM, IIU, PXV, SGF, RZC, BNA, SALMS, VUZ, BOYDD, MIF

Traffic originating outside of HAR airspace may also begin Nonrestrictive Routing upon crossing the pitch line depicted on the associated graphic.

## HAR Special High Altitude Pitch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists pitch points for airports within the HAR Phase I expansion airspace.

Albuquerque ABQ, GUP, HANOS or ZUN

Austin ABI, FUZ, JCT, MQP, NAVYS, SJT or TNV

Boca Raton, FL TBIRD KPASA Q118 LENIE

or

TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI

or TBIRD SMELZ Q106 GADAY

Burbank includes GMN, MARKS

Santa Monica

and Van Nuys DAG LAS

HEC EED

or PMD BLH

Chicago Terminal Area IOW, PLL275065, MZV or BAE

Dallas/Fort Worth Terminal Area ABI, LBB, GTH, CDS, MRMAC, IRW, TUL, MLC, TXK

ELD, SWB

or

Aircraft destined the Chicago terminal area

Except MDW

EAKER MIDEE BDF BRADFORD-STAR

Or

MLC J105 SGF BDF BRADFORD-STAR

Denver Terminal Area PUB, DVC, DBL, RLG, EKR, LAR, MBW, CYS, BFF, HANKI, NATTI, ASHBY, BELKE,

CABET, WEEDS, OR BINKE

Fort Lauderdale (or) THNDR KPASA Q118 LENIE

Fort Lauderdale Executive

THNDR KPASA Q116 CEEYA

or

THNDR KPASA Q110 FEONA

or

THNDR SMELZ Q106 GADAY

or

THNDR SMELZ Q106 BULZI

Houston Bush LIT, EMG, MLC, JCT

or

Aircraft destined Atlanta Terminal Area LCH Q24 PAYTN HONIE-RNAV STAR

or

Aircraft joining J37 to the northeast, BPT GUSTI Q22 CATLN

or

Aircraft joining J42 to the northeast, ELD Q32 J42

#### 464 HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

LIT, EMG, MLC, JCT, Houston Hobby

Aircraft joining J42 to the northeast, ELD Q32 J42

Jacksonville, FL TAY

Kansas City Terminal Area TIFTO, CATTS or KENTN

GMN, RZS Los Angeles, includes Ontario or

DAG LAS

TRM EED or TRM PKE

DOBNE, MOSBI, NICLE, TRALR or ZELOT Las Vegas

Long Beach includes GMN SNS, EHF, LANDO

Orange County

TRM PKE or

TRM EED

Memphis BNA, HAAWK, SALMS or SQS Miami Terminal Area WINCO KPASA Q118 LENIE

> or WINCO KPASA Q116 CEEYA

WINCO KPASA Q110 FEONA

WINCO SMELZ Q106 GADAY

WINCO SMELZ 0106 BULZI

Milwaukee GREAS

Minneapolis Terminal Area\* ONL, ABR, FAR, OBH, OVR, FOD

New Orleans Terminal Area AEX, MEI, SQS, KAPLN Orlando Terminal Area WEBBS BRUTS Q118 LENIE

> or WEBBS GULFR Q116 CEEYA

or

WEBBS BULZI Q106 GADAY

or

WEBBS FEONA

or

WEBBS BULZI

Palm Beach, FL TBIRD KPASA Q118 LENIE

TBIRD KPASA Q116 CEEYA TBIRD KPASA Q110 FEONA

TBIRD SMELZ Q106 BULZI TBIRD SMELZ Q106 GADAY

TRM JOTNU BLD Palm Springs

TRM EED

TRM PKE

CHILY, CIE, CULTS, RSK, DOVEE, GCN, MESSI, SJN, DRYHT or MOHAK Phoenix

Portland, OR PDT, TIMEE Salt Lake City HVE, DTA, MLF, BCE, OAL, MTU, BVL, OCS, TWF, DBS, BPI

0

TCH J56 CHE or TCH J173 EKR

1011 311/3 LF

Saint Louis VIH, MAP, MYERZ, MCM

HLV MCI

San Antonio Terminal Area FUZ, SJT, MQP, ABI

or

Aircraft North of LFK, LFK or

Aircraft South of HUB, ELA

or

Aircraft South of LFK and North of HUB LCH

San Diego TRM EED

or

TRM PKE

TRM JOTNU BLD

San Francisco Bay Area GALLI, INSLO, HAROL JSICA
Oakland GALLI, INSLO, HAROL JSICA

San Jose GALLI or INSLO

Seattle BLUIT

Southwest Florida Airports

(RSW/FMY)

JOCKS KPASA Q118 LENIE

or

JOCKS KPASA Q116 CEEYA or JOCKS KPASA Q110 FEONA or

JOCKS SMELZ Q106 GADAY

or JOCKS SMELZ Q106 BULZI

Tampa Terminal Area FEONA, BULZI

or BRUTS 0118 LENIE

or

GULFR Q116 CEEYA or BULZI Q106 GADAY

#### Catch Points for Airports Located Outside HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to specific destinations which are outside the HAR Phase I airspace.

Atlanta Terminal Area

Aircraft through ZME airspace from ZKC airspace east of FAM, Pless Q19 BNA

or

Aircraft through ZME airspace from ZKC airspace west of FAM, ARG Q26 DEVAC

or MEM or

Aircraft through ZME airspace from ZID airspace west of a line from VHP to

BWG, BNA

or

Aircraft through ZME airspace from ZID airspace east of a line from VHP to

BWG, BWG

UI

Aircraft through ZME airspace from ZFW airspace, MEM

or

MEI HONIE (RNAV)-STAR

or

PATYN HONIE (RNAV)-STAR

<sup>\*</sup>MSP area departures with destinations east of 93 degrees west longitude via preferred IFR routing.

#### 466 HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

Baltimore-Washington\* GIJ. GEP. FLM. IIU. BAE. VHP. WHETT. BNA or VUZ

Boston\* GEP, CRL, ECK, IIU, BNA or VUZ

Buffalo\* GEP, CRL
Hartford Bradley\* GEP, CRL
Canton-Akron\* GIJ, VHP, GEP
Charlotte BNA, VUZ
Cincinnati Terminal Area BNA, PXV

or

Aircraft north of SLC, JOT

, ...

Aircraft over or south of SLC, ENL

or

SLC or SFO departures, ENL, JOT

Cleveland Terminal Area\* OBK

Detroit Terminal Area BAE MKG POLAR-STAR

or

VHP FWA MIZAR-STAR

Detroit Young VHP FWA

or

LAN SPRTN-STAR

Indianapolis Terminal Area BIB, SPI, JOT
Louisville ENL. MEM

Newark\* GEP, VHP, FLM, IIU, BNA, VUZ

or

IOW GIJ J554 CRL J584 SLT FQM

New York Kennedy\* GEP, VHP, FLM, IIU, BNA, VUZ

or

DBQ J94 PMM J70 LVZ LENDY-STAR

New York LaGuardia\* GIJ, GEP, VHP, BAE, FLM, IIU, BNA, VUZ
Philadelphia Terminal Area\* GIJ, GEP, VHP, BAE, WHETT, BNA, VUZ

Pittsburgh Terminal Area\* VHP, GIJ, BAE, GEP
Pontiac LFD, LAN, VHP, FWA, GEP

Providence JHW, HEMDI, CESNA, GEP, GRB, TVC, ASP, VHP, IIU, BNA, VUZ

 Raleigh-Durham
 FLM, IIU, BNA, VUZ

 Toronto Terminal Area
 ECK, SVM, SSM, GEP

 Teterboro\*
 GEP, VHP, CRL, BNA, VUZ

Washington Dulles/National\* GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA, VUZ

White Plains\* GEP, VHP, CRL, FLM, IIU, BNA, VUZ

Willow Run\* LAN, LFD, VHP, FWA, GEP

\*Eastbound aircraft over flying ZMP center airspace entering Toronto center airspace, file direct SSM or via J63, J522, Q505, Q504, Q502, Q501

or

Entering ZAU or ZOB airspace from north of DPR J16 MCW, GEP

or

Entering ZAU or ZOB airspace from or south of DPR J16 MCW, CRL.

#### HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

#### Catch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to airports which are below HAR Phase I airspace.

Albuquerque Terminal Area CURLY CURLY-STAR

ESPAN FRIHO-STAR

LAVAN LAVAN-STAR

FTI FRIHO-STAR

MIERA MIERA-STAR

Austin Terminal Area Aircraft west of a north-south line at LFK, BLEWE

Aircraft east of a north-south line at LFK,IDU

LLO

Boca Raton, FL CEW DEFUN Q112 INPIN SHDAY (RNAV)-STAR

Aircraft through ZHU remain south of ZME and ZTL airspace

DEFUN 0112 INPIN SHDAY (RNAV)-STAR

Aircraft through ZHU remain south of ZME and ZTL airspace

SZW INPIN SHDAY (RNAV)-STAR

Chicago Midway CVA MOTIF-STAR

PIA MOTIF-STAR

DBQ CVA MOTIF-STAR

LMN MOTIF-STAR

Chicago O'Hare Terminal Area GEP DLL MSN JVL JANESVILLE-STAR

TVC PULLMAN-STAR

FOD DBQ JVL JANESVILLE-STAR

MCW JANESVILLE-STAR

GCK IRK BRADFORD-STAR

Dallas/Fort Worth Terminal Area IRW, LOSZY, FSM, LIT, SQS, MLU, AEX, JUMBO, TQA, TURKI, HEATR

Aircraft through ZME airspace from north and west of PXV, RZC, Q23 FSM

Aircraft through ZME airspace from east of PXV, PXV Q25 MEEOW

Aircraft through ZME airspace from J6 down to, but not including J52, LIT, SQS

Aircraft through ZME airspace from J52 and south of J52, SQS

Denver Terminal Area OATHE DANDD-STAR

or

HGO QUAIL-STAR

LOPEC-STAR

LOI LO-STAIN

or

ALS LARKS-STAR or

HBU POWDR-STAR

or EKR TOMSN-STAR

LIVI

CHE TOMSN-STAR

or

BFF LANDR-STAR

or

LBF SAYGE-STAR or

HCT SAYGE-STAR

or

RSK LARKS-STAR

Oi

LAA QUAIL-STAR

OI

GCK J154 RYLIE DANDD-STAR or

OCS J154 ALPOE RAMMS-STAR or

YANKI J114 SNY LANDR-STAR

Aircraft filed BIL or east, MBW RAMMS-STAR

Ft Lauderdale or CEW DEFUN Q104 PIE SWAGS (RNAV)-STAR

Ft Lauderdale Executive Aircraft through ZHU airspace remain south ZME and ZTL

airspace

or

SZW HEVVN Q104 PIE SWAGS (RNAV)-STAR

Houston Bush CRP, CVE, LLO, LUKIY, SAT

or

Aircraft south and east of LLA, LLA

MISLE Q40 AEX

or

Aircraft north and east of SJI, SJI

Aircraft east of PXV. PXV 031 DHART SWB

or

Aircraft north and west of PXV, PROWL Q33 DHART SWB

Houston Hobby CRP, ELLVR, SAT, SWB

or

Aircraft south and east of GIRLY, GIRLY

4:...

Aircraft north and east of SJI, SJI

or

BESOM Q38 ROKIT ROKIT-STAR

or

Aircraft east of PXV, PXV Q29 HARES SWB

or

Aircraft north and west of PXV, PROWL Q33 DHART SWB

Jacksonville GADAY ZOOSS TAY

Aircraft through ZHU airspace remain south of ZME and ZTL

airspace or

**ZOOSS TAY** 

John Wavne-Orange County HEC. PGS. BLD

Aircraft south of TBC from ZAB airspace, HIPPI

Kansas City Terminal Area LMN BRAYMER-STAR

PWE ROBINSON-STAR

EMP JHAWK-STAR

DILCO, LIDAT, IGM Las Vegas

Aircraft over PGA or north of PGA KSINO

Aircraft south of PGA PGS LYNSY

Los Angeles Terminal Area Aircraft North of TBC, HEC, PGS

Aircraft South of TBC from ZAB airspace, HIPPI,

MESSI

CEW DEFUN Q104 CYY DEEDS (RNAV)-STAR Miami Terminal Area

Aircraft through ZHU airspace remain south ZME and ZTL airspace

SZW HEVVN Q104 CYY DEEDS (RNAV)-STAR

Minneapolis Terminal Area Aircraft from north, west, south,

FAR GOPHER-STAR

RWF SKETR-STAR or ALO KASPR-STAR

BRD GOPHER-STAR

BAE EAU CLAIRE-STAR

FOD TWOLF-STAR

Memphis Terminal Area ARG, BWG, FSM, PXV, LIT, RZC, SQS, VUZ, BNA, GQO, ELD

Naples, FL CEW DEFUN 0104 PLYER PIKKR (RNAV)-STAR

Aircraft through ZHU AIRSPACE remain south of ZME and ZTL

airspace

SZW HEVVN 0104 PLYER PIKKR (RNAV)-STAR

Nashville CCT, GHM, GUITR, TINGS, VOLLS New Orleans Terminal Area BLUEZ, GPT, LCH, MCB, TBD, FATSO

Oakland II A

KATTS PAMMY

Aircraft over or south of a line ILC J16 DVC

REANA KATTS PAMMY

Aircraft from north of ILC, JOPER PAMMY

KATTS PAMMY

Aircraft over or south of ILC, REANA KATTS PAMMY

Orlando Terminal Area GADAY Q108 CLAWZ LEESE-STAR

Aircraft through ZHU airspace remain south of ZME/ZTL

airspace

OTK LEESE-STAR

#### 470 HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

Palm Beach, FL CEW DEFUN 0112 INPIN GULLO (RNAV)-STAR

Aircraft through ZHU airspace remain south of ZME and ZTL

airspace

SZW INPIN GULLO (RNAV)-STAR

Phoenix CORKR DRK

Aircraft from ZDV airspace,

GUP

Aircraft from ZAB airspace,

ZUN, MOHAK, SSO

**VYLLA TUS** 

Phoenix Satellites FLG, SSO, MOHAK

VYLLA, TUS

Portland, OR Terminal Area ARNIT BONVL-STAR

LARNO BONVL-STAR

MOXEE MOXEE-STAR

St. Louis Terminal Area SGF TRAKE-STAR

BUM TRAKE-STAR

ANX TRAKE-STAR

LMN IRK RIVRS-STAR

RBS VANDALIA-STAR

Salt Lake City Terminal Area JNC J12 HELPR SPANE-STAR

or

EKR MTU SPANE-STAR or

BCE DTA-TCH

or

MLF DTA-TCH

or

BVL BONNEVILLE-STAR

or

BYI BEARR-STAR

or PIH BEARR-STAR

or

DBS BRIGHAM CITY-STAR

or

JAC BRIGHAM CITY-STAR or

BPI BRIGHAM CITY-STAR

OCS BRIGHAM CITY-STAR

San Diego Terminal Area EED, LAX, GBN

Santa Ana HEC, PGS, BLD, HIPPI

San Antonio Terminal Area IDU, CSI, JCT, LLO, CRP, LRD

or

West of a north-south line at LFK, BLEWE

East of a north-south line at LFK, IDU

San Francisco FMG GOLDEN GATE-STAR

MVA MODESTO-STAR

ENI GOLDEN GATE-STAR

OAL MODESTO-STAR

South of a line ILC to DVC, REANA KATTS OAL MODESTO-STAR

San Jose FMG HYP EL NIDO-STAR

OAL HYP EL NIDO-STAR

ENI GOLDEN GATE-STAR

South of a line ILC to DVC, REANA KATTS KICHI CANDA EL NIDO-STAR

Seattle Terminal Area

Aircraft From northeast, southeast, south, TEMPL GLASR-STAR

SUNED CHINS-STAR

BTG OLMYPIA-STAR

Southwest Florida Airports CEW DEFUN Q104 SWABE JOSFF-STAR

RSW and FMY Aircraft through ZHU airspace remain south of ZME and ZTL

airspace

SZW HEVVN Q104 SWABE JOSFF-STAR

Tampa Terminal Area CEW DEFUN Q104 HEVVN DARBS-STAR

Aircraft through ZHU airspace remain south of ZME and ZTL

airspace

SZW DARBS-STAR

Tucson DRK PXR

or

MOHAK GBN

#### **VFR WAYPOINTS**

#### **VISUAL FLIGHT RULES (VFR) WAYPOINTS**

VFR Waypoint names consist of five letters beginning with "VP". Stand-alone VFR Waypoints are portrayed on VFR Charts using the same four-point star symbol currently used for Instrument Flight Rules (IFR) Waypoints.

VFR Waypoints collocated with Visual Checkpoints (Visual Reporting Points) are portrayed with a Visual Check Point flag. The VFR Waypoint name is shown in parentheses adjacent to the Visual Check Point name.

VFR Waypoint names are not intended to be pronounceable and shall not be used in ATC communications.

CAUTION: GPS accuracy necessitates extra vigilance for other aircraft when navigating near any fix retrieved from a GPS database.

#### RAITIMORE-WASHINGTON TERMINAL AREA CHART/FLYWAY CHART

	BALTIMORE-	WASHINGTON TERMINAL AREA CHART/	FLYWAY CHART
WAYPOINT IDENT	(	COLLOCATED VFR CHECKPOINT	LOCATION
VPAXI			N38°34.57′/W076°20.38′
VPONX			N39°06.65′/W076°55.92′
VPOOP	-		N38°56.32′/W076°36.90′
	-		, , , , , , , , , , , , , , , , , , , ,
		BOSTON HELICOPTER CHART	
VPBAY			N42°16.17′/W070°49.48′
VPBLT	-		N42°19.67′/W070°53.40′
VPCGS	-		N42°22.08′/W071°03.13′
VPEVS			N42°23.52′/W071°04.10′
VPFEN			N42°12.58′/W071°08.88′
VPFRE	-		N42°25.03′/W071°12.32′
VPGVL			N42°21.88′/W070°52.18′
VPHAM			N42°30.13′/W071°07.15′
VPPIK	-		N42°20.37′/W071°15.93′
VPQUA			N42°12.10′/W071°04.78′
VPQUB			N42°12.60′/W070°59.83′
VPSPF	_		N42°24.20′/W071°09.47′
VPTOB	_		N42°31.42′/W070°59.82′
VPWAN			N42°36.88′/W071°19.45′
		BOSTON TERMINAL AREA CHART	
VPCOH	,	Cohasset	N42°13.58′/W070°48.94′
VPCUT		Cuttyhunk Harbor	N41°25.50′/W070°55.03′
VPFRA		Framingham Shopping Center	'
VPHOL		Noods Hole	N42°18.16′/W071°23.65′
VPHUL		Noods Hole Hull	N41°31.06′/W070°40.60′ N42°18.20′/W070°55.30′
VPHUL	-	านแ Nantucket Great Point	
VPLPT			N41°23.41′/W070°02.78′
		Needham Towers	N42°18.51′/W071°14.64′
VPPEA		Peabody Shopping Center	N42°32.52′/W070°56.69′
VPROC		Rockingham Race Track	N42°46.29′/W071°13.57′
VPSCI		Scituate	N42°11.89′/W070°43.69′
VPTPT VPTUC		Nantucket Third Point	N41°18.51′/W070°03.37′
		Fuckernuck	N41°18.31′/W070°15.43′
VPWAK		Wakefield	N42°30.72′/W071°05.24′
VPWAN	\	Wang Towers	N42°36.88′/W071°19.45′
		CHARLOTTE SECTIONAL CHART	
VPATO	-		N34°37.37′/W076°31.47′
VPAVA	-		N34°57.00′/W077°16.50′
VPBFE	-		N32°16.38′/W080°47.50′
VPBRA	-		N36°13.75′/W076°08.08′
VPGCE	-		N36°03.90′/W076°36.42′
VPGHI	-		N35°15.30′/W075°31.25′
VPGIO	-		N35°32.50′/W076°37.33′
VPKJU	-		N35°26.58′/W076°10.22′
VPLMN			N34°55.43′/W077°46.42′
VPMAB	-		N34°42.20′/W077°03.50′
VPNPO	I	SLE OF PALMS	N32°47.78′/W079°46.45′
VPOKY	-		N35°06.53′/W075°59.17′
VPREP	-		N32°33.98′/W080°21.82′
VPRRS	-		N33°25.45′/W079°07.60′
VPUMO	-		N35°35.63′/W075°28.08′
VPWZO			N36°00.87′/W075°40.07′
VPZIE	-		N32°01.62′/W080°53.42′

#### CHICAGO SECTIONAL CHART

	CHICAGO SECTIONAL CHART			
WAYPOINT IDENT VPCOH	COLLOCATED VFR CHECKPOINT	<b>LOCATION</b> N31°49.35′/W081°51.07′		
	DENVER TERMINAL AREA CHART/FL	YWAY CHART		
VPBEN		N39°44.28′/W104°26.00′		
VPFTG		N39°44.35′/W104°32.75′		
VPNIC	NORTH INTERCHANGE	N39°58.90′/W104°59.27′		
	HOUSTON TERMINAL AREA CHART/FL	YWAY CHART		
WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION		
VPBWY		N29°46.25′/W095°09.24′		
VPDTN		N29°46.59′/W095°22.01′		
VPGLA		N30°08.32′/W095°06.62′		
VPGLB		N30°07.80′/W094°55.70′		
VPKTY		N29°47.05′/W095°44.92′		
VPPLN		N30°08.80′/W095°50.42′		
VPRSN		N29°30.00′/W095°41.00′		
VPSND		N29°23.13′/W095°28.86′		
VPSNT		N29°49.29′/W094°53.94′		
VPTNE	<del></del>	N29°47.48′/W095°03.34′		
VPTNW	<del></del>	N29°47.06′/W095°33.81′		
VPTRK		N29°24.06′/W095°10.44′		
	JACKSONVILLE SECTIONAL C	HART		
VPAFI		N31°49.35′/W081°51.07′		
VPAFY		N30°07.00′/W081°21.33′		
VPBEC		N29°46.25′/W081°15.10′		
VPCJA		N29°30.00′/W081°06.00′		
VPCKY		N28°46.50′/W082°34.00′		
VPCNY		N28°30.00′/W080°45.00′		
VPDAD	DADE CITY	N28°22.57′/W082°11.25′		
VPDAR		N31°22.38′/W081°24.13′		
VPDFI		N29°00.17′/W081°20.85′		
VPDUT		N27°37.70′/W082°09.10′		
VPEAR	CLEARWATER BEACH	N27°58.67′/W082°49.83′		
VPEGV		N29°39.97′/W081°24.87′		
VPFFU		N28°57.08′/W081°00.33′		
VPGPE	ST PETE BEACH	N27°43.50′/W082°44.67′		
VPHAA	011212 82.1011	N30°04.02′/W083°40.02′		
VPHUC		N28°19.87′/W082°43.77′		
VPIWA	MIDWAY	N31°48.33′/W081°25.85′		
VPJMY		N29°26.92′/W081°18.27′		
VPKER	LAKE PARKER	N28°04.00′/W081°56.00′		
VPLEV		N28°48.00′/W080°52.00′		
VPLJA		N29°00.00′/W080°51.00′		
VPMAI		N30°50.02′/W084°56.63′		
VPTLH		N30°32.70′/W083°52.22′		
VPXZY		N29°35.00′/W083°10.00′		
VPYIW		N30°42.28′/W081°27.25′		
VPZIE		N32°01.62′/W080°53.42′		
	KANSAS CITY SECTIONAL CI	HART		
VPAGO		N37°50.33′/W090°29.03′		
VPBEK		N37°15.07′/W092°30.67′		
VPDEN		N37°46.75′/W092°19.20′		
VPENE		N37°44.75′/W091°55.78′		
VPESS		N36°59.48′/W091°00.88′		
VPFME		N37°41.00′/W092°38.33′		
VPGXY	<del></del>	N37°15.50′/W091°40.17′		
VPMBE	<del></del>	N37°11.08′/W090°27.92′		
VPMKE	<del></del>	N37°11.08′/W090°27.92 N37°24.47′/W092°40.00′		
VPROV		N38°01.72′/W091°12.81′		
VPUTT	<del></del>	N37°52.05′/W092°01.20′		
*1 011	<del></del>	1437 32.03 / 44032 01.20		

#### 474 VFR WAYPOINTS

WAYPOINT IDENT VPWOC	COLLOCATED VFR CHECKPOINT	<b>LOCATION</b> N37°18.03′/W092°18.63′
VPWRO		N37 18.03 /W092 18.63 N37°39.12′/W091°45.68′
VPXIZ		N37°26.60′/W092°05.42′
	KANSAS CITY TERMINAL ARE	EA CHART
VPATN	ATCHISON	N39°33.62′/W095°07.65′
VPBGS	BLUE SPRINGS	N39°01.82′/W094°16.32′
VPBSP	BONNER SPRINGS	N39°03.78′/W094°53.10′
VPCHB	CHOUTEAU BRIDGE	N39°08.77′/W094°32.03′
VPDSO	DE SOTO	N38°58.68′/W094°58.48′
VPESG	EXCELSIOR SPRINGS	N39°20.68′/W094°13.77′
VPGTB	GARRETSBURG	N39°40.92′/W094°41.45′
VPLAT	LATHROP WATER TANK	N39°32.87′/W094°20.00′
VPLEN	LENEXA	N38°57.77′/W094°43.68′
VPLVL	LONGVIEW LAKE	N38°54.63′/W094°28.28′
VPMCL	MC LOUTH	N39°11.65′/W095°12.50′
VPNHA	NASHUA	N39°17.83′/W094°34.80′
VPSCX	SPORTS COMPLEX	N39°03.00′/W094°29.02′
VPSKR	SUGAR CREEK REFINERY	N39°07.00′/W094°27.02′
VPSPK	SWOPE PARK	N39°00.47′/W094°31.93′
VPTSK	TWIN STACKS	N39°09.05′/W094°38.22′
VPWOF	WORLDS OF FUN	N39°10.42′/W094°29.12′
	KLAMATH FALLS SECTIONAL	L CHART
VPORO		N43°57.38′/W123°02.22′
	LOS ANGELES HELICOPTER	CHART
VPANA		N33°44.43′/W117°50.03′
VPART	MAGNOLIA	N33°51.45′/W117°58.92′
VPAUT	HWY 91 & 55	N33°50.63′/W117°49.57′
VPBOB		N33°59.60′/W117°21.45′
VPCAR		N33°49.90′/W118°17.23′
VPCNG	CONEJO GRADE US HWY 101	N34°12.54′/W118°59.61′
VPCOR		N33°52.90′/W117°32.95′
VPCRX		N34°01.40′/W117°44.88′
VPCSU	CSU CHANNEL ISLANDS	N34°09.76′/W119°02.53′
VPDOW		N33°56.47′/W118°05.80′
VPELA		N34°00.98′/W118°10.35′
VPETY	<del></del>	N33°38.70′/W117°44.12′
VPFCB	<del></del>	N34°02.03′/W118°01.63′
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71′/W119°10.39′
VPGOL		N34°09.33′/W118°17.37′
VPIMP		N33°55.85′/W118°16.85′
VPKAT		N33°48.23′/W117°54.22′ N34°03.92′/W117°48.40′
VPKEL VPLAC		N34°03.92 /W117°48.40 N34°03.75′/W118°14.93′
VPLLU		N34 03.75 /W116 14.93 N34°03.85'/W117°17.82'
	OUEEN MARY	N33°45.17′/W118°11.37′
VPLQM VPLRT	QUEEN MARY SANTA ANITA RACE TRACK	N34°08.45′/W118°02.65′
VPLVT	VINCENT THOMAS BRIDGE	N33°44.97′/W118°16.32′
VPMDR	VINCENT THOMAS BRIDGE	N33°59.27′/W118°23.97′
VPNEW	NEWHALL PASS	N34°20.18′/W118°30.72′
VPNUY	NEWHALL PAGG	N34 20.18 / W116 30.72 N34°09.63'/W118°28.18'
VPPCH		N33°28.07′/W117°40.32′
VPPKC		N34°03.32′/W118°12.83′
VPPOR	<del></del>	N34°00.10′/W117°50.12′
VPRRT		N33°59.37′/W118°16.83′
VPSEP		N34°05.80′/W118°28.63′
VPSFR		N34°17.45′/W118°28.07′
VPSTC	SATICOY BRIDGE	N34°16.62′/W119°08.34′
VPSTK	<del></del>	N34°13.97′/W118°24.60′
		, , , , , , , , , , , , , , , , , , , ,

### VFR WAYPOINTS Los angeles sectional chart

LOS ANGELES SECTIONAL CHART				
WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION		
VPCNG	CONEJO GRADE US HWY 101	N34°12.54′/W118°59.61′		
VPCSU	CSU CHANNEL ISLANDS	N34°09.76′/W119°02.53′		
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71′/W119°10.39′		
VPSTC	SATICOY BRIDGE	N34°16.62′/W119°08.34′		
	LOS ANGELES TERMINAL AREA CHART	/FLYWAY CHART		
VPCNG	CONEJO GRADE US HWY 101	N34°12.54′/W118°59.61′		
VPCSU	CSU CHANNEL ISLANDS	N34°09.76′/W119°02.53′		
VPGTY	GETTY CENTER	N34°04.84′/W118°28.66′		
VPLBP	BANNING PASS	N33°56.05′/W116°59.63′		
VPLCC	CHAFFEY COLLEGE	N34°08.87′/W117°34.33′		
VPLCP	CAJON PASS	N34°18.07′/W117°27.68′		
VPLDL	DISNEYLAND	N33°48.72′/W117°55.13′		
VPLDP	DANA POINT	N33°27.62′/W117°42.87′		
VPLDS	DODGER STADIUM	N34°04.42′/W118°14.42′		
VPLFX	91/605 INTERCHANGE	N33°52.38′/W118°06.08′		
VPLGP	GRIFFITH PARK OBSERVATORY	N34°07.10′/W118°18.02′		
VPLHF	110/405 FWYS	N33°51.42′/W118°17.10′		
VPLHP	HUNTINGTON PIER	N33°39.32′/W118°00.25′		
VPLKH	KING HARBOR	N33°50.75′/W118°23.88′		
VPLLC	L.A. COLISEUM	N34°00.83′/W118°17.27′		
VPLLM	LAKE MATHEWS	N33°50.58′/W117°26.85′		
VPLMM	MAGIC MOUNTAIN	N34°26.20′/W118°36.28′		
VPLMS	MILE SQUARE PARK	N33°43.40′/W117°56.77′		
VPLPD	PRADO DAM	N33°53.40′/W117°38.48′		
VPLPP	PACIFIC PALISADES	N34°02.13′/W118°32.15′		
VPLQM	OUEEN MARY	N33°45.17′/W118°11.37′		
VPLRB	ROSE BOWL	N34°09.67′/W118°10.05′		
VPLRT	SANTA ANITA RACE TRACK	N34°08.45′/W118°02.65′		
VPLSA	SANTA ANA CANYON	N33°52.03′/W117°42.68′		
VPLSB	SANTA FE FLOOD BASIN	N34°07.72′/W117°57.30′		
VPLSC	STATE COLLEGE	N33°52.97′/W117°53.13′		
VPLSF	SAN FERNANDO RESERVOIR	N34°17.87′/W118°29.00′		
VPLSP	SIGNAL PEAK	N33°36.33′/W117°48.63′		
VPLSR	HAWTHORNE & 405 FREEWAY	N33°53.07′/W118°21.13′		
VPLSS	SANTA SUSANA PASS	N34°16.00′/W118°38.43′		
VPLTW	TUJUNGA WASH & FOOTHILL	N34°16.40′/W118°20.30′		
VPLVT	VINCENT THOMAS BRIDGE	N33°44.97'/W118°16.32'		
VPLWT	WATER TANK	N34°10.82′/W118°46.27′		
VPNEW	NEWHALL PASS	N34°20.18′/W118°30.72′		
VPSTC	SATICOY BRIDGE	N34°16.62′/W119°08.34′		
	MIAMI SECTIONAL CHAI	RT		
VPACH	HOLLYWOOD BEACH	N26°00.92′/W080°06.93′	1	
VPBOV		N27°57.00′/W080°46.75′		
VPCLE		N26°27.07′/W082°00.88′		
VPCTE		N26°09.28′/W081°20.70′		
VPDAD	DADE CITY	N28°22.57′/W082°11.25′		
VPDUT		N27°37.70′/W082°09.10′		
VPDZE		N27°19.00′/W080°44.17′		
VPEAR	CLEARWATER BEACH	N27°58.67′/W082°49.83′		
VPEDY	ANDYTOWN TOLLGATE	N26°08.78′/W080°28.00′		
VPFAH		N26°25.40′/W081°29.67′		
VPGPE	ST PETE BEACH	N27°43.50′/W082°44.67′		
VPHRO		N27°05.97′/W082°12.20′		
VPHUC		N28°19.87′/W082°43.77′		
VPIBR		N27°12.47′/W081°40.22′		
VPKER	LAKE PARKER	N28°04.00′/W081°56.00′		
VPKOE		N24°40.08′/W081°20.55′		
VDLVV		NO 4940 07/ (MO90940 47/		

**GULFSTREAM PARK** 

PUMPING STATION

RANGER STATION

VPLYY VPMB0

VPOBA

**VPRBI** 

**VPRNL** 

VPWMO

N24°49.07'/W080°49.17'

N25°58.57'/W080°08.17'

N26°28.30'/W080°26.75'

N25°50.67'/W080°55.18'

N25°22.92′/W080°36.58′

N27°03.00'/W080°35.00'

### MIAMI TERMINAL AREA CHART/FLYWAY CHART

IV	IIAMII IERMINAE ANEA GIIANI/IEIWAI G	HAINT
WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPACH	HOLLYWOOD BEACH	N26°00.92′/W080°06.93′
VPEDY	ANDYTOWN TOLLGATE	N26°08.78′/W080°28.00′
VPMBO	GULFSTREAM PARK	N25°58.57′W080°08.17′
VPOBA	PUMPING STATION	N26°28.30′/W080°26.75′
VPRBI		N25°50.67′/W080°55.18′
VPRNL	RANGER STATION	N25°22.92'/W080°36.58'
	NEW ORLEANS SECTIONAL CHART	
VPGPT		N30°25.95′/W089°05.62′
VPLIP	PHILLIPS INLET	N30°16.23′/W085°59.25′
	PHILLIPS INLEI	
VPMAI		N30°50.02′/W084°56.63′
VPMOB		N30°23.00′/W088°31.72′
VPRAM		N30°18.95′/W089°35.88′
VPRER		N30°13.87'/W085°20.67'
VPRIV		N30°54.85′/W087°57.82′
VPSAW		N30°49.65′/W089°07.42′
VPTHR		N30°19.93′/W087°08.50′
VIIII		N30 13.33 / W007 00.30
	NEW YORK HELICOPTER CHART	
VPJAY		N40°59.00′/W073°07.00′
VPLYD		N40°57.37′/W073°29.59′
VPROK		N40°52.70′/W073°44.24′
PH	OENIX TERMINAL AREA CHART/FLYWAY	CHART
VPALL	ALLENVILLE	N33°20.97′/W112°35.20′
VPAQU	AQUEDUCT PUMPING STATION	N33°40.05′/W112°41.38′
VPARM	ARROWHEAD MALL	N33°38.52′/W112°13.48′
VPAWG	AHWATUKEE GOLF COURSE	N33°19.98′/W111°59.08′
VPAZM	ARIZONA MILLS	N33°23.43′/W111°57.88′
VPBAR	BARTLETT DAM	N33°49.10′/W111°37.92′
VPCCC	COUNTRY CLUB & CANAL	N33°30.73′/W111°50.37′
VPCNL	CANAL	N33°33.23′/W111°46.89°
VPFRB	FIREBIRD LAKE	N33°16.35′/W111°58.10′
VPFTN	FOUNTAIN HILLS	N33°36.12′/W111°42.72′
VPGLX	GILA CROSSING	N33°16.55′/W112°10.08′
VPGPP	GLENDALE POWER PLANT	N33°33.27′/W112°13.00′
VPMAR	MARICOPA	N33°03.42′/W112°02.88′
VPMHS	MESQUITE HIGH SCHOOL	N33°20.53′/W111°49.58′
VPNRV	NEW RIVER	N33°55.08'/W112°08.45'
VPNTT	NORTH TEST TRACK	N33°03.50′/W111°55.83′
VPPIR	PIR	N33°22.52′/W112°18.90′
VPOTR	QUINTERO GOLF COURSE	N33°49.53′/W112°23.58′
VPRVC	RIO VERDE COMMUNITY	N33°44.37′/W111°39.62′
VPSMC	SOUTH MOUNTAIN COLLEGE	N33°23.02′/W112°02.12′
VPSQP	SQUAW PEAK	N33°32.83′/W112°01.27′
VPSSS	SUPERSTITION SPRINGS MALL	N33°23.50′/W111°41.37′
VPSTN	SANTAN MOUNTAINS	N33°09.23'/W111°40.92'
VPSTT	SOUTH TEST TRACK	N32°56.25'/W111°59.67'
VPZZZ		N33°20.18′/W111°26.53′
ет	LOUIS TERMINAL AREA CHART/FLYWAY	СПУДТ
VPAGN	TV ANTENNA	N38°32.08′/W090°22.42′
VPBPE		N38°23.80′/W090°20.38′
VPCJY	HOLIDAY SHORES	N38°55.00′/W089°56.00′
VPCOJ	WINFIELD DAM	N39°00.28′/W090°41.23′
VPDFA	JEFFERSON BARRACKS BRIDGE	N38°29.18′/W090°16.47′
VPEAZ	BUSCH STADIUM	N38°37.43′/W090°11.55′
VPEDZ	WATER TANKS	N38°45.30′/W090°34.87′
VPEGR	GAS TANKS	N38°35.80′/W090°19.32′
VPEOX	ST PETERS	N38°47.17′/W090°39.25′
VI LOX	JI I EILING	NOO 41.11 / WOOO 39.23

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPFAI	HOWELL ISLAND	N38°40.00′/W090°43.00′
VPFFY		N38°55.37′/W090°17.30′
VPGPF		N38°35.60′/W090°26.92′
VPGVI		N38°32.30′/W090°27.80′
VPHRQ	CHAIN OF ROCKS BRIDGE	N38°45.88′/W090°10.42′
VPIBO	WATERLOO	N38°20.00′/W090°09.00′
VPJMU	HORSESHOE LAKE	N38°41.00′/W090°05.00′
VPKNY	PACIFIC	N38°29.00′/W090°44.00′
VPLES	ST CHARLES	N38°47.00′/W090°30.00′
VPLIW	SIX FLAGS	N38°30.67′/W090°40.47′
VPLXU	GATEWAY ARCH	N38°37.50′/W090°11.00′
VPNSY	WOOD RIVER REFINERIES	N38°50.00′/W090°05.00′
VPNZY	WENTZVILLE	N38°48.83′/W090°50.98′
VPRAZ	JERSEYVILLE	N39°07.00′/W090°20.00′
VPRMO	FOREST PARK	N38°38.00′/W090°17.00′
VPWKO	COLUMBIA	N38°27.00′/W090°12.00′
VPXXI	MILLSTADT	N38°27.50′/W090°05.68′
VPYID	MOSENTHEIN ISLAND	N38°43.00′/W090°12.25′

#### SALT LAKE CITY HELICOPTER CHART

	***************************************	= =
VPAIR	SALTAIR	N40°44.85′/W112°11.22′
VPBEE	SOUTH INTERCHANGE	N40°38.18′/W111°54.23′
VPBRN	BARN	N40°54.28′/W112°10.15′
VPCAP	STATE CAPITOL	N40°46.67′/W111°53.25′
VPCHS		N40°42.28'/W112°05.92'
VPCOP	BINGHAM COPPER MINE	N40°31.38′/W112°09.00′
VPCWY	CAUSEWAY	N41°05.37'/W112°07.17'
VPCYN	PARLEYS CANYON	N40°42.67'/W111°48.10'
VPFPC	FREE PORT CENTER	N41°05.92'/W112°02.27'
VPFPK	FRANCIS PEAK	N41°01.98'/W111°50.30'
VPGFS	GARFIELD STACK	N40°43.28′/W112°11.88′
VPHVE	SPAGHETTI BOWL	N40°43.50′/W111°54.22′
VPJRT	JORDAN RIVER TEMPLE	N40°35.02′/W111°55.58′
VPKSL	KSL ANTENNA	N40°46.80′/W112°05.80′
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08′/W111°53.57′
VPMDH	MCKAY DEE HOSPITAL	N41°11.50′/W111°57.08′
VPMMT	MICROWAVE TOWERS	N40°48.50′/W111°53.37′
VPMSH		N41°01.67'/W112°02.47'
VPNSL		N40°50.15′/W111°54.90′
VPNTP		N41°03.57'/W112°14.23'
VPOGE	GRAIN ELEVATOR	N41°13.13'/W112°00.45'
VPOPS	POWER STATION	N41°20.38′/W112°02.78′
VPPEN	STATE PRISON	N40°29.88'/W111°53.62'
VPPPT	PROMONTORY POINT	N41°12.28′/W112°25.73′
VPPTM	POINT OF THE MOUNTAIN	N40°27.42′/W111°54.83′
VPPVO	PROVO CANYON	N40°18.77′/W111°39.45′
VPRWY		N40°48.48'/W112°00.33'
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83'/W111°54.85'
VPTIP	SOUTH TIP	N40°50.93′/W112°10.92′
VPWBR	WEBER CANYON	N41°08.17′/W111°54.83′
VPWBT		N40°38.00′/W112°03.33′

### SALT LAKE CITY TERMINAL AREA CHART/FLYWAY CHART

VPAIR	SALTAIR	N40°44.85′/W112°11.22′
VPBEE	SOUTH INTERCHANGE	N40°38.18′/W111°54.23′
VPBRN	BARN	N40°54.28′/W112°10.15′
VPCAP	STATE CAPITOL	N40°46.67′/W111°53.25′
VPCHS		N40°42.28′/W112°05.92′
VPCOP	BINGHAM COPPER MINE	N40°31.38′/W112°09.00′
VPCVI	CENTERVILLE INTERCHANGE	N40°55.30′/W111°53.43′
VPCWY	CAUSEWAY	N41°05.37′/W112°07.17′
VPCYN	PARLEYS CANYON	N40°42.67′/W111°48.10′
VPFPC	FREE PORT CENTER	N41°05.92′/W112°02.27′
VPFPK	FRANCIS PEAK	N41°01.98′/W111°50.30′
VPGFS	GARFIELD STACK	N40°43.28′/W112°11.88′

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPHVE	SPAGHETTI BOWL	N40°43.50′/W111°54.22′
VPJRT	JORDAN RIVER TEMPLE	N40°35.02′/W111°55.58′
VPKSL	KSL ANTENNA	N40°46.80′/W112°05.80′
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08′/W111°53.57′
VPMDH	MCKAY DEE HOSPITAL	N41°11.50′/W111°57.08′
VPMMT	MICROWAVE TOWERS	N40°48.50′/W111°53.37′
VPMSH		N41°01.67'/W112°02.47'
VPNSL		N40°50.15′/W111°54.90′
VPNTP		N41°03.57'/W112°14.23'
VPOGE	GRAIN ELEVATOR	N41°13.13′/W112°00.45′
VPOPS	POWER STATION	N41°20.38′/W112°02.78′
VPPEN	STATE PRISON	N40°29.88'/W111°53.62'
VPPPT	PROMONTORY POINT	N41°12.28′/W112°25.73′
VPPTM	POINT OF THE MOUNTAIN	N40°27.42′/W111°54.83′
VPPVO	PROVO CANYON	N40°18.77′/W111°39.45′
VPRWY		N40°48.48′/W112°00.33′
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83′/W111°54.85′
VPTIP	SOUTH TIP	N40°50.93′/W112°10.92′
VPUOU	U OF U EVENTS CENTER	N40°45.73′/W111°50.28′
VPWBR	WEBER CANYON	N41°08.17'/W111°54.83'
VPWBT		N40°38.00′/W112°03.33′
VPZ00	HOGLE ZOO	N40°45.00′/W111°48.95′

### SAN DIEGO TERMINAL AREA CHART/FLYWAY CHART

VPLDP	DANA POINT	N33°27.62′/W117°42.87′
VPLSP	SIGNAL PEAK	N33°36.33′/W117°48.63′
VPOCN		N33°14.15′/W117°26.63′
VPSBC	BARONA CASINO	N32°56.25′/W116°52.60′
VPSBL		N33°05.18′/W117°18.55′
VPSBM	BLACK MOUNTAIN	N32°58.87′/W117°07.00′
VPSCF		N32°48.55′/W117°09.17′
VPSCM	COWLES MOUNTAIN	N32°48.72′/W117°01.97′
VPSCP	CRYSTAL PIER	N32°47.77′/W117°15.42′
VPSCR		N32°39.37′/W117°07.30′
VPSFB	IRON MOUNTAIN	N32°58.25′/W116°57.33′
VPSLJ	LAKE JENNINGS	N32°51.53′/W116°53.28′
VPSMB		N32°45.57′/W117°12.22′
VPSMP		N33°22.70′/W117°36.75′
VPSMS	MOUNT SOLEDAD	N32°50.40′/W117°15.10′
VPSMV		N32°45.75′/W117°09.80′
VPSMW	MOUNT WOODSON	N33°00.52′/W116°58.23′
VPSOP	OTAY MESA PRISON	N32°35.82′/W116°55.28′
VPSOT	LOWER OTAY LAKE	N32°37.73′/W116°55.38′
VPSPL	SOUTH POINT LOMA	N32°39.90′/W117°14.55′
VPSPP	POWER PLANT	N33°08.25′/W117°20.23′
VPSQS	QUALCOMM STADIUM	N32°46.98′/W117°07.23′
VPSRT	DEL MAR RACE TRACK	N32°58.58′/W117°15.95′
VPSSM	SAN MIGUEL MOUNTAIN	N32°41.78′/W116°56.18′
VPSSV	SAN VICENTE ISLAND	N32°55.53′/W116°55.00′
VPSTP	TORREY PINES GOLF COURSE	N32°54.17′/W117°14.68′
VPSVA		N33°11.48′/W117°16.38′

#### SAN FRANCISCO SECTIONAL CHART

VPKBG KINGSBURY GRADE N38°58.75′/W119°53.20′

#### SAN FRANCISCO TERMINAL AREA CHART/FLYWAY CHART

VPALT	ALTAMONT PASS	N37°44.35′/W121°35.42′
VPANT	ANTIOCH BRIDGE	N38°01.45′/W121°45.02′
VPBBR	BENICIA BRIDGE	N38°02.50′/W122°07.45′
VPCAL	CALAVERAS RESERVOIR	N37°28.16′/W121°48.93′
VPCBT	LAKE CHABOT	N37°43.68′/W122°06.94′
VPCOY	COYOTE HILLS	N37°32.50′/W122°05.06′
VPCQZ	CARQUINEZ BRIDGE	N38°03.66′/W122°13.52′
VPCRL		N37°11.00′/W121°41.06′
VPCRY	CRYSTAL SPRINGS CAUSEWAY	N37°30.56′/W122°21.10′

#### **VFR WAYPOINTS**

	VII WALL DINIS	
WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCSH	CAL STATE UNIVERSITY	N37°39.52′/W122°03.52′
VPDAM	DEL VALLE DAM	N37°36.91′/W121°44.78′
VPDLR		N37°07.00′/W121°47.06′
VPDUB	DUBLIN	N37°42.06′/W121°55.36′
VPEMB	EMBASSY SUITES	N37°26.05′/W121°53.83′
VPGGF	GOLDEN GATE FIELDS	N37°53.07′/W122°18.71′
VPGIL	GILROY	N37°01.37′/W121°33.99′
VPHHH	HAMILTON	N38°03.58′/W122°30.66′
VPKG0	KGO	N37°31.58′/W122°06.10′
VPLEX	LEXINGTON RESERVOIR	N37°11.66′/W121°59.18′
VPMID	MID-SPAN SAN MATEO BRIDGE	N37°36.28′/W122°11.81′
VPMOR	MORMON TEMPLE	N37°48.46′/W122°11.95′
VPNUM	NUMMI PLANT	N37°29.56′/W121°56.58′
VPPAC		N37°38.00′/W122°32.07′
VPPRU	PRUNEYARD	N37°17.33′/W121°56.01′
VPSAR	SARATOGA	N37°15.26′/W122°02.33′
VPSLA	SLAC/LINEAR ACCELERATOR	N37°24.75′/W122°14.35′
VPSTB	STINSON BEACH	N37°54.45′/W122°40.41′
VPSUN	SUNOL GOLF COURSE	N37°34.85′/W121°53.23′
VPUTC	U.T.C.	N37°13.93′/W121°41.35′
VPWAL	WALNUT CREEK	N37°53.78′/W122°04.30′
VPWAM		N37°30.28′/W122°10.00′
VPWFR	CEMENT PLANT	N37°30.88′/W122°12.26′
	TAMPA/ORLANDO TERMINAL AREA CHAR	RT/FLYWAY CHART
VPBOV		N27°57.00′/W080°46.75′
VPCNY		N28°30.00′/W080°45.00′
VPDAD	DADE CITY	N28°22.57′/W082°11.25′
VPDFI		N29°00.17'/W081°20.85'
VPDUT		N27°37.70′/W082°09.10′

VPBOV		N27°57.00′/W080°46.75′
VPCNY		N28°30.00′/W080°45.00′
VPDAD	DADE CITY	N28°22.57′/W082°11.25′
VPDFI		N29°00.17′/W081°20.85′
VPDUT		N27°37.70′/W082°09.10′
VPEAR	CLEARWATER BEACH	N27°58.67′/W082°49.83′
VPFFU		N28°57.08′/W081°00.33′
VPGPE	ST PETE BEACH	N27°43.50′/W082°44.67′
VPHUC		N28°19.87'/W082°43.77'
VPKER	LAKE PARKER	N28°04.00′/W081°56.00′
VPLEV		N28°48.00′/W080°52.00′
VPLJA		N29°00.00′/W080°51.00′

### WASHINGTON SECTIONAL CHART

VPACE	N38°07.82′/W076°48.75′
VPAXI	
	 N38°34.57′/W076°20.38′
VPBRA	 N36°13.75′/W076°08.08′
VPGCE	 N36°03.90′/W076°36.42′
VPWZO	 N36°00.87′/W075°40.07′

## INTENTIONALLY LEFT BLANK

## INTENTIONALLY LEFT BLANK

#### **VOR RECEIVER CHECK**

#### **VOR RECEIVER CHECKPOINTS** AND **VOR TEST FACILITIES (VOT)**

The use of VOR airborne and ground checkpoints is explained in Aeronautical Information Manual. Basic Flight Information and ATC Procedures.

NOTE: Under columns headed "Type of Checkpoint" & "Type of VOT Facility" G stands for ground. A/ stands for airborne followed by figures (2300 or 1000-3000) indicating the altitudes above mean sea level at which the check should be conducted. Facilities are listed in alphabetical order, in the state where the checkpoints or VOTs are located.

#### **ALABAMA VOR RECEIVER CHECKPOINTS**

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Brookley (Mobile Downtown)	112.8/BFM	G	313	1.68	On runup area for rwy 14.  VOR grand receiver checkpoint OTS indef.
Cairns AAF (Fort Rucker)	111.2/0ZR	G	066	1.0	On runup pad Twy F.
Enterprise Muni	116.6/EDN	A/2000	341	7.4	Red/white twr.
Monroeville (Monroe Co Arpt)	116.8/MVC	G	196	0.6	Rwy 03 runup area/turnaround pad.
Montgomery (Montgomery Rgnl/					, , , , ,
Dannelly Field)	112.1/MGM	G	318	6.2	On Twy C north of Twy A.
Northwest Alabama Rgnl	116.5/MSL	G	289	5.6	On taxiway adjacent to approach end Rwy 29.
Talladega Muni	108.8/TDG	A/2000	084	9.0	Over center of segmented circle.
Crimson (Tuscaloosa Rgnl)	117.8/LDK	G	238	4.2	On centerline of Twy midway between ramp and rwy.

#### **VOR TEST FACILITIES (VOT)**

Facility Name		Type VOT	
(Airport Name)	Freq.	Facility	Remarks
Birmingham-Shuttlesworth Intl	110.0	G	

Huntsville Intl-Carl T Jones Fld ...... 111.0

#### **FLORIDA** VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Cypress (Naples Muni)	108.6/CYY	G	121	0.6	On runup area Rwy 32.
Crestview (Bob Sikes)	115.9/CEW	A/1200	106	8.6	Over rotating bcn.
Lakeland Linder Rgnl	116.0/LAL	G	038	0.5	On NE end of Twy C.
	116.0/LAL	G	283	1.1	On Twy A-1.
Melbourne Intl	110.0/MLB	G	184	0.6	SW corner of arpt at intersection of Twy C and D.
Ocala Intl-Jim Taylor Fld	113.7/OCF	G	167	1.0	On taxiway E adjacent to E9.
Orlando (Executive)	112.2/ORL	G	324	.5	On Twy E near AER 13.
		G	311	.5	On Twy H near AER 13.
Pahokee (Palm Beach Co Glades)	115.4/PHK	A/1500	022	13	Over radio twr at intersection of 2 canals.
Panama City-Bay Co Intl	114.3/PFN	G	190	0.5	Main terminal ramp.

		Type			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
		G	154	0.6	Rwy 32 run-up/Twy G.
		G	208	0.6	Rwy 5 run-up/Twy D.
St. Petersburg-Clearwater Intl	116.4/PIE	G	046	0.4	On circle located NE end of Twy M.
Vero Beach Muni	117.3/VRB	G	111	4.4	Runup area Rwy 29R.
		G	114	4	Compass rose on taxiway E.
		G	116	3.6	Runup area Rwy 11R.
Ve	OR TEST FA	ACILITIES	(VOT)		
Facility Name		Type VOT			
(Airport Name)	Freq.	Facility			Remarks

(Airport Name)	Freq.	Facility
Daytona Beach Intl Jacksonville Intl Miami Intl Palm Beach Intl Tallahassee Rgnl Tampa Intl	111.0 111.0 112.0 109.0 111.0	G G G G

Unuseable E of Twy F.

# GEORGIA VOR RECEIVER CHECKPOINTS

		Type Check Pt. Gnd.	Azimuth from Fac.	Dist. from Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Athens (Madison Muni)	109.6/AHN 109.6/AHN 116.6/PDK	A/2000 G G	199 284 004	21 .5 0.5	Over center of rwy. Runup area Rwy 09. On runup area Rwy 20L. VOR ground checkpoint unavailable.
		G	218	0.5	On runup area Rwys 02L and 02R.
Brunswick (Malcolm McKinnon)	109.8/SSI	A/1050	029	7.2	Over rotating bcn.
Columbus Metropolitan	117.1/CSG	G	146	7.1	FBO ramp in front of ASOS equipment.
Dublin (W H 'Bud' Barron)	113.1/DBN	G	270	7.6	Ramp.
Foothills (Toccoa RG Letourneau Fld)	113.4/ODF	A/2000	179	6	Over rotating bcn.
Hunter	111.6/SVN	A/1500	090	15.5	Over lighthouse.
Hunter AAF	111.6/SVN	G	271	1.2	On Twy 6.
Lawson AAF	111.4/LSF	G	356	.6	On painted circle at taxiway intersection 580' NW of twr.
Macon	114.2/MCN	A/2000	028	13.6	Over oil tank.
		A/2000	320	9.5	Over dam.
Pecan (Southwest Georgia Rgnl)	116.1/PZD	A/1000	145	9	Over rotating bcn E side of arpt.
Rome (Richard B Russel)	115.4/RMG	G	348	11.5	At intersection of twy 200' S of terminal building. VOR ground checkpoint unavailable.
Savannah	112.7/SAV	A/1500	097	19.6	Over red and white lighthouse.
Valdosta Rgnl	114.8/OTK	G	131	0.6	On taxiway at apch end rwy 35.
Vienna (Crisp County-Cordele)	116.5/VNA 110.2/AYS	A/1300 A/1200	226 099	19 8	Over center of NE/SW rwy. Over fire twr W side arpt.

# VOR RECEIVER CHECK VOR TEST FACILITIES (VOT)

Facility Name		Type VOT	
(Airport Name)	Freq.	Facility	Remarks
Atlanta (Hartsfield-Jackson Atlanta Intl)	111.0	G	
(Atlanta Muni)	111.0	G	VOT OTS indef.
Brunswick Golden Isles	111.0	G	
Cayannah /Hilton Hoad Intl	111 0	C	

#### **KENTUCKY**

#### **VOR RECEIVER CHECKPOINTS**

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Central City (Muhlenberg Co)	109.8/CCT	A/2500	153	10.6	Over intersection of Rwy 23 and central taxiway.
Clarksville (Campbell AAF)	110.6/CKV	G	307	4.9	On taxiway 6 center romeo helipad.
Clarksville (Hopkinsville–Christian Co) Fort Knox (Godman AAF)	110.6/CKV 109.6/FTK	A/2000 A/2000	345 270	13.5 9.2	Over hangar. W of Godman AAF over a
Frankfort (Capital City)	109.4/FFT	G	082	.7	298 ft twr. Runup pad Rwy 24.
Fld)	116.1/LOZ	G	033	3.8	On parking ramp taxiway entry.
Owensboro-Daviess Co	108.6/OWB	G	176	.7	On taxiway at apch end Rwy 36.

### **VOR TEST FACILITIES (VOT)**

	Type VOT	
Freq.	Facility	Remarks
111 0	G	
	Freq.	Freq. Facility

# VOR RECEIVER CHECK NORTH CAROLINA

#### **VOR RECEIVER CHECKPOINTS**

		Type			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Barretts Mountain (Hickory Rgnl)	110.8/BZM	A/2200	229	10.2	Over apch end Rwy 24.
Cofield (Tri-Co)	114.6/CVI	A/4500	259	15.3	Distance 20/25.
Fayetteville Rgnl/Grannis Fld	108.8/FAY	G	278	0.6	On runup area Rwy 04.
Greensboro (Lexington Muni)	116.2/GS0	A/2300	228	22	Over rotating bcn atop W end of building.
Greensboro (Piedmont Triad Intl)	116.2/GS0	G	036	3.5	On Twy M3. Checkpoint OTS indef.
Greensboro (Smith Reynolds)	116.2/GS0	A/2000	297	13.5	Over atct.
Kinston Rgnl Jetport At Stallings Fld	109.6/ISO	G	230	3.1	Twy A between A4 and A5.
Raleigh-Durham Intl	117.2/RDU	G	244	0.85	At end of taxiway to Rwy 05R.
Sugarloaf Mountain (Asheville Rgnl)	112.2/SUG	A/3200	280	13.6	Over atct. Airborne checkpoint unusable indef.
Tar River	117.8/TYI	A/1500	260	5.8	Over smoke stack at power house.

#### **VOR TEST FACILITIES (VOT)**

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Charlotte (Charlotte/Douglas Intl) Hickory Rgnl		G G	

#### **SOUTH CAROLINA**

#### **VOR RECEIVER CHECKPOINTS**

		Type Check Pt.	Azimuth from	Dist. from	
Facility Name (Appl Name)	For a distant	Gnd.	Fac.	Fac.	Observation to December 1
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Charleston AFB/Intl	113.5/CHS	G	225	.7	Runup pad Rwy 03.
	113.5/CHS	G	009	.5	Runup pad Rwy 21.
	113.5/CHS	G	337	1.2	Runup pad Rwy 15.
	113.5/CHS	G	331	0.3	Runup area for Rwy 33.
Electric City (Anderson Rgnl)	108.6/ELW	G	039	5.5	On ramp in front of terminal bldg.
Grand Strand	117.6/CRE	A/1100	238	6	Over white water tank.
	117.6/CRE	G	213	0.7	On runup pad Rwy 05.
Greenwood Co	115.5/GRD	G	250	.7	End of taxiway at Rwy 09

#### **VOR TEST FACILITIES (VOT)**

Facility Name	lity Name Type VOT		Γ	
(Airport Name)	Freq.	Facility	Remarks	
Charleston AFB/Intl	111.0	G		

## VOR RECEIVER CHECK TENNESSEE

#### **VOR RECEIVER CHECKPOINTS**

		Type			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Hinch Mountain (Crossville Memorial-Whitson Fld)	117.6/HCH	A/2900	336	11	Over metal hangar.
	117.6/HCH	G	335	11.5	Runup area between taxiway and rwy at center of fld.
Holston Mountain (Tri–Cities Rgnl TN/VA)	114.6/HMV	G	286	13.7	On ramp S of terminal building.
Jackson (McKellar-Sipes Rgnl)	112.0/MKL		256	0.6	At south end of ramp at fire station.
Nashville (Lebanon Muni)	114.1/BNA	A/2000	082	18	Over midfield.
Tullahoma Rgnl/Wm Northern Fld		A/1800	003	5.0	Over Normandy Dam.

#### **VOR TEST FACILITIES (VOT)**

Remarks

Facility Name	Type VOT		
(Airport Name)	Freq.	Facility	
Knoxville (McGhee-Tyson)	112 0	G	
Memphis Intl		G	
Nashville Intl	108.6	G	
Smyrna	110 2	G	

#### **PUERTO RICO**

#### **VOR RECEIVER CHECKPOINTS**

		Туре			
		Check Azimuth		Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Borinquen (Rafael Hernandez)	113.5/BQN	G	271	2.2	On apch end of Rwy 08.

#### **VIRGIN ISLANDS**

#### **VOR RECEIVER CHECKPOINTS**

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Saint Thomas (Cyril E. King)	108.6/STT	G	118	3.5	On taxiway North of Main ramp. VOR gnd checkpoint unusable.

## INTENTIONALLY LEFT BLANK

## INTENTIONALLY LEFT BLANK

The following tabulation lists all reported parachute jumping sites in the area of coverage of this directory. Unless otherwise indicated, all activities are conducted during daylight hours and under VFR conditions. The busiest periods of activity are normally on weekends and holidays, but jumps can be expected at anytime during the week at the locations listed. Jumps within restricted airspace are not listed.

All times are local and altitudes MSL unless otherwise specified.

Contact facility and frequency is listed at the end of the remarks, when available, in bold face type.

Refer to Federal Aviation Regulations, Part 105 for required procedures relating to parachute jumping.

Organizations desiring listing of their jumping activities in this publication should contact the nearest FSS, tower or ARTCC.

Qualified parachute jumping sites will be depicted on the appropriate visual chart(s).

Note: (c) in this publication indicates that the parachute jump area is charted.

To qualify for charting, a jump area must meet the following criteria:

- (1) Be in operation for at least 1 year.
- (2) Operate year round (at least on weekends).
- (3) Log 4,000 or more jumps each year.

In addition, jump sites can be nominated by FAA Regions if special circumstances require charting.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
	ALABAMA		
Allen Army Heliport	11 NM; 253° Wiregrass	12,500	1 NM radius. SR-SS weekends and holidays.
(c) Bayou La Batre, Roy E.Ray Arpt	12 NM; 217° Brookley	12,500	Daily SR-SS
Bessemer, Old Bessemer Arpt	16 NM; 057° Brookwood	10,000	1030-SS weekends
(c) Cullman, Folsom Fld Arpt	36 NM; 001° Vulcan	14,500	3 NM radius. SR-SS Sat-Sun, other times by NOTAM.
(c) Dothan, Hatch Army Heliport	10.3 NM; 290° Wiregrass	12,500 AGL	1 NM SR-SS weekends and holidays.
(c) Elberta, Horak Arpt	11 NM; 268° Saufley	14,000	Daily 0700-1/2 hour after SS.
Ellis Drop Zone	15 NM; 220° Decatur	1,500	0.4 NM radius. Occasional use
Eutaw Muni Arpt	30 NM; 200° Crimson	13,000 AGL	Weekends and holidays
Gadsden, Northeast Alabama Rgnl Arpt	3 NM; 230° Gadsden	14,000	Weekends and holidays 0900-SS.
Harvest, Epps Arpk	9 NM; 297° Rocket	13,500	Daily SR-SS
(c) Hazel Green	7 NM; 355° Rocket	14,000	7 NM radius. Daily SR–SS. Occasional night use.
Headland Muni Arpt		15,000	Weekdays 1200–SS; Sat–Sun, and holidays SR–SS
Jones Drop Zone	6 NM; 276° Rocket	1,500	0.25 NM radius. Occasional use
Kilby Drop Zone	13 NM; 014° Montgomery	1,500	0.2 NM radius. Occasional use
Moundville Arpt	18 NM; 198° Tuscaloosa	12,000 AGL	5 NM radius. 0900–SS on weekends, occasionally weekdays by Notam.
Pell City, St Clair Co Arpt	10 NM; 263° Talladega	15,500	5 NM radius. SR-SS daily except Mon-Tue.
Pinson, Industrial Park	12 NM; 085° Vulcan	10,500	0800–SS Sat–Sun, occasionally weekday and ngt use.
Prattville-Grouby Fld Arpt	17 NM; 300° Montgomery	2,000	10NM radius. For specific times call 334–953–7325.
Redstone Drop Zone	9 NM; 220° Rocket	1,500	0.2 NM radius. Occasional use
Renda Drop Zone	8 NM; 234° Talledega	1,500	0.25 NM radius. Occasional use
Tac Runkle Drop Zone	19 NM; 280° Cairns	3,500 AGL	Occasional use
Tommy Drop Zone	17 NM; 235° Montgomery	1,500	0.2 NM radius. Occasional use
(c) Tuskegee, Moton Fld Muni	2 NM; 198° Tuskegee	12,500	3 NM radius. Occasionally on weekends.
Vincent	37 NM; 130° Vulcan	10,000	5 NM radius. Weekends 0900-SS.
Warrior	11 NM; 350° Vulcan	12,500	Daily SR-SS
Weaver, McMinn Arpt	15 NM; 047° Talladega	12,500	1 NM radius. Daily SR-SS, occasional night use.
(c) Wetumpka Muni	18 NM; 356° Montgomery	10,000	Daily SR-SS
	FLORIDA		
Arcadia Muni	23 NM; 311° Labelle	15,000	5 NM radius. SR–SS daily, occasional ngt use.
Avon Park Executive Arpt	30 NM; 138° Lakeland	4,000	4 NM radius. Daily SR-SS
Brandon, Sod Farm	16 NM; 255° Lakeland	15,000	0830-1830 weekends
(c) Bunnell, Flagler County Arpt	11 NM; 334° Ormond Beach	14,000	3 NM radius. SR–SS daily. Occasional nights.
Chassahowitzka Drop Zone	38 NM; 010° St. Petersburg	4,000	0.25 NM radius. Occasional use

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
(c) Clewiston, Airglades Arpt	19 NM; 097° LaBelle	13,500	1 NM radius. Daily SR-SS
(c) Coleman, Freeflight Arpt		15,000	3 NM radius. Daily SR-SS.
(c) Deland Muni-Sidney H Taylor Fld		15,000	1 NM radius. SR-SS Sat, Sun,
(,,	,	.,	occasionally weekdays.
Englewood, Buchan Arpt	27 NM; 158° Sarasota	15,000 AGL	2 NM radius. Sunday 1000-SS
Florabama Drop Zone	16 NM; 216° Saufley	14,000	2 NM radius. Fri-Sun 0830-SS.
(c) Homestead General Aviation		15,000	5 NM radius. 24 hrs daily.
Jacksonville, Herlong Arpt	15 NM; 255° Craig	15,000	1 NM radius. Daily SR-SS with prior notification to JAX APP CON.
Key West		7,000	0.2 NM radius. Occasional use.
(c) La Belle, Sundance Farms Arpt (c) Lake Wales Muni	5.4 NM; 245° La Belle 21 NM; 104° Lakeland	12,500 18,000	1 NM radius. Daily SR–SS. 7 NM radius, 24 hrs daily. <b>Miami</b> <b>Center 127.2</b>
(c) MacDill AFB	11 NM: 110° St. Petersburg	10,000	0600–1100 Sun. Over Rwy 31
(c) Melanie's Arpt		13,000	3 NM radius. SR-SS Sat-Sun, holidays and other times by NOTAM.
(c) Myakka City (c) New Smyrna Beach, Massey Ranch	18 NM; 097° Sarasota	12,500	5 NM radius, 24 hrs daily
Airpark	22 NM; 150° Ormond Beach	15,000	1 NM radius SR-SS weekends,
(c) Palatka Muni–Lt. Kay Larkin Fld	36 NM; 079° Gainesville	12,500	occasionally weekdays. 3 NM radius. Daily, SR-SS
(c) Pahokee, Palm Beach Co Glades	at Pahokee	17,500	3 NM radius, 0800–1800 daily.
Arpt			
(c) Quincy Muni ArptSt. Augustine		15,000 12,500	Daily SR-SS Sat-Sun occasionally weekdays
(c) Sebastian Muni		22,000	10 NM radius. Daily SR–SS.
(c) Shell Creek Airpark		13,000	1 NM radius. SR-SS weekends, holidays.
(c) Sugar Loaf Shores Arpt		14,000	2 NM radius. SR-SS.
Sun City		12,500	4 NM 12 OD OO 4-21-
(c) Titusville, Arthur Dunn Air Park (c) Umatilla Muni Arpt		13,500 13,000 AGL	NM radius, SR-SS daily.     NM radius. SR-SS. Occasional night use.
Wakulla Co Arpt	35 NM; 180° Seminole	13,500	3 NM radius. SR–SS weekends occasionally weekdays. Tallahassee Rgnl Tower 135.8
(C) Williston Muni Arpt	22 NM; 210° Gators	11,000	2.5 NM radius. SR-SS Fri, Sat and Sun. Jacksonville Center 118.6
(c) Zephyrhills Muni	16 NM; 330° Lakeland	20,000	E of Rwy 18–36. Daily SR–2300
	GEORGIA		
Bunker Hill Drop Zone		8,000	1 NM radius. SR-1 hr after SS
		-,	daily, irregular intervals. Mass military jumps from multiple acft.
(c) Cedartown, Polk Co Arpt-Cornelius Moore Fld	9 NM; 188° Rome	15,000	3 NM radius. SR-SS daily, occasionally nights.
Claxton-Evans Co Arpt	33.6 NM; 276° Savannah	7,500	0900–SS Sat and Sun
(c) Dahlonega, Lumpkin County	23 NM; 193° Harris	15,000	1 NM radius. SR to 1 hr after SS
Alpt, Willipy Drop Zolle	23 NW, 193 Hallis	13,000	daily irregular intervals. Mass military jumps from multiple acft.
Dahlonega Highway 76 Drop Zone		3,000	Occasional use.
Fort Benning, Box Spring Drop Zone		3,000	Occasional use.
Fort Benning, Eelbeck Drop Zone (c) Fort Benning, EuBanks Drop Zone		3,000 12,500	Occasional use. Daily 0500–1900
(c) Fort Benning, Fryar Field Drop Zone		13,000	0.5 NM radius, Continuous.
(c) Fort Benning, Gardner Drop Zone		12,500	Daily 0500–1900
Fort Benning, Lawson AAF (Fort Benning)	1.8 NM; 046° Lawson	12,500	1 NM radius. Daily SR-SS
	21 NM; 166° Columbus	3,000	Occasional use
Fort Benning, Ledo Drop Zone		3,000	Occasional use
Fort Benning, McKenna Drop Zone		3,000	Occasional use
(c) Fort Benning, York Drop Zone Fort Valley, Miami Valley Farms Arpt		12,500	Daily 0500–1900 1 NM radius, Daily 0900–SS
Locust Grove, Mallards	12 INIVI, 220 IVIdCUII	14,000	T IVIVI Idulus, Dally 0900-55
Landing Arpt	17.5 NM; 118° Atlanta	13,500	Sat, Sun and holidays SR–SS. Occasional ngt jumps
(c) Monroe–Walton Co Arpt		13,500	5 NM radius. Daily 0800-2100.
Plantation Airpark, Moore Drop Zone	36 NM; 332° Savannah	1,500 AGL	NM radius. Occasional use.     Mass Military jumps from multiple acft.
(c) Rome, Richard B. Russell Arpt	11.3 NM; 349° Rome	15,000	5 NM radius. SR-SS Weekends.
St Marys Arpt		12,000	2 NM radius. Daily 0700–1859.

#### PARACHUTE JUMPING AREAS

LOCATION Thomaston-Upson Co	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC 35 NM; 296° Macon	MAXIMUM ALTITUDE 14,500	REMARKS 1 NM radius. Sat–Sun occasionally
Tifton Henry Tift Myers Arnt	1 NM; 090° Tift Myers	15,000	weekdays. 5 NM radius. Daily 0700–1800.
	8 NM; 100° Waycross	12,500	1 NM radius. Daily 1000–1800.
	14 NM; 245° Harris	8,000	NM radius. SR to 1 hr after SS daily, irregular intervals. Mass military jumps from multiple acft.
	KENTUCKY		
Elizabethtown, Addington Fld	12 NM; 285° New Hope	11,000	3 NM radius, SR-SS Weekends and noon-SS weekdays.
Elkton, Standard Fld(c) Flemingsburg, Fleming Mason Arpt .	16 NM; 045° Clarksville 27 NM; 103° Falmouth	12,000 12,500	5 NM radius. Continuous. 1 NM radius. SR-SS Sat-Sun and holidays.
Ft. Campbell, Bastogne Drop Zone	8 NM; 274° Clarksville	3,000	0600–2330 Mon–Fri and occasional weekends. Military use.
Ft. Campbell, Corregidor Drop Zone	11 NM; 270° Clarksville	3,000	0600-2330 Mon-Fri and occasional weekends. Military
Ft. Campbell, Los Banos Drop Zone	10 NM; 270° Clarksville	3,000	use. 0600–2330 Mon–Fri and occasional weekends. Military
Ft. Campbell, Suckchon Drop Zone	10 NM; 270° Clarksville	3,000	use. 0600–2330 Mon–Fri and occasional weekends. Military
Glasgow Muni Arpt	24 NM; 073° Bowling Green	8,000	use. 5 mi radius. SR-SS weekends and holidays
(c) Greenville, Muhlenberg Co Arpt	10 NM; 149° Central City	13,500	5 mi. radius. Daily SR-SS.
	7 NM; 149° Central City	2,000	2 NM radius. Intermittent. Military use.
(c) Hopkinsville–Christian Co	14 NM; 352° Clarksville	14,500	3 NM radius, 0900–1600 Tue–Fri; occasional weekends.
Owensboro, Windy Hollow Drag Strip	6 NM; 205° Owensboro	8,000	2 NM radius. 0800–SS Sun, holidays occasionally other times
	NODTH CARCHINA		amee
	NORTH CAROLINA		
(c) Cherry Point, Cannon Drop Zone	9 NM; 184° Cherry Point Tacan	10,500	3 NM radius. Weekends and holidays, occasional use weekdays.
	22 NM; 030° Fayetteville	4,500	1 NM radius. Sat & Sun afternoons
(c) Fayetteville, Southern Comforts Arpt	9 NM; 220 Fayetteville	14,000	3 NM radius. Fri–Mon and holidays SR–SS.
Greensboro, Southeast Greensboro Arpt	18 NM; 115° Greensboro	12,000	1 NM radius. 0800–2000 Sat and Sun.
	8 NM; 339° Liberty	11,000	3 NM radius. 0800-1600 Fri-Sun.
	22 NM; 040° Kinston 27 NM; Barretts Mountain	15,500 15,000	Daily SR–SS. 3 NM radius. SR–SS daily,
(c) Juliesville, Swall Greek Alpt	27 NW, Darretts Wountain	15,000	occasional night.
	22 NM; 060° Raleigh–Durham	15,500	30 min before SR–30 min after SS daily. Occasional ngt.
	13 NM; 152° Sandhills 11 NM; 150° Sandhills	17,500 17,500	0600–1900 Daily. Continuous.
	26 NM; 250° Fayetteville	13,500	0800–1700 Mon–Fri.
	29 NM; 296° Raleigh/Durham	12,000	1 NM radius. 0900-SS Weekends; occasionally other times.
	8.75 NM; 143° Sandhills	12,500	Sat, Sun and holidays. Weekdays on request.
	17 NM; 280° Fayetteville	12,500 AGL	Continuous.
(C) KOCKY MOUNT	9.5 NM; 285° Tar River 27.2 NM; 209° Wilmington	12,500	Sat, Sun and holidays 0900–SS.
Thomasville. Fairgrove Arnt	13 NM; 201° Greensboro	12,000 14,000	3 NM radius. 0800–2100 daily. Weekends and holidays.
	23 NM; 351° Wilmington	15,000 AGL	3 NM radius. Sat–Sun SR–SS.
	27.6 NM; 069° Kinston	14,999 AGL	2 NM radius. SR-SS daily, occasional night use.
	SOUTH CAROLINA		-
(c) Barnwell Rgnl Arnt	15 NM; 343° Allendale	12,500	Daily SR-SS.
	38.25 NM; 067° Savannah	10,000	1.0 NM radius. Sat, Sun and holidays SR-SS.
	16.5 NM; 223° Fort Mill	13,500 AGL	1 NM radius. Daily 0800-SS.
	14 NM; 343° Electric City	12,000	Daily SR-SS.
CUIUMDIA, FORT JACKSON	10 NM; 020° Columbia	10,000	1 NM radius. Weekends, occasional weekdays.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
(c) Green Sea Arpt	25 NM; 330° Grand Strand	15,000	3 NM radius. Weekends and occasional weekdays SR-SS.
(c) Loris, Twin City Arpt(c) North AF Aux Arpt	15 NM; 340° Grand Strand 15 NM; 186° Columbia	12,000 2,000	Weekends, holidays 0800–SS. ½ NM radius. Mon–Fri 0800–2200. Military personnel and heavy equipment.
St George Arpt Timmonsville, Huggins Arpt (c) Walterboro, Lowcountry Rgnl Arpt	17 NM; 192° Vance	17,900 12,500 12,500 AGL	SR-1 hr after SS. Daily SR-SS. Weekends.
(o) Nationality, Lawrence in Figure 11.	TENNESSEE	12,000 //42	Weekends.
Campbell Co.	28.9 NM: 336° Volunteer	13.500	2 NM radius. 0800-one hr byd SS.
Chattanooga	13 NM; 087° Choo Choo	10,000	Continuous.
Clarksville, Outlaw Fld	Over Clarksville	14,000 AGL	4 NM radius. Daily SR-SS, occasional ngts.
Crossville Meml-Whitson Fld	11.5 NM; 335° Hitch Mountain	14,500	1 NM radius. Daily SR-1 hr after SS, occasional nights.
(c) Dunlap	30 NM; 335° Choo Choo	9,000	5 NM radius. SR-SS Daily.
Fort Campbell, Son Drop Zone	4.1 NM; 302° Clarksville	12,500	Daily.
Livingston Arpt	13 NM; 212° Livingston	12,500	Weekends.
(c) Paris, Henry Co	44.3 NM; 357° Jacks Creek	13,500	5 NM radius. Daily SR-SS.
Sevierville, Seymour Airpark	10 NM; 133° Volunteer	13,500	3 NM radius. Weekends SR-SS.
(c) Somerville, Wings	26 NM; 210° McKellar	14,000 AGL	2 NM radius. Weekends 0700–SS. Occasional ngt jumps.
Tullahoma Rgnl Arpt/WM Northern Fld	14.1 NM; 139° Shelbyville	15,000	5 NM radius. SR-SS primarily weekends with occasional nights.
Whifferdill	25 NM; 303° Nashville	11,500	2 NM radius. Weekends SR-SS.
	PUERTO RICO		
(c) Arecibo, Antonio/Nery/Juarbe Pol Arpt.	25 NM; 105° Borinquen	12,500	0600–1800 weekends & holidays.
(c) Humacao Arpt	20.9 NM; 159° San Juan	15,000	2.5 NM radius. Weekends SR-SS, occasionally holiday SR-SS.
	VIRGIN ISLANDS		
St. Croix, Ordinance Drop Zone		2,000	0700–1400 Mon–Fri. 5 NM radius from 17°49'N 064°52'W.
St. Thomas, Cyril E. King No. 1	6.5 NM; 118° St. Thomas	15,000	
St. Thomas, Cyril E. King No. 2	10.4 NM; 110° St. Thomas	15,000	

The purpose of this bulletin is to provide major changes in aeronautical information that have occurred since the last publication date of each Sectional Aeronautical, VFR Terminal Area, and Helicopter Route Charts listed. The general policy is to include only those changes to controlled airspace and special use airspace that present a hazardous condition or impose a restriction on the pilot, and major changes to airports and radio navigational facilities, thereby providing the VFR pilot with the essential data necessary to update and maintain chart currency. The data is grouped by type and then by effective date. When a new edition of the Aeronautical Chart is published, the corrective tabulation will be removed from this bulletin. Inasmuch as this Bulletin provides major changes only, pilots should consult the airport listing in this directory for all new information. Users of U.S. World Aeronautical Charts (WAC) and U.S. Gulf Coast VFR Aeronautical Charts should consult the appropriate Sectional and VFR Terminal Area Charts for revisions.

Military Training Routes (MTRs) are shown on Sectional Aeronautical Charts, VFR Terminal Area, and Helicopter Route Charts. Only the route centerline, direction of flight and the route designator are shown — route widths and altitudes are not shown. Since these routes are subject to change every 56 days and the charts are reissued generally every 6 months, routes with a change in the alignment of the charted route centerline will be listed in this Aeronautical Chart Bulletin below. You are advised to contact the nearest FSS for route dimensions and current status for those routes affecting your flight.

#### ATLANTA SECTIONAL 83rd Edition. 27 Aug 2009

OBSTRUCTIONS

27 Aug 2009 No Major Changes.

22 Oct 2009 Add obst 1327 MSL (310 AGL)UC, 34°21'17"N, 87°41'54"W.

Add obst 1114'MSL (346'AGL)UC, 34°37'03"N, 82°05'12"W. Add obst 1629'MSL (285'AGL)UC, 36°04'48"N, 84°31'00"W.

Add obst 879'MSL (296'AGL)UC, 32°54'16"N, 86°30'27"W. Add obst 1183'MSL (227'AGL)UC, 35°04'04"N, 86°30'50"W.

Add obst 569'MSL (285'AGL)UC, 33°52'09"N, 81°07'44"W.

**AIRPORTS** 

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete POWELL arpt. 36°02'40"N, 084°00'16"W, Change CTAF 122.9 to 122.8 at ROBBINS arpt, 33°58′16″N, 86°22′49″W.

NAVAIDS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### ATLANTA TERMINAL AREA CHART 80th Edition. 27 Aug 2009

**OBSTRUCTIONS** 

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### CG-21 WORLD AERONAUTICAL CHART 40th Edition, 24 Sep 2009

#### OBSTRUCTIONS

22 Oct 2009 Add obst 1348'MSL (600'AGL), 34°15'06"N, 84°59'12"W. Change obst from 312'MSL to 1312'MSL, 33°35'33"N, 083°58'31"W.

22 Oct 2009 Change elevation from 191' to 1911' at Blairsville arpt, 34°51'16"N, 083°59'50"W. Change runway orientation to 01/19 at Halifax-Northhampton Co Rgnl arpt. 36°19'47"N, 077°38'07"W.

#### NAVAIDS

22 Oct 2009 No Major Changes.

#### AIRSPACE

22 Oct 2009 No Major Changes.

#### SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

#### MISCELLANEOUS

22 Oct 2009 No Major Changes.

#### CHARLOTTE SECTIONAL 86th Edition, 30 Jul 2009

#### **OBSTRUCTIONS**

27 Aug 2009 Add obst 727'MSL (310'AGL)UC, 35°00'34"N, 79°46'48"W.

Add obst 537'MSL (310'AGL)UC, 34°02'15"N, 80°24'40"W.

Add obst 268'MSL (263'AGL)UC, 35°47'45"N, 75°33'02"W

Add obst 1335'MSL (575'AGL)UC, 35°12'56"N, 81°45'44"W. Add obst 404'MSL (300'AGL)UC, 34°11'08"N, 78°57'51"W.

22 Oct 2009 Add obst 768'MSL (499'AGL)UC, 34°59'54"N, 79°15'46"W.

Add obst 656'MSL (290'AGL)UC, 35°51'14"N, 80°00'55"N, Add obst 558'MSL (300'AGL)UC, 35°51'14"N, 78°53'39"W. Add obst 326'MSL (310'AGL)UC, 34°51'44"N, 76°46'14"W. Add obst 844'MSL (390'AGL)UC, 35°07'18"N, 80°20'10"W.

Add obst 365'MSL (300'AGL)UC, 34°10'08"N, 79°07'27"W. Add obst 421'MSL (310'AGL)UC, 33°55'29"N, 79°54'56"W. Add obst 348'MSL (275'AGL)UC, 33°44'25"N, 79°56'04"W. Add obst 434'MSL (310'AGL)UC, 33°54'35"N, 80°01'52"W.

Add obst 1032'MSL (390'AGL)UC, 34°55'48"N, 80°38'59"W.

#### **AIRPORTS**

27 Aug 2009 No Major Changes. 22 Oct 2009 Delete RP\* at JAARS-TOWNSEND arpt, 34°51'49"N, 80°44'52"W. Delete JORDAN arpt, 33°32′23″N, 79°31′55″W.

#### **NAVAIDS**

**27 Aug 2009** No Major Changes. **22 Oct 2009** Delete JOHNS ISLAND NDB, 32°42′05″N, 80°00′20″W.

27 Aug 2009 Revise Albemarle, NC Class D; That airspace extending upward from the surface to and including 3,100 feet MSL within a 5.8-mile radius of Stanly County Airport and within 1.5 miles each side of the 043 degree bearing from Stanly County Airport to 7.8 miles Northeast. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory.

#### 22 Oct 2009 No Major Changes.

#### SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### MISCELLANEOUS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### CHARLOTTE TERMINAL AREA CHART 41st Edition. 30 Jul 2009

#### **OBSTRUCTIONS**

27 Aug 2009 Add obst 1335'MSL (575'AGL)UC, 35°12'56"N, 81°45'44"W. 22 Oct 2009 Add obst 844'MSL (390'AGL)UC, 35°07'18"N, 80°20'10"W.

#### AIRPORTS

27 Aug 2009 Revise Albemarle, NC Class D; That airspace extending upward from the surface to and including 3,100 feet MSL within a 5.8-mile radius of Stanly County Airport and within 1.5 miles each side of the 043 degree bearing from Stanly County Airport to 7.8 miles Northeast. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory. Revise Albemarle, NC Class E; That airspace extending upward from 700 feet above the surface within an 8-mile radius of Stanly County Airport.

Revise Albemarle, NC Class E; That airspace extending wuward from 700' above the surface within an 8-mile radius of Stanly County Airport.

22 Oct 2009 Delete RP\* at JAARS-TOWNSEND arpt, 34°51'49"N, 80°44'52"W.

#### NAVAIDS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### AIRSPACE

**27 Aug 2009 – 22 Oct 2009** No Major Changes.

#### SPECIAL USE AIRSPACE

**27 Aug 2009 – 22 Oct 2009** No Major Changes.

#### **MILITARY TRAINING ROUTES**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### **MISCELLANEOUS**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### CINCINNATI SECTIONAL 82nd Edition. 2 Jul 2009

```
OBSTRUCTIONS
2 Jul 2009 No Major Changes.
27 Aug 2009 Add obst 1525'MSL (410'AGL)UC, 40°12'15"N, 82°35'03"W.
Add obst 2811'MSL (305'AGL)UC, 39°24'30"N, 79°21'41"W. Add obst 1687'MSL (380'AGL)UC, 38°00'44"N, 82°10'09"W. Add obst 1341'MSL (300'AGL)UC, 38°43'50"N, 81°22'53"W.
Add obst 3611'MSL (315'AGL)UC, 37°53'06"N, 80°46'24"W.
Add obst 1067'MSL (300'AGL)UC, 38°17'38"N, 82°11'57"W. Add obst 1217'MSL (300'AGL)UC, 38°38'11"N, 81°23'43"W.
Add obst 1328'MSL (350'AGL)UC, 37°37'05"N, 84°15'43"W.
Add obst 1810'MSL (310'AGL)UC, 38°19'51"N, 79°03'36"W.
Add obst 2925'MSL (300'AGL)UC, 37°39'29"N, 80°57'29"W.
Add obst 2752'MSL (300'AGL)UC, 37°32'06"N, 80°55'20"W. Add obst 1213'MSL (310'AGL)UC, 38°41'39"N, 83°37'34"W.
Add obst 1198'MSL (300'AGL)UC, 38°20'28"N, 82°03'56"W.
Add obst 1242'MSL (310'AGL)UC, 39°37'20"N, 82°14'33"W. Add obst 1680'MSL (550'AGL)UC, 39°53'38"N, 79°55'58"W.
22 Oct 2009 Add obst 1224'MSL (300'AGL)UC, 39°44'58"N, 84°23'43"W.
Add obst 1358'MSL (312'AGL)UC, 39°00'37"N, 83°34'13"W.
Add obst 1629'MSL (285'AGL)UC, 36°04'48"N, 84°31'00"W.
Add obst 3434'MSL (270'AGL)UC, 36°43'42"N, 80°27'08"W. Add obst 1674'MSL (554'AGL)UC, 39°42'28"N, 79°57'32"W.
Add obst 1403'MSL (297'AGL)UC, 38°48'04"N, 82°57'44"W.
Add obst 3226'MSL (400'AGL)UC, 40°01'35"N, 78°48'07"W.
Add obst 3190'MSL (400'AGL)UC, 40°03'28"N, 78°48'15"W.
AIRPORTS
2 Jul 2009 No Major Changes.
27 Aug 2009 Change CTAF 122.9 to 123.05 at MCCREARY arpt, 36°41'43"N, 84°23'29"W.
22 Oct 2009 Delete POWELL arpt, 36°02'40"N, 84°00'15"W.
NAVAIDS
2 Jul 2009 - 27 Aug 2009 No Major Changes.
22 Oct 2009 Delete LOUISA NDB, 38°01'13"N, 77°51'32"W.
AIRSPACE
2 Jul 2009 No Major Changes.
27 Aug 2009 Revise WAVERLY, OH Class E. That airspace extending upward from 700 feet above the
surface within a 9.9-mile radius of Pike County Airport. Delete DAYTON Class C freq 127.65. Add DAYTON
Class C freqs 118.425 and 127.225. Revise DAYTON Class C freq from 316.7 to 352.05.
22 Oct 2009 No Major Changes.
SPECIAL USE AIRSPACE
2 Jul 2009 - 22 Oct 2009 No Major Changes.
MILITARY TRAINING ROUTES
2 Jul 2009 - 22 Oct 2009 No Major Changes.
MISCELLANEOUS
2 Jul 2009 - 22 Oct 2009 No Major Changes.
                                   CINCINNATI TERMINAL AREA CHART
                                         21st Edition, 2 Jul 2009
OBSTRUCTIONS
2 Jul 2009 No Major Changes.
```

```
OBSTRUCTIONS
2 Jul 2009 No Major Changes.
27 Aug 2009 Add obst 1144'MSL (258'AGL)UC, 38°42'07"N, 85°22'01"W.
22 Oct 2009 No Major Changes.
AIRPORTS
2 Jul 2009 – 22 Oct 2009 No Major Changes.
NAVAIDS
2 Jul 2009 – 22 Oct 2009 No Major Changes.
AIRSPACE
2 Jul 2009 – 22 Oct 2009 No Major Changes.
SPECIAL USE AIRSPACE
2 Jul 2009 – 22 Oct 2009 No Major Changes.
MILITARY TRAINING ROUTES
2 Jul 2009 – 22 Oct 2009 No Major Changes.
MISCELLANEOUS
```

2 Jul 2009 - 22 Oct 2009 No Major Changes.

# IFR GULF OF MEXICO VERTICAL FLIGHT REFERENCE CHART 12th Edition, 20 Nov 2008

```
OBSTRUCTIONS
20 Nov 2008 - 22 Oct 2009 No Major Changes.
20 Nov 2008 - 7 May 2009 No Major Changes.
2 Jul 2009 Add heliport (51XS) Evergreen Helicopters Pvt N29°41'43" W093°57'49".
Add heliport (2TA7) ERA Helicopters Sabine Base Pvt N29°43′03″ W093°51′47
Add heliport (TA12) ERA Petroleum Helicopters Inc Pvt N29°42'12" W093°56'42".
Add heliport 95XS) Air Logistics Sabine Pvt N29°42'45" W093°54'35"
Add heliport (7LA5) Petroleum Helicopters Cameron Pvt N29°46'37" W093°17'59".
Add heliport (81LA) Mobil Chevron Pvt N29°47′09" W093°19'30"
Add heliport (LA78) CAGC DOCK Pvt N29°47'12" W093"19'12"
Add heliport (24LA) ERA Helicopters Cameron Base Pvt N29°46'49" W093°17'34".
Add heliport (13LA) Evergreen Pvt N29°47'05" W093°12'35".
Add heliport (LA53) Air Logistics Pvt N29°45'43" W093°00'54".
Add heliport (LA09) Air Logistics Intracoastal City Pvt N29°47′02″ W092°09′49″.
Add heliport (1LA9) Chevron Intracoastal Pvt N29°46′58" W092°09′24
Add heliport (2LA3) Exxon Intracoastal City Terminal Pvt N29°49'29" W092°07'58".
Add heliport (74LA) ERA Helicopters Pvt N29°49'20" W092°08'17"
Add heliport (7LS4) Petroleum Helicopters Intracoastal City Pvt N29°47′45" W092°09′00".
Add heliport (5LA2) Mobil Pvt N29°41'23"W091°11'40"
Add heliport (9LA4) Texaco Pvt N29°41'12" W091°10'18".
Add heliport (7LS3) Petroleum Helicopters Lake Palourde Base Pvt N29°41'36" W091°05'55".
Add heliport (25LA) ERA Morgan City Pvt N29°38'42" W091°07'08". Add heliport (4LA4) Chevron USA Inc Pvt N29°13'18" W090°13'01".
Add heliport (09LA) ERA Helicopters Fourchon Helibase Pvt N29°07'28" W090°12'19".
Add heliport (9LA3) Air Logistics Fourchon Pvt N29°07′01" W090°12′02"
Add heliport (LS99) Petroleum Helicopters Fourchon Base Pvt N29°06′59" W090°12′17".
Add heliport (OLA7) Exxon Pvt N29°15′14″ W089°57′59″.
Add heliport (GNI) Grand Isle Pvt N29°15′46″ W089°57′40″
Add heliport (LS08) Robert L Suggs Pvt N29°21′19" W089°26′18".
Add heliport (45LA) Air Logistics Venice/N Pvt N29°17'46" W089°22'21"
Add heliport (LS52) ERA Helicopters Venice Base Pvt N29°17′14" W089°22′04".
Add heliport (8LA1) Chevron USA Pvt N29°15′49" W089°21′21
Add heliport (MS78) Pascagoula Refinery PAD NR1 Pvt N30°19′53″ W088°30′32″.
Add heliport (2AL4) Petroleum Helicopters Theodore Pvt N30°25'52" W088°10'45".
27 Aug 2009 - 22 Oct 2009 No Major Changes.
NAVAIDS
20 Nov 2008 - 15 Jan 2009 No Major Changes.
7 May 2009 Change name and ident of SULFY (UX) NDB to SULPHUR (AUR) N30°11′54.7″N,
93°25′14.3″W
2 Jul 2009 - 22 Oct 2009 No Major Changes.
AIRSPACE
20 Nov 2008 - 22 Oct 2009 No Major Changes.
SPECIAL USE AIRSPACE
20 Nov 2008 No Major Changes.
15 Jan 2009 Change W-147A TIMES USED/DAYS to: Continuous.
Change W-147C, D TIMES USED/DAYS to: Continuous
Change W453 TIMES USED/DAYS to: Continuous, OTHER TIMES BY NOTAM;
Change TIMES USED/HOURS to: Intermittent Days.
Change W-602 TIMES USED/DAYS to Continuous.
7 May 2009 - 22 Oct 2009 No Major Changes.
MILITARY TRAINING ROUTES
20 Nov 2008 - 22 Oct 2009 No Major Changes.
```

20 Nov 2008 - 22 Oct 2009 No Major Changes.

#### JACKSONVILLE SECTIONAL 84th Edition, 27 Aug 2009

#### OBSTRUCTIONS

27 Aug 2009 No Major Changes.

22 Oct 2009 Add obst 632'MSL (622'AGL)UC, 27°55'55"N, 82°24'04"W. Add obst 487'MSL (473'AGL)UC, 31°46'58"N, 81°26'27"W.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### MISCELLANEOUS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### MEMPHIS SECTIONAL 83rd Edition, 24 Sep 2009

#### OBSTRUCTIONS

22 Oct 2009 Add obst 505'MSL (328'AGL), 34°21'56"N, 90°38'14"W.

Add obst 798'MSL (420'AGL)UC, 32°05'24"N, 90°39'59''N. Add obst 979'MSL (499'AGL)UC, 34°13'53"N, 93°16'47"W. Add obst 495'MSL (330'AGL)UC, 33°39'16"N, 92°40'34"W.

#### Add obst 945'MSL (645'AGL)UC, 33°38'59"N, 93°48'43"W.

#### **AIRPORTS**

22 Oct 2009 Add RP 35 to TUNICA MUNI arpt, 34°41′06"N, 90°20′52"W.

#### **NAVAIDS**

22 Oct 2009 Shutdown PINHOOK NDB, 35°15'14"N, 88°12'15"W. Change bearing 294° to 293° from HAMILTON VORTAC(HAB) 34°11'42"N, 88°00'45"W.

#### AIRSPACE

22 Oct 2009 No Major Changes.

#### SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

### MEMPHIS TERMINAL AREA CHART 41st Edition, 24 Sep 2009

**OBSTRUCTIONS** 

22 Oct 2009 No Major Changes.

22 Oct 2009 Add RP 35 to TUNICA MUNI arpt. 34°41′06″N. 90°20′52″W.

**NAVAIDS** 

22 Oct 2009 No Major Changes.

**AIRSPACE** 

22 Oct 2009 No Major Changes.

**SPECIAL USE AIRSPACE** 

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

### MIAMI SECTIONAL 85th Edition, 27 Aug 2009

**OBSTRUCTIONS** 

**27** Aug 2009 No Major Changes. **22 Oct 2009** Add obst 306'MSL (250'AGL)UC, 27°39'56"N, 81°22'11"W. Add obst 632'MSL (622'AGL)UC, 27°55'55"N, 82°24'04"W.

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete COXS HAMMOCK arpt, 27°04'18"N, 80°31'12"W.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

**AIRSPACE** 

27 Aug 2009 - 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

**MILITARY TRAINING ROUTES** 

27 Aug 2009 - 22 Oct 2009 No Major Changes.

**MISCELLANEOUS** 

27 Aug 2009 - 22 Oct 2009 No Major Changes.

### MIAMI TERMINAL AREA CHART 74th Edition, 27 Aug 2009

#### OBSTRUCTIONS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### AIRPORTS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### NAVAIDS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### AIRSPACI

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### MISCELL ANEOUS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### NEW ORLEANS SECTIONAL 84th Edition. 4 Jun 2009

#### OBSTRUCTIONS 2 Jul 2009 Add obst 400' MSL (380' AGL), 30°16'18"N, 87°34'27"W. Add obst 893' MSL (305' AGL), 32°04'34"N, 89°04'34"W. Add obst 1000' MSL (551' AGL), 31°36'32"N, 89°25'44"W. Add obst 603' MSL (318' AGL), 31°38'42"N, 90°12'53"N. Add obst 725' MSL (349' AGL), 31°07'43"N, 90°46'11"W. Add obst 949' MSL (620' AGL), 31°15'30"N, 89°55'59"W. Add obst 508' MSL (490' AGL), 30°34'00"N, 87°13'37"W. Add obst 497' MSL (305' AGL), 31°22'14"N, 88°15'01"W. **27 Aug 2009** Add obst 289' MSL (230' AGL), 30°34'24"N, 90°35'30"W. Add obst 983' MSL (498' AGL), 31°26'02"N, 90°34'46"W. Add obst 745' MSL (420' AGL), 31°35'40"N, 89°58'56"W. Add obst 434' MSL (315' AGL), 31°00'49"N, 89°47'46"W. **22 Oct 2009** Add obst 599' MSL (310' AGL), 31°30'06"N, 86°22'13"W. Add obst 793' MSL (420' AGL), 31°30'09"N, 86°42'18"W. Add obst 695' MSL (420' AGL), 31°44'23"N, 87°11'14"W. Add obst 964' MSL (420' AGL), 31°49'30"N, 89°54'01"W. **AIRPORTS** 2 Jul 2009 No Major Changes. 27 Aug 2009 Delete PIKER-T00, 31°00'42"N, 90°58'05"W. Delete WATSON, 30°57′09"N, 85°25′02"W. 22 Oct 2009 No Major Changes.

#### **NAVAIDS**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### **AIRSPACE**

27 Aug 2009 No Major Changes.

**22 Oct 2009** Change TYNDALL AFB ATCT frequency from 384.4 to 263.15, 30°04′12″N, 85°34′35″W.

#### **SPECIAL USE AIRSPACE**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

2 Jul 2009 No Major Changes.

27 Aug 2009 IR 15 Revise ceiling from 20 MSL to 50 MSL from Point D to Point H.

22 Oct 2009 No Major Changes.

#### MISCELLANEOUS

2 Jul 2009 No Major Changes.

27 Aug 2009 Change MEF 1° TO 11 in quadrant 31°00′-31°30′N, 89°30′-90°00′W.

22 Oct 2009 No Major Changes.

### ORLANDO TERMINAL AREA CHART 39th Edition. 27 Aug 2009

**OBSTRUCTIONS** 

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

**MILITARY TRAINING ROUTES** 

27 Aug 2009 - 22 Oct 2009 No Major Changes.

**MISCELLANEOUS** 

27 Aug 2009 - 22 Oct 2009 No Major Changes.

### PUERTO RICO-VIRGIN ISLAND TERMINAL AREA CHART 36th Edition, 22 Oct 2009

**OBSTRUCTIONS** 

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

**MISCELLANEOUS** 

22 Oct 2009 No Major Changes.

#### ST. LOUIS SECTIONAL 80th Edition, 2 Jul 2009

#### OBSTRUCTIONS

2 Jul 2009 No Major Changes.

27 Aug 2009 Add obst 1144'MSL (258'AGL)UC, 38°42'07"N, 85°22'02"W.

Add obst 1328'MSL (350'AGL)UC, 37°37'05"N, 84°15'43"W.

Add obst 865'MSL (304'AGL)UC, 37°22'45"N, 88°39'47"W. Add obst 1265'MSL (290'AGL)UC, 37°32'46"N, 90°12'37"W.

Add obst 560'MSL (260'AGL)ÚC, 36°40'24"N, 89°58'57"W.

Add obst 995'MSL (260'AGL)UC, 39°04'38"N, 90°50'02"W. Add obst 792'MSL (270'AGL)UC, 37°38'14"N, 87°38'10"W. Add obst 865'MSL (306'AGL)UC, 39°12'53"N, 87°20'48"W.

22 Oct 2009 Add obst 1224'MSL (300'AGL)UC, 39°44'58"N, 84°23'43"W.

Add obst 1629'MSL (285'AGL)UC, 36°04'48"N, 84°31'00"W.

Add obst 916'MSL (258'AGL)UC, 40°03'49"N, 87°42'44"W. Add obst 934'MSL (520'AGL)UC, 38°06'35"N, 90°15'30"W. Add obst 1197'MSL (260'AGL)UC, 37°44'20"N, 90°30'11"W.

Add obst 1025'MSL (275'AGL)UC, 37°21'50"N, 90°41'52"W.

Add obst 797'MSL (330'AGL)ÚC, 36°34'10"N, 88°50'13"W. Add obst 754'MSL (320'AGL)UC, 36°47'55"N, 88°30'22"W.

#### **AIRPORTS**

2 Jul 2009 No Major Changes.

27 Aug 2009

27 Aug 2009 Change CAPE GIRARDEAU ATCT freq 119.0 to 125.525, 37°13'31"N, 89°34'15"W.

Change CTAF 119.0 to 125.525 at CAPE GIRARDEAU arpt, 37°13'31"N, 89°34'15"W.

Delete O'NEAL arpt, 38°41'29"N, 87°33'08"W.

Change CTAF 122.9 to 123.05 at MC CREARY CO arpt, 36°41'43"N, 84°23'29"W.

Delete HEMP RIDGE arpt, 38°09'11"N, 85°07'08"W. Delete SMITH arpt, 39°18'47"N, 90°16'40"W.

22 Oct 2009 Delete CLARK arpt. 40°11'40"N, 86°31'23"W.

Delete POWELL arpt, 36°02'40"N, 84°00'16"W.

Delete HIGGINBOTHAM arpt, 39°20'29"N, 87°31'53"W.

#### **NAVAIDS**

2 Jul 2009 - 22 Oct 2009 No Major Changes.

#### **AIRSPACE**

2 Jul 2009 No Major Changes.

27 Aug 2009 Revise MOUNT STERLING, IL CLASS E: That airspace extending upward from 700 feet above the surface within a 6.6-mile radius of Mount Sterling Municipal Airport. Delete DAYTON Class C freq 127.65. Add DAYTON Class C freqs 118.425 and 127.225. Revise DAYTON Class C freq from 316.7 to 352.05

22 Oct 2009 No Major Changes.

#### SPECIAL USE AIRSPACE

2 Jul 2009 - 22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

2 Jul 2009 - 22 Oct 2009 No Major Changes.

#### MISCELLANEOUS

2 Jul 2009 - 22 Oct 2009 No Major Changes.

#### TAMPA TERMINAL AREA CHART 39th Edition. 27 Aug 2009

#### **OBSTRUCTIONS**

27 Aug 2009 No Major Changes.

22 Oct 2009 Add obst 632'MSL (622'AGL)UC, 27°55'55"N, 82°24'04"W.

#### **AIRPORTS**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### **NAVAIDS**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

AIRSPACE 27 Aug 2009 – 22 Oct 2009 No Major Changes.

#### **SPECIAL USE AIRSPACE**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### **MISCELLANEOUS**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

### WASHINGTON SECTIONAL 86th Edition, 30 Jul 2009

#### **OBSTRUCTIONS**

27 Aug 2009 No Major Changes. 22 Oct 2009 Add obst 588'MSL (421' AGL) UC, 37°35'09"N, 77°15'47"W.

Add obst 434'MSL (400' AGL) UC, 36°26'12"N, 76°43'25"W. Add obst 3226'MSL (400' AGL) UC, 40°01'35"N, 78°48'07"W. Add obst 369'MSL (309' AGL) UC, 37°24'37"N, 76°32'51"W.

27 Aug 2009 No Major Changes. 22 Oct 2009 Delete BOLLING AFB heliport, 38°50′34″N, 77°00′58″W.

#### **NAVAIDS**

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete LOUISA NDB, 38°01'14"N, 77°51'33"W.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### **MISCELLANEOUS**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### SUPPLEMENTAL COMMUNICATION REFERENCE

Contained within this tabulation, and listed alphabetically by airport name, are all private—use airports charted on the U.S. IFR Enroute Low and High Altitude charts in the United States, having terminal approach and departure control facilities. Additionally, listed by country, are all Canadian and Mexican airports that appear on the U.S. IFR Enroute charts with approach and departure control services. All frequencies transmit and receive unless otherwise noted. Radials defining sectors are outbound from the facility.

	ST	

CILITY NAME Collingwood ON (CNV2)	CHART & PANE
Collingwood, ON (CNY3)	H-11B, L-31[
Toronto Center App/Dep Con 124.02  Cornwall Rgnl, ON (CYCC)	1 220
	L-320
Boston Center App/Dep Con 135.25 377.1  Cranbrook/Canadian Rockies Intl, BC (CYXC)	H–10
Vancouver Center App/Dep Con 133.6 MF 122.3 (5 NM to 6100')	H-TC
Debert, NS (CCQ3)	H-11E, L-32
Halifax Trml App/Dep Con 119.2	II-IIL, L-32.
Digby, NS (CYID)	L-32
Moncton Center App/Dep Con 123.9	L-32.
Downsview, ON (CYZD)	H-11B, L-318
Toronto Center App Con 133.4	11 110, 2 011
Toronto Center Dep Con 133.4	
MF 126.2 (3 NM to 1900')	
Drummondville, QC (CSC3)	L-32h
Montreal Center App/Dep Con 132.35	L-321
Earlton (Timiskaming Rgnl), ON (CYXR)	H-11E
MF 122.0 (5 NM to 3800')	11-111
AWOS 128.6	
Elliot Lake Muni, ON (CYEL)	L-310
	L=310
Toronto Center App/Dep Con 135.4  Fort Frances Muni, ON (CYAG)	L-14h
	L-14F
Minneapolis Center App/Dep Con 120.9	U 11E I 22
Fredericton Intl, NB (CYFC) ATIS 127.55	H-11E, L-32
Moncton Center App/Dep Con 124.3 135.5 270.8 Clnc Del 121.7 (Ltd hrs)	
MF 119.0 (5 NM to 3500')	U 44D L 041
Goderich, ON (CYGD)	H-11B, L-31[
Toronto Center App/Dep 135.3 266.3	11 445 1 22
Greenwood, NS (CYZX)	H-11E, L-32
ATIS 128.85 244.3 (1100-0000Z‡)	
App/Dep Con 120.6 335.9 Tower 119.5 126.2 236.6 324.3	
Gnd Con 133.75 289.4 Clnc Del 128.05 283.9	
Grimsby Air Park, ON (CNZ8)	L-31
Toronto Trml App/Dep Con 128.27 268.75 Tower 125.0 308.475	
Halifax/Shearwater, NS (CYAW)	H-11E, L-32
ATIS 129.175 (Ltd hrs)	
App/Dep Con 119.2 Tower 119.0 126.2 340.2 360.2 (Ltd hrs)	
Gnd Con 121.7 250.1	
Halifax/Stanfield Intl, NS (CYHZ)	H-11E, L-32
ATIS 121.0	
Moncton Center App/Dep Con 118.7 119.2 128.55 135.3 225.2 363.8	
Tower 118.4 236.6 Gnd Con 121.9 275.8 Clnc Del 123.95	
Apron Advisory 122.125	
Hamilton, ON (CYHM)	H-10H, 11B, L-11E
ATIS 128.1	
Toronto Trml App/Dep Con 128.27 268.75 Tower 119.7 125.0	
Gnd Con 121.6	
Kingston, ON (CYGK)	H-11C, L-31E, 32
Montreal Center App/Dep Con 135.05 398.4 (0400-1115Z‡)	
MF 122.5 (1115-0400Z‡ 5 NM to 3300')	
Kitchener/Waterloo, ON (CYKF)	H-11B, L-31
ATIS 125.1 (1200-0400Z‡)	
Toronto Trml App/Dep Con 128.275	
Waterlan Tower 100 0 110 FE (1000 01007t) Cod Con 101 0	
Waterloo Tower 126.0 118.55 (1200-0400Z‡) Gnd Con 121.8	
MF 126.0 (0400–1200Z‡ 5 NM to 4000')	
	L-320
MF 126.0 (0400-1200Z‡ 5 NM to 4000')	L-320
MF 126.0 (0400–1200Z‡ 5 NM to 4000')  Lachute, QC (CSE4)  Montreal Center App Con 124.65 132.85 268.3	L-320
MF 126.0 (0400–1200Z‡ 5 NM to 4000')  Lachute, QC (CSE4)  Montreal Center App Con 124.65 132.85 268.3  Montreal Center Dep Con 132.85 268.3	
MF 126.0 (0400–1200Z‡ 5 NM to 4000')  Lachute, QC (CSE4)  Montreal Center App Con 124.65 132.85 268.3  Montreal Center Dep Con 132.85 268.3  La Tuque, QC (CYLQ)	
MF 126.0 (0400–1200Z‡ 5 NM to 4000')  Lachute, QC (CSE4)  Montreal Center App Con 124.65 132.85 268.3  Montreal Center Dep Con 132.85 268.3  La Tuque, QC (CYLQ)  Montreal Center App/Dep Con 134.5	H-110
MF 126.0 (0400–1200Z‡ 5 NM to 4000')  Lachute, QC (CSE4)  Montreal Center App Con 124.65 132.85 268.3  Montreal Center Dep Con 132.85 268.3  La Tuque, QC (CYLQ)  Montreal Center App/Dep Con 134.5  Langley, BC (CYNJ)	L-320 H-110 L-11
MF 126.0 (0400–1200Z‡ 5 NM to 4000')  Lachute, QC (CSE4)  Montreal Center App Con 124.65 132.85 268.3  Montreal Center Dep Con 132.85 268.3  La Tuque, QC (CYLQ)  Montreal Center App/Dep Con 134.5	H-110

ı

CILITY NAME Leamington, ON (CLM2)	CHART & PAN
Cleveland Center App/Dep Con 132.45	
Lethbridge, AB (CYQL)	H-1
ATIS 124.4 (1300-0545Z‡)	
Edmonton Center App/Dep Con 132.75 265.2 MF 121.0 (5 NM to 6000')	
Lindsay, ON (CNF4)	L-31E, L-32
Toronto Center App/Dep 134.25	
Liverpool/South Shore Rgnl, NS (CYAU)	L-32
Moncton Center App/Dep Con 123.9	
London, ON (CYXU)	H-10G, 11
ATIS 127.8 (1120-0345Z‡)	L-30G, 31
Toronto Center App/Dep 135.3 135.625	, .
Tower 119.4 125.65 (1120-0345Z‡) Gnd Con 121.9	
MF 119.4 (0345–1120Z‡ 5 NM to 3000′)	
Manitowaning/Manitoulin East Muni, ON (CYEM)	L-31
Toronto Center App/Dep 135.4 260.9	2 0.
Maniwaki, QC (CYMW)	L-32
Montreal Center App/Dep Con 126.57	L-32
Mascouche, QC (CSK3)	L-32
MF 122.35 (5 NM to 2500'. No gnd station. Excluding the portion S of the	L-32
N shore of Riviere des Milles–lles and 1 NM around Lac Agile Mascouche arpt.)	
Medicine Hat, AB (CYXH)	H-1
	п
AWOS 124.875 (0345–1245Z‡)	
MF 122.2 (1245–0345Z‡ 5 NM to 5400′)	1.00
Midland/Huronia, ON (CYEE)	L-3:
Toronto Center App/Dep 124.025	11.445.1.0
Miramichi, NB (CYCH)	H-11E, L-3
Moncton Center App/Dep Con 123.7	
Moncton/Greater Moncton Intl, NB (CYQM)	H-11E, L-3
ATIS 128.65	
App/Dep 124.4 Tower 120.8 236.6 Gnd Con 121.8 275.8	
Apron Advisory 122.075	
Mont-Laurier, QC (CSD4)	L-32
Montreal Center App/Dep Con 126.57	
Montreal Intl (Mirabel), QC (CYMX)	H-11C, 12K, L-32
ATIS 125.7	
Montreal Center App Con 124.65 132.85 268.3	
Montreal Dep Con 132.85	
MF 119.1 (7 NM shape irregular to 2000') VFR Advisory 134.15	
Montreal/Pierre Elliott Trudeau Intl, QC (CYUL)	H-11C, 12K, L-32
ATIS 133.7	
Montreal Trml App Con 118.9 124.65 126.9 132.85 268.3	
Tower 119.9 267.1 Gnd Con 121.9 275.8 Clnc Del 125.6 Apron 122.075	
Montreal Trml Dep Con 118.9 (SE-S-SW) 124.65 268.3 (W-NW-NE)	
VFR Advisory 134.15	
	H-11C, L-3
VFR Advisory 134.15 Montreal/St-Hubert, QC (CYHU)	H-11C, L-32
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9	H-11C, L-32
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3	H-11C, L-32
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)	H-11C, L-3:
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar	H-11C, L-3:
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500′) VFR Advisory 134.15	
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500′) VFR Advisory 134.15  Muskoka, QN (CYQA)	
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15  Muskoka, QN (CYQA)  AWOS 124.575	
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15  Muskoka, QN (CYQA)  AWOS 124.575  MF 122.3 (5 NM to 3900')	H-11B, L-3:
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15  Muskoka, QN (CYQA)  AWOS 124.575  MF 122.3 (5 NM to 3900')  Nanaimo, BC (CYCD)	H-11B, L-3:
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500′) VFR Advisory 134.15  Muskoka, QN (CYQA)  AWOS 124.575  MF 122.3 (5 NM to 3900′)  Nanaimo, BC (CYCD)  Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500′)	H-11B, L-3: H-1B, L-
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500′) VFR Advisory 134.15  Muskoka, QN (CYQA)  AWOS 124.575  MF 122.3 (5 NM to 3900′)  Nanaimo, BC (CYCD)  Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500′)  North Bay, QN (CYYB)	H-11B, L-3: H-1B, L-
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15  Muskoka, QN (CYQA)  AWOS 124.575  MF 122.3 (5 NM to 3900')  Nanaima, BC (CYCD)  Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500')  North Bay, QN (CYYB)  ATIS 124.9 (1130-0300Z‡)	H-11B, L-3: H-1B, L-
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500′) VFR Advisory 134.15  Muskoka, QN (CYQA)  AWOS 124.575  MF 122.3 (5 NM to 3900′)  Nanaimo, BC (CYCD)  Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500′)  North Bay, QN (CYYB)  ATIS 124.9 (1130-0300Z‡)  Toronto Center App/Dep 121.225 127.25	H-11B, L-3: H-1B, L-
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500′) VFR Advisory 134.15  Muskoka, QN (CYQA)  AWOS 124.575  MF 122.3 (5 NM to 3900′)  Nanaimo, BC (CYCD)  Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500′)  North Bay, QN (CYYB)  ATIS 124.9 (1130-0300Z‡)  Toronto Center App/Dep 121.225 127.25  MF 118.3 (1130-0330Z‡ 7 NM to 5000′)	H-11B, L-3: H-1B, L- H-11B, L3:
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500′) VFR Advisory 134.15  Muskoka, DN (CYQA)  AWOS 124.575  MF 122.3 (5 NM to 3900′)  Nanaimo, BC (CYCD)  Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500′)  North Bay, DN (CYYB)  ATIS 124.9 (1130-0300Z‡)  Toronto Center App/Dep 121.225 127.25  MF 118.3 (1130-0330Z‡ 7 NM to 5000′)  Oshawa, ON (CYOO)	H-11B, L-3: H-1B, L-: H-11B, L3:
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500′) VFR Advisory 134.15  Muskoka, QN (CYQA)  AWOS 124.575  MF 122.3 (5 NM to 3900′)  Nanaimo, BC (CYCD)  Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500′)  North Bay, QN (CYYB)  ATIS 124.9 (1130-0300Z‡)  Toronto Center App/Dep 121.225 127.25  MF 118.3 (1130-0330Z‡ 7 NM to 5000′)  Oshawa, QN (CYOO)  ATIS 125.675 (1130-0330Z‡)	H-11B, L-3: H-1B, L- H-11B, L3:
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500′) VFR Advisory 134.15  Muskoka, QN (CYQA)  AWOS 124.575  MF 122.3 (5 NM to 3900′)  Nanaimo, BC (CYCD)  Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500′)  North Bay, QN (CYYB)  ATIS 124.9 (1130-0300Z‡)  Toronto Center App/Dep 121.225 127.25  MF 118.3 (1130-0330Z‡ 7 NM to 5000′)  Oshawa, QN (CYOO)  ATIS 125.675 (1130-0330Z‡)  Toronto Trml App Con 133.4	H-11B, L-3: H-1B, L-: H-11B, L3:
VFR Advisory 134.15  Montreal/St-Hubert, QC (CYHU)  ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9  Montreal Center App/Dep Con 125.15 268.3  St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)  Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500′) VFR Advisory 134.15  Muskoka, QN (CYQA)  AWOS 124.575  MF 122.3 (5 NM to 3900′)  Nanaimo, BC (CYCD)  Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500′)  North Bay, QN (CYYB)  ATIS 124.9 (1130-0300Z‡)  Toronto Center App/Dep 121.225 127.25  MF 118.3 (1130-0330Z‡ 7 NM to 5000′)  Oshawa, QN (CYOO)  ATIS 125.675 (1130-0330Z‡)	H-11C, L-32 H-11B, L-31 H-11B, L31 L-33

CILITY NAME	CHART & PANEL
Ottawa/Carp, ON (CYRP)	L-31E, 32F
ATIS 121.15	
Ottawa Trml App/Dep Con 128.175 252.5	
Ottawa/Gatineau, QC (CYND)	H-11C, L-320
Ottawa Trml App/Dep Con 127.7 128.175 252.5 MF 122.3 (5 NM shape irregular to 2500')	
VFR Advisory Ottawa Trml 127.7	
Ottawa/MacDonald-Cartier Intl, ON (CYOW)	L-110
ATIS 121.15	L-11(
Ottawa App Con 135.15 Tower 118.8 120.1 341.3	
Gnd Con 121.9 Clnc Del 119.4	
Ottawa Dep Con 128.175	
Owen Sound/Billy Bishop Rgnl, ON (CYOS)	L-310
Toronto Center App/Dep 132.575 290.6	
Pelee Island, ON (CYPT)	L-301
Cleveland Center App/Dep Con 126.35 360.0	
Pembroke, ON (CYTA)	H-11C, L-31E, 32I
Montreal Center App/Dep Con 135.2	
Petawawa Advisory 126.4 250.1 (Mon-Fri 1300-2130Z‡, OT PPR)	
Penticton, BC (CYYF)	H-1E
Vancouver Center App/Dep Con 133.5 351.3 MF 118.5 (5 NM to 4100')	
Peterborough, ON (CYPQ)	H-11B, L-31E, 32
AWOS 126.925	
Toronto Center App/Dep 134.25	
Pincher Creek, AB (CZPC)	H-11
Edmonton Center App/Dep Con 132.75 265.2	
Pitt Meadows, BC (CYPK)	L-1
ATIS 125.0 (1500-0700Z‡)	
Vancouver Center App Con 128.6 352.7 (Outer)	
Pitt Tower 126.3 (1500–0700Z‡) Gnd Con 123.8	
Vancouver Center Dep Con 132.3 363.8 (South)	
MF 126.3 (0700–1500Z‡) (3NM to 2500′)	
Quebec/Jean Lesage Intl, QC (CYQB)	H-11D, L-32H
ATIS 134.6	
Montreal Center App/Dep Con 124.0 127.85 135.025 270.9 322.8	
(185.65 Quebec Twr VFR acft at or below 3000') Tower 118.65 236.6	
Gnd Con 121.9 250.0	11.441
Riviere Du Loup, QC (CYRI)	H-11[
AWOS 122.025 (Pvt)  Martroal Contar App (Dep Con 125 1 200 6	
Montreal Center App/Dep Con 125.1 299.6  Rouyn Noranda, QC (CYUY)	H-11I
Montreal Center App/Dep Con 125.9	U-TTI
MF 122.2 (5 NM to 4000')	
Saint John, NB (CYSJ)	H-11E, L-32
Moncton Center App/Dep Con 124.3 135.5 270.8 MF 118.5 (5 NM to 3400')	11 111, 1 02
Sarnia (Chris Hadfield), ON (CYZR)	H-10G, 11B, L-30
Toronto Center 134.375	11 100, 110, 2 00
Sault Ste Marie, ON (CYAM)	H-2K, L-31I
ATIS 133.05 (1300–0100Z‡)	2., 2 02.
Toronto Center App/Dep Con 132.65 344.5	
Tower 118.8 (1300-0100Z‡) Gnd Con 121.7	
MF 118.8 (0100–1300Z‡ 5 NM irregular shape to 3000')	
Sherbrooke, QC (CYAM)	H-11D, L-32F
AWOS 126.25	
Montreal Center App/Dep Con 132.55 MF 123.5 (Ltd hrs 5 NM to 3800')	
South Renfrew Muni, ON (CNP3)	L-31E, 32
Montreal Center App/Dep 124.275	. ,,
Southport, MB (CYPG)	H-21
ATIS 120.85 (Mon-Fri 1400-2300Z‡ except holidays)	
Tower 126.2 384.2 (Mon-Fri 1400-2300Z‡ except holidays)	

I

Springwater Barrie Airpark, ON (CNA3)	CHART & PANE L-31
Toronto Center App/Dep Con 124.025	L-31
St. Catherines/Niagara District, ON (CYSN)	H-10H, 11B, L-31
ATIS 128.525 (1215–0200Z‡)	11 1011, 110, 1 01
Toronto Trml App/Dep Con 133.4 253.1	
MF 123.25 (1215–0200Z‡ 5 NM to 3300′)	
St. Frederic, QC (CSZ4)	L-32
Montreal Center App/Dep Con 135.025 270.9	L 02
St. Georges, QC (CYSG)	H-32H, L-11
Montreal Center App/Dep Con 132.35	52, 2 11
MF 122.15 (5 NM 3900' ASL)	
St. Jean, QC (CYJN)	L-32
Montreal Center App/Dep Con 125.15 268.3	L 02
Tower 118.2 (Apr-Oct 1230–0230Z‡ Nov–Mar 1300–0200Z‡)	
Gnd Con 121.7	
Sudbury, ON (CYSB)	H-31B, 10G, L-31
ATIS 127.4	11-31b, 10d, L-31
Toronto Center App/Dep Con 135.5	
MF 125.5 (7 NM to 4000')	
Summerside, PE (CYSU)	H-11E, L-32
	11-11L, L-32
AWOS 122.55 (Pvt)	
Moncton Center App/Dep Con 124.4 384.8	H-2J, L-14
Thunder Bay, ON (CYQT)	Π−2J, L−1²
ATIS 128.8 (1100-0400Z‡) Winnipeg Center App/Dep Con 132.125 (0400-1100Z‡)	
Tower 118.1 (1100–0400Z‡) Gnd Con 121.9	
App/Dep 119.2 MF 118.1 (0400–1100Z‡ 5 NM to 4000′)	
Timmins, ON (CYTS)	H-11
ATIS 124.95 (1000–0500Z‡)	
Toronto Center App/Dep Con 128.3 226.3 MF 122.3 (5 NM to 4000')	1 24
Toronto/Buttonville Muni, ON (CYKZ)	L-31
ATIS 127.1 (1200–0400Z‡)	
Toronto Center App Con 133.4 Toronto Center Dep Con 133.4	
Tower 124.8 119.9 (1200–0400Z‡) Gnd Con 121.8	
MF 124.8 (0400–1200Z‡ No gnd station. 5 NM shape irregular to below 2500')	L-31
Toronto/City Centre, ON (CYTZ)	L-31
ATIS 133.6 (1130–0400Z‡)	
App Con 133.4 Dep Con 133.4	
Tower 118.2 119.2 226.5 (1130-0400Z‡) Gnd Con 121.7	
Toronto/Lester B Pearson Intl, ON (CYYZ)	H-11B, L-31
ATIS 120.825	
App Con 124.475 125.4 132.8 Dep Con 127.575 128.8	
Tower 118.35 118.7 Gnd Con 118.0 119.1 121.65 121.9	
Clnc Del 121.3 (1200-0400Z‡) VFR Advisory 119.3 133.4	
	H-11C, L-31E, 32
Trenton, ON (CYTR)	
ATIS 135.45 257.7	
ATIS 135.45 257.7	
ATIS 135.45 257.7 App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8	H-11C, L-31E, 32
ATIS 135.45 257.7 App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 Clnc Del 124.35 286.4	H-11C, L-31E, 32
ATIS 135.45 257.7 App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 Clnc Del 124.35 286.4 Trenton/Mountain View, ON (CPZ3)	
ATIS 135.45 257.7 App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 Clnc Del 124.35 286.4 Trenton/Mountain View, 0N (CPZ3) Trenton Mil Advisory 268.0	
ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8  Clnc Del 124.35 286.4  Trenton/Mountain View, ON (CPZ3)  Trenton Mil Advisory 268.0  Trois-Rivieres, QC (CYRQ)	
ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8  Cinc Del 124.35 286.4  Trenton/Mountain View, ON (CPZ3)  Trenton Mil Advisory 268.0  Trois-Rivieres, QC (CYRQ)  Montreal Center App/Dep Con 128.225 229.2	H-11C, L-32
ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8  Cinc Del 124.35 286.4  Trenton/Mountain (view, ON (CPZ3)  Trenton Mil Advisory 268.0  Trois-Rivieres, QC (CYRQ)  Montreal Center App/Dep Con 128.225 229.2  MF 123.0 (5 NM to 3200')	H-11C, L-32
ATIS 135.45 257.7 App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 Clnc Del 124.35 286.4 Trenton/Mountain View, ØN (CPZ3) Trenton Mil Advisory 268.0 Trois-Rivieres, QC (CYRQ) Montreal Center App/Dep Con 128.225 229.2 MF 123.0 (5 NM to 3200') Val—D'or, QC (CYVO) Montreal Center App/Dep Con 125.9 308.3	H-11C, L-32
ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8  Cinc Del 124.35 286.4  Trenton/Mountain View, ON (CPZ3)  Trenton Mil Advisory 268.0  Trois-Rivieres, QC (CYRQ)  Montreal Center App/Dep Con 128.225 229.2  MF 123.0 (5 NM to 3200')  Val-D'or, QC (CYVO)	H-11C, L-32 H-12
ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8  Clnc Del 124.35 286.4  Trenton/Mountain View, ON (CPZ3)  Trenton Mil Advisory 268.0  Trois-Rivieres, QC (CYRQ)  Montreal Center App/Dep Con 128.225 229.2  MF 123.0 (5 NM to 3200')  Val-D'or, QC (CYVO)  Montreal Center App/Dep Con 125.9 308.3  MF 118.5 (1030-03252‡ 5 NM to 4000')	H-11C, L-32 H-11
ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8  Cinc Del 124.35 286.4  Trenton/Mountain View, ON (CPZ3)  Trenton Mil Advisory 268.0  Trois-Rivieres, QC (CYRQ)  Montreal Center App/Dep Con 128.225 229.2  MF 123.0 (5 NM to 3200')  Val-D'or, QC (CYVO)  Montreal Center App/Dep Con 125.9 308.3  MF 118.5 (1030-03252‡ 5 NM to 4000')  Vancouver Intl, BC (CYVR)  ATIS 124.6 124.75	H-11C, L-32 H-11
ATIS 135.45 257.7 App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 Clnc Del 124.35 286.4 Trenton/Mountain View, ØN (CPZ3) Trenton Mil Advisory 268.0 Trois-Rivieres, QC (CYRQ) Montreal Center App/Dep Con 128.225 229.2 MF 123.0 (5 NM to 3200') Val-D'or, QC (CYVO) Montreal Center App/Dep Con 125.9 308.3 MF 118.5 (1030–0325Z‡ 5 NM to 4000') Vancouver Intl, BC (CYVR) ATIS 124.6 124.75 App Con 128.6 128.17 352.7 (Outer) 133.1 134.225 352.7 (Inner)	H-11C, L-32 H-11
ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8  Cinc Del 124.35 286.4  Trenton/Mountain View, ON (CPZ3)  Trenton Mil Advisory 268.0  Trois-Rivieres, QC (CYRQ)  Montreal Center App/Dep Con 128.225 229.2  MF 123.0 (5 NM to 3200')  Val-D'or, QC (CYVO)  Montreal Center App/Dep Con 125.9 308.3  MF 118.5 (1030-03252‡ 5 NM to 4000')  Vancouver Intl, BC (CYVR)  ATIS 124.6 124.75	H-11C, L-31E, 3; H-11C, L-32 H-11 H-1B, L-1

### SUPPLEMENTAL COMMUNICATION REFERENCE

ILITY NAME	CHART & PANEL
ictoria Intl, BC (CYYJ)	H-1B, L-1E
ATIS 118.8 (1400-0800Z‡)	
App Con 125.95 308.4 Dep Con 133.85 308.4	
Tower 119.1 (Outer) 119.7 (Inner) 239.6	
Gnd Con 121.9 361.4 (1400-0800Z‡ OT ctc Kamloops 119.7)	
Cinc Del 126.4 (1400-0800Z‡)	
(ictoriaville, QC (CSR3)	L-32H
Montreal Center App Con 132.35	
Vaterville/Kings Co Muni, NS (CCW3)	L-32J
Greenwood Trml App/Dep Con 120.6 335.9	
Greenwood Tower 119.5 324.3	
Viarton, ON (CYVV)	H-11B, L-31D
Toronto Center App/Dep Con 132.575	
MF 122.2 (5 NM to 3700')	
Vindsor, ON (CYQG)	H–10G, L–8J
ATIS 134.5 (1130-0330Z‡)	
Detroit App/Dep Con 126.85 127.5 134.3 348.3 363.2	
Tower 124.7 (1130-0330Z‡) Gnd Con 121.7	
MF 124.7 (0330–1130Z‡ 6 NM irregular shape to below 3000')	
VFR Advisory Detroit App Con 134.3	
'armouth, NS (CYQI)	H-11E, L-32I
Moncton Center App/Dep Con 123.9 368.5 MF 123.0 (5 NM to 3100')	
MEXICO	
ILITY NAME	CHART & PANEL
Ibraham Gonzalez Intl (MMCS)	H-4K, L-6F
Juarez App Con 119.9 Juarez Tower 118.9	
Del Norte Intl (MMAN)	H-7B, L-20G
ATIS 127.55 (1300-0300Z‡)	
Monterrey App 119.75 120.4 Tower 118.6	
Ourango Intl (MMDO)	H-7A
ATIS 132.1	
Tower 118.1 Durango Info 122.3	
General Abelardo L Rodriguez Intl (MMTJ)	H–4H, L–4H
ATIS 127.9	,
Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35	
Tijuana Info 132.1	
Seneral Lucio Blanco Intl (MMRX)	H-7B, L-20H
Reynosa App Con 118.8 Reynosa Tower 118.8	5, 2 2011
Reneral Mariano Escobedo Intl (MMMY)	H-7B. L-20G
ATIS 127.7	11 15, 2 200
Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9	
Reneral R Fierro Villalobos Intl (MMCU)	L-61
ATIS 127.9	2 01
Chihuahua App Con 121.0 Chihuahua Tower 118.4	
Seneral Rodolfo Sanchez Taboada Intl (MMML)	H-4H, L-4J, 5A
ATIS 127.6	11-411, 12-43, 3A
Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3	
	H-7C, L-21A
	H-7C, L-21A
deneral Servando Canales (MMMA)  Motomoros App Cop 118 0 Metomoros Towar 118 0	
Matamoros App Con 118.0 Matamoros Tower 118.0	11.70
Matamoros App Con 118.0 Matamoros Tower 118.0  Plan De Guadalupe Intl (MMIO)	H–7B
Matamoros App Con 118.0 Matamoros Tower 118.0  Plan De Guadalupe Intl (MMIO)  Saltillo App Con 127.4 Saltillo Tower 118.4	
Matamoros App Con 118.0 Matamoros Tower 118.0  Plan De Guadalupe Intl (MMIO)  Saltillo App Con 127.4 Saltillo Tower 118.4  Luetzalcoatl Intl (MMNL)	
Matamoros App Con 118.0 Matamoros Tower 118.0  Plan De Guadalupe Intl (MMIO) Saltillo App Con 127.4 Saltillo Tower 118.4 Luetzalocatl Intl (MMNL) Nuevo Laredo App Con 118.3 Nuevo Laredo Tower 118.3	H-7B, L-20G
Matamoros App Con 118.0 Matamoros Tower 118.0  Plan De Guadalupe Intl (MMIO)  Saltillo App Con 127.4 Saltillo Tower 118.4  Luetzalcoatl Intl (MMNL)	H–7B H–7B, L–20G H–7A

In support of the Federal Aviation Administration's Runway Incursion Program, selected towered airport diagrams have been published in the Airport Diagram section of the A/FD. Diagrams will be listed alphabetically by associated city and airport name. Airport diagrams, depicting runway and taxiway configurations, will assist both VFR and IFR pilots in ground taxi operations. The airport diagrams in this publication are the same as those published in the U.S. Terminal Procedures Publications. For additional airport diagram legend information see the U.S. Terminal Procedures Publication.

NOTE: Some text data published under the individual airport in the front portion of the A/FD may be more current than the data published on the Airport Diagrams. The airport diagrams are updated only when significant changes occur.

#### GENERAL INFORMATION

#### PILOT CONTROLLED AIRPORT LIGHTING SYSTEMS

Available pilot controlled lighting (PCL) systems are indicated as follows:

- 1. Approach lighting systems that bear a system identification are symbolized using negative symbology, e.g., 🚳, 🔾, 🗞
- 2. Approach lighting systems that do not bear a system identification are indicated with a negative "0" beside the name.

A star (\*) indicates non-standard PCL, consult the individual airport in the front portion of the A/FD, e.g., 0\*

To activate lights use frequency indicated in the communication section of the chart with a **0** or the appropriate lighting system identification e.g., UNICOM 122.8 **0**, **a**, **o** 

(EY	MIKE

7 times within 5 seconds

5 times within 5 seconds 3 times within 5 seconds

FUNCTION Highest intensity available

Medium or lower intensity (Lower REIL or REIL-off) Lowest intensity available (Lower REIL or REIL-off)

#### CHART CURRENCY INFORMATION

FAA procedure amendment number Amdt 11A 99365 Date of latest change Orig 00365

The Chart Date indentifies the Julian date the chart was added to the volume or last revised for any reason. The first two digits indicate the year, the last three digits indicate the day of the year (001 to 365/6) in which the latest addition or change was first published.

The Procedure Amendment Number precedes the Chart Date, and changes any time instrument information (e.g., DH, MDA, approach routing, etc.) changes. Procedure changes also cause the Chart Date to change.


#### **MISCELLANEOUS**

- ★ Indicates a non-continuously operating facility, see the individual airport in the front portion of the A/FD.
- # Indicates control tower temporarily closed UFN.

09071 LEGEND

#### INSTRUMENT APPROACH PROCEDURES (CHARTS)

#### AIRPORT DIAGRAM



# When Control Tower and Rotating Beacon are co-located, Beacon symbol will be used and further identified as TWR

Runway length depicted is the physical length of the runway (end-to-end, including displaced thresholds if any) but excluding areas designated as stopways.

A D symbol is shown to indicate runway declared distance information available, see appropriate A/FD, Alaska or Pacific Supplement for distance information. Helicopter Alighting Areas (H) [H] [H] [A] [H] Negative Symbols used to identify Copter Procedures landing point......

Runway Threshold elevation.....THRE 123 Runway TDZ elevation.....TDZE 123 -- 0.3% DOWN

(shown when runway slope is greater than or equal to 0.3%)

Runway Slope measured to midpoint on runways

8000 feet or longer. U.S. Navy Optical Landing System (OLS) "OLS"

location is shown because of its height of approximately 7 feet and proximity to edge of runway may create an obstruction for some types of aircraft.

Approach light symbols are shown in the Flight Information Handbook.

Airport digaram scales are variable.

True/magnetic North orientation may vary from diagram to diagram

Coordinate values are shown in 1 or ½ minute increments. They are further broken down into 6 second ticks, within each 1 minute increments.


Positional accuracy within ±600 feet unless otherwise noted on the chart.

All new and revised airport diagrams are shown referenced to the World Geodetic System (WGS) (noted on appropriate diagram), and may not be compatible with local coordinates published in FLIP. (Foreign Only)

Runway Weight Bearing Capacity/or PCN Pavement Classification Number is shown as a codified expression.

Refer to the appropriate Supplement/Directory for applicable codes e.g., RWY 14-32 S75, T185, ST175, TT325

PCN 80 F/D/X/U



Airport diagrams are specifically designed to assist in the movement of ground traffic at locations with complex runway/taxiway configurations and provide information for updating Computer Based Navigation Systems (I.E., INS, GPS) aboard aircraft. Airport diagrams are not intended to be used for approach and landing or departure operations. For revisions to Airport Diagrams: Consult FAA Order 7910.4.

#### LEGEND

## AIRPORT DIAGRAMS HOT SPOTS

An "airport surface hot spot" is a location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary.

A "hot spot" is a runway safety related problem area on a airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness, and training. Hot spots are depicted on airport diagrams as circles or polygons designated as "HOT¹", "HOT²", etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.

CITY/AIRPORT	HOT SPOT	DESCRIPTION
	ALABAMA	
MONTGOMERY MONTGOMERY RGNL		
(DANNELY FIELD) (MGM)	HOT <sup>1</sup>	Intersection of Twy A3 and the terminal ramp.  Potential confusion of Twy A3 as the taxi route to
	HOT <sup>2</sup>	Rwy 10/28. Intersection of the Twy A5 and the ANG ramp. Potential exiting Rwy 10/28 at Twy A5.
	FLORIDA	
DAYTONA BEACH		
DAYTONA BEACH INTL (DAB)	HOT <sup>1</sup>	Pilots taxiing southbound on Twy W sometimes miss the right turn on Twy S and enter the runway without clearance.
MIAMI		
MIAMI INTL, FL (MIA)	HOT <sup>1</sup>	Multiple intersections closely spaced.
	HOT <sup>2</sup>	Departure taxi out of Spot 15, Spot 14, Spot 13, misidentification of Twy P and Twy Q at Twy T has
	2	lead to rwy incursions onto Rwy 12-30.
	HOT <sup>3</sup>	Twy runway ends in close proximity.
STUART WITHAM FIELD (SUA)	HOT <sup>1</sup>	Intersecting rwys, wrong rwy departure risk. (Check rwy alignment.)
	HOT <sup>2</sup>	Rwy 12 and Twy A1.
	GEORGIA	
	GEUKGIA	
AUGUSTA		

#### NORTH CAROLINA

HOT1

CHARLOTTE

AUGUSTA RGNL AT BUSH FLD (AGS)


CHARLOTTE/DOUGLAS INTL (CLT) HOT<sup>1</sup> Confusing intersection due to convergence of Twys

R, A, C and C9, along with grass island.


Intersection of Twy E and Rwy 17/35.

RALEIGH/DURHAM


RALEIGH-DURHAM INTL (RDU) HOT<sup>1</sup> Intersection of Rwy 5R/23L and Twy C.




SE, 22 OCT 2009 to 17 DEC 2009




#### SE, 22 OCT 2009 to 17 DEC 2009






ATLANTA/ COBB COUNTY-McCOLLUM FIELD (RYY)



 $\begin{array}{c} \text{ATLANTA, GEORGIA} \\ \text{ATLANTA/DEKALB-PEACHTREE} \ (PDK) \end{array}$ 



 $\begin{array}{c} \text{ATLANTA, GEORGIA} \\ \text{ATLANTA/FULTON COUNTY AIRPORT-BROWN FIELD } (FTY) \end{array}$ 

09239 ATLANTA/HARTSFIELD - JACKSON ATLANTA INTL (ATL)AIRPORT DIAGRAM ATLANTA, GEORGIÁ AL-26 (FAA) ATIS ARR 119.65 \*Group VI aircraft are restricted from using Taxiway Foxtrot ATIS DEP 125.55 east of Ramp 5 North to the west side of Taxiway Charlie. ATLANTA TOWER \*Group VI aircraft are restricted from using Taxiway Lima 119.1 381.6 Rwy 8L-26R 125.325 381.6 Rwy 8R-26L east of Ramp 5 South to west of Ramp 6 South. 119.3 381.6 Rwy 9R-27L \*Aircraft with wingspan greater than 171' are restricted from 123.85 381.6 Rwy 9L-27R using Taxiway Victor. 119.5 381.6 Rwy 10-28 33°40′N **GND CON** 121.9 381.6 (Rwys 8L-26R, 8R-26L) 121.75 381.6 (Rwys 9L-27R, 9R-27L) 121.65 381.6 (Rwy 10-28) CLNC DEL YAR 118.1 D CITY LANDING AIRCRAFT CAN EXPECT TO REMAIN HANGAR ON TOWER FREQUENCY UNTIL SPECIFICALLY NORTH INSTRUCTED TO CONTACT GROUND CONTROL CARGO JANUARY 2005 AIRTRAN CAUTION: BE ALERT TO RAMP ANNUAL RATE OF CHANGE **DELTA** RUNWAY CROSSING CLEARANCES. HANGAR NORTH READBACK OF ALL RUNWAY FIRE HOLDING INSTRUCTIONS IS REQUIRED FBO STATION ELEV HÖLD **FUEL** RWY 26R 990 IIS **FARMS APPROACH** HOLD A11 **AREA** ELEV LÉLEV HOLD FARM LAHSO 11015 IN 4% DOWN 33°39′N ILS 094.0 B 8>X ILS HOLD LAHSO ii i i i B () ( -ILS HOLD HÖLD 0.4% DOWN \_ 1024 % 1 0% DOWN - 2 797 \_ 10000 X 094.0 274.0 ELEV FIRE F 995 STATION . 0 0 3N 4N 5N 6N TERMINAL LCONTROL TOWFP DAL JET BASE RAMP RAMP RAMP RAMP RAMP 1357 FIRE STATION FLEV 35 45 25 55 68 ILS HOLD 1019 2 24; ထ φM Μ M M20 ≥ ₹ ELEV 978 094.0 0 4% UP 0.3% DOWN 11890 X 274.0° -33° 38′N-0.5% UP 10 - ILS 0.4% A DOWN -274.0° Fi 1094.0° HOLD HOLD Taxis J, K, N12 LAHSO 9001 X 150 ELEV 5 S **FIELD** Ramp Frequencies: RWYS 8L-26R, 9L-27R **ELEV** \$120, D200, \$T175, DT360 131.45 ELEV 1026 Ramp 1 SJ2 PCN 62 R/A/W/T Ramp 2 131.85 1000 NWA RWYS 8R-26L Ramp 3 129.27 **HANGAR** S120, D200, ST175, DT360 130.07 Ramp 4 SJ1 FIRE PCN 74 R/A/W/T SÒUTH Ramp 5 129.37 STATION 131.37 **CARGO** RWYS 9R-27L Ramp 6 S120, D200, ST175, DT360 RAMP PCN 68 R/A/W/T SCO SG SG **RWYS 10-28** S75, D209, ST175, DT600, **DDT900** 094.0°-9000 X 150 274.0 ELEV ELEV PCN 74 R/A/W/T 1000 998 CAUTION: Pilots are cautioned not

AIRPORT DIAGRAM

84° 27′W

ATLANTA, GEORGIA ATLANTA HARTSFIELD - JACKSON ATLANTA INTL $\left(ATL\right)$ 

84°25′W

-33°37′N

ASDE-X Surveillance system

in use. Pilots should operate


transponders with Mode C on all twys & rwys.

to mistake the marked concrete on


Rwy 10/28 and taxiway SG for a

84° 26′W


taxiway at the I-285 overpass.





SE, 22 OCT 2009 to 17 DEC 2009




09071













BRISTOL-JOHNSON-KINGSPORT, TENNESSEE BRISTOL/TRI-CITIES RGNL TN/VA  $(TR\,I)$ 











SE, 22 OCT 2009 to 17 DEC 2009

















CHRISTIANSTED, ST. CROIX/ HENRY E ROHLSEN (STX)(TISX)







SE, 22 OCT 2009 to 17 DEC 2009





concord, north carolina concord rgnl  $(JQF)\,$ 




COVINGTON/ CINCINNATI/NORTHERN KENTUCKY INTL (CVG)












VALPARAISO, FLORIDA DUKE FLD (EGLIN AF AUX NR3) (KEGI)





SE, 22 OCT 2009 to 17 DEC 2009


09239




**AIRPORT DIAGRAM** 


09239


 $\label{eq:fayetteville} \mbox{Fayetteville rgnl/grannis field } (FAY)$ 





SE, 22 OCT 2009 to 17 DEC 2009



















SE, 22 OCT 2009 to 17 DEC 2009













GREENVILLE/ DONALDSON CENTER (GYH)

09183





SE, 22 OCT 2009 to 17 DEC 2009

07298





07298







 $\begin{array}{c} \text{HOLLYWOOD, FLORIDA} \\ \text{HOLLYWOOD/NORTH PERRY} \ (HWO) \end{array}$ 









 $\begin{array}{c} \text{HUNTSVILLE, ALABAMA} \\ \text{HUNTSVILLE INTL-CARL T. JONES FIELD } (HSV) \end{array}$ 






## SE, 22 OCT 2009 to 17 DEC 2009




SE, 22 OCT 2009 to 17 DEC 2009




08157


JACKSONVILLE, FLORIDA JACKSONVILLE/ CECIL FIELD (VQQ)




AIRPORT DIAGRAM

Jacksonville, florida Jacksonville/  $\mbox{CRAIG}$  muni (CRG)







06215





KEY WEST NAS (BOCA CHICA FLD) (KNQX)




07298










17130 DAWKENCEVILLE/GWINNETT COOKIT-BRISCOE TIELD (112







SE, 22 OCT 2009 to 17 DEC 2009













SE, 22 OCT 2009 to 17 DEC 2009





09183 MACON/ MIDDLE GEORGIA






















09183





SE, 22 OCT 2009 to 17 DEC 2009





AIRPORT DIAGRAM


 $\begin{array}{c} \text{MIAMI, FLORIDA} \\ \text{MIAMI/OPA LOCKA EXECUTIVE}(OPF) \end{array}$ 
























AIRPORT DIAGRAM


NEW BERN/COASTAL CAROLINA RGNL (EWN)
































PATRICK AFB (KCOF)








SE, 22 OCT 2009 to 17 DEC 2009





07354


















ROME/ RICHARD B. RUSSELL (RMG)





SE, 22 OCT 2009 to 17 DEC 2009















SE, 22 OCT 2009 to 17 DEC 2009







SAVANNAH, GEORGIA SAVANNAH/HILTON HEAD INTL (SAV)












Smyrna, tennessee Smyrna (MQY)








07354





TAMPA EXECUTIVE  $(\mathrm{VDF})$  TAMPA, FLORIDA














09127







WEST PALM BEACH, FLORIDA WEST PALM BEACH/PALM BEACH INTL (PBI)



SE, 22 OCT 2009 to 17 DEC 2009





SE, 22 OCT 2009 to 17 DEC 2009

